

RECEIVED
JUL 31 1958
STATE ENGINEER
DIVISION

Permit No. G-1178

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, ROBERT B. PRIEST
of ONTARIO, OREGON ROUTE - 1, county of MALHEUR
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated MALHEUR RIVER

tributary of SNAKE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 2 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is IRRIGATION PURPOSES

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of _____

S 33° 57' W - 4777 feet from the
NE Cor Sec 11 T18S R46E

being within the N 1/4 - SE 1/4 of Sec. 11, Twp. 18, R. 46 EAST W. M., in the county of MALHEUR

5. The Existing ditches to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 WELL having a diameter of 4 1/2 inches and an estimated depth of 21 feet. It is estimated that 42 feet of the well will require STEEL casing. Depth to water table is estimated _____

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type SUBMERGE-PUMP SIZE 6 IN
Parma Water Lift

Give horsepower and type of motor or engine to be used 10-HP ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18	44-EAST	11	NW SE	7 38
			NE SE	39
*		Prime	{ NW SE	18
			{ NE SE	19
*		Supplemental	{ NW SE	20
			{ NE SE	20
*		Sec below		

(If more space required, attach separate sheet)

Character of soil

Silt Loam

Kind of crops raised

Hay Grain

MUNICIPAL SUPPLY—

2. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4000
- 15. Construction work will begin on or before Jan-1958
- 16. Construction work will be completed on or before Oct-1958
- 17. The water will be completely applied to the proposed use on or before Oct-1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Letter from Warm Springs

Irrig Dist will follow.

Robert B Priest.
(Signature of applicant)

Remarks:

Note Well will be for both a prime and supplemental right. There is an existing right for 20 acres from the Warm Springs Irrigation Dist - 20 ac NWSE & 20 ac NESE Sec 11. The existing water right was never pinpointed to any particular area so it was impossible to show the prime and supplemental acres on the map.

Well dug Jan 1958 but no casing installed as of 12-10-58.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for **correction and completion**

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 21, 19 58.

WITNESS my hand this 21st day of August, 19 58.

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver Jr.
James W. Carver, Jr. ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.96 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 15, 1958

Actual construction work shall begin on or before January 15, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 15th day of January, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G- 1138

Permit No. G- 1178

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 31 day of July, 1958, at 1.00 o'clock P. M.

Returned to applicant:

Approved:

January 15, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1178

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 10 page 37

State Printing