

RECEIVED
NOV 24 1918
STATE ENGINEER

Permit No. G-1189

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Norman Miller and John Miller
of Box 97 Milton Freewater, county of Umatilla

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Not a Corporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Ford Branch of Little Walle Walle River
tributary of Walle Walle

2. The amount of water which the applicant intends to apply to beneficial use is .78 cubic feet per second or 350 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 590 ft. N and 575 ft. E from the SW corner of SE 1/4 Section 22 Twp 6 N R. 35 E

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SE 1/4 of Sec. 22, Twp. 6 N, R. 35 E, W. M., in the county of Umatilla

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____ R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Miller Number 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

will not be artesian

8. The development will consist of 1 well having a diameter of 8 inches and an estimated depth of 200 feet. It is estimated that 60 feet of the well will require steel casing. Depth to water table is estimated 15

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 4000 ft.; size at intake, 5 in.; in size at 500 ft. from intake 40 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? No Estimated capacity, .78 sec. ft.

10. If pumps are to be used, give size and type 5" Column Turbine

Give horsepower and type of motor or engine to be used 20 HP 3 phase Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
Approx ^{545' N} Ford Branch of Little Wallakulla

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>6N</u>	<u>35E</u>	<u>22</u>	<u>SW 1/4 SE 1/4</u>	<u>40</u>
<u>6N</u>	<u>35E</u>	<u>22</u>	<u>S 1/2 NW 1/4 SE 1/4</u>	<u>20</u>
<u>6N</u>	<u>35E</u>	<u>22</u>	<u>NE 1/4 SE 1/4</u>	<u>6.3</u>
<u>6N</u>	<u>35E</u>	<u>27</u>	<u>NW 1/4 NE 1/4</u>	<u>40</u>

(If more space required, attach separate sheet)

Character of soil Ritzville Silt loam & Umapine very fine sandy loam
Kind of crops raised Sugar Beets, Sweet Corn, Alfalfa, Grain
Pasture

2. To supply the city of net a city

in _____ county, having a present population of _____

and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 9500
- 15. Construction work will begin on or before Mar 1st 1959
- 16. Construction work will be completed on or before Mar 1st 1960
- 17. The water will be completely applied to the proposed use on or before July 1 1960

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Supplemental to right from Ford Creek Br of little Walla Walla and Permit G632

John Miller
(Signature of applicant)

Remarks:

Well drilled with Permit G632 produced only 300 Gallons when tested April 1958 by WE Ruther + son. This flow along with the permit from Ford Creek Branch of the little Walla Walla does not give adequate flow of irrigation water for the irrigation of this farm.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 4, 19 59

WITNESS my hand this 4th day of December, 19 58


LEWIS A. STANLEY

STATE ENGINEER

By

James W. Carver, Jr.

ASSISTANT



County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/100 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 24, 1958

Actual construction work shall begin on or before January 15, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 15th day of January, 1959

Lewis A. Stanley
STATE ENGINEER

Application No. G-1316
Permit No. G-1189

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of November, 1958, at 11 o'clock A.M.

Returned to applicant:

Approved:

January 15, 1959

Recorded in book No. 5 of

1189

Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 7 page 43