

RECEIVED
JAN 26 1953

STATE ENGINEER
SALE... OREGON

Permit No. G-1197

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Cyrus W. Wrinkle
(Name of applicant)
of Box 1058, Milton-Freswater, county of Umatilla
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

no

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Walla Walla River
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 40 gallons per minute.

3. The use to which the water is to be applied is ~~for household use~~ lawn watering and small pasture irrigation

4. The well or other source is located 1577.5 ft. S and 2941.5 ft. E from the NW corner of Sec. 25
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 25, Twp. 6 N, R. 35 E,
W. M., in the county of Umatilla

5. The Piped from well to house to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is no name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 6" inches and an estimated depth of 26 feet. It is estimated that _____ feet of the well will require 24 casing. Depth to water table is estimated 8 feet
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2 hrs. centrifugal

Give horsepower and type of motor or engine to be used 2 hrs.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use The total area of described property except for buildings erected thereon

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| 6 N | 35 E | 25 | SE 1/4 NE 1/4 | under 1 acre * |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil sandy loam
 Kind of crops raised pasture only

MUNICIPAL SUPPLY--

1197

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....185.00.....
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before December 1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.
.....
.....

C. W. Winkler
(Signature of applicant)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 15, 19 58.

WITNESS my hand this 13th day of October, 19 58

LEWIS A. STANLEY
STATE ENGINEER
RECEIVED
OCT 16 1958
BY James W. Carver, Jr.
STATE ENGINEER ASSISTANT
Salem, Oregon

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 26, 1959

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of February, 1959.

Lewis A. Stanley
STATE ENGINEER

Application No. G-1064
Permit No. G-1197

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18 day of July, 1958, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 5 of 1197

Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 7 page 40

State Printing

1500