

Permit No. G- 1199

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, George D. Weaver

(Name of applicant)

of Marble Creek, county of Douglas

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Umpqua

(Name of stream)

tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 7,000 gallons per ~~minute~~ hour.

3. The use to which the water is to be applied is irrigation, ~~and domestic~~

4. The well or other source is located 784.5 ft. ^{N 89° 17' 20" W} and 235.61 ft. ^{SW} from the DL 42 corner of lot 10 of the unrecorded plot of Plot A, a subdivision of a part of the Edwin Weaver Estate DL 42 and 38, Section 32, Twp. 29 S., Range 5 West, It is also described

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

as 784.5 feet on the northeasterly line of the George D. Weaver property which is described in that deed to said parties recorded in Book 147, Page 337, Douglas Co. Record of Deeds, and being within the south-half of Sec. 32, Twp. 29 S., R. 5 West, southwest quarter of the southeast quarter W. M., in the county of Douglas

5. The pipe line to be 800 feet in length, terminating in the _____ of Sec. 32, Twp. 29

(Canal or pipe line)

(Smallest legal subdivision)

R. 5 West, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is none.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 36 inches and an estimated depth of 13 feet. It is estimated that 13 feet of the well will require concrete casing. Depth to water table is estimated 7

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

at each point of canal where materially changed in size, stating miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size ^{throughout} 4 in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 13 ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type tractor pump

Give horsepower and type of motor or engine to be used Ferguson Tractor motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

850 feet from South Umpqua River; 20 feet elevation.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29 S	5 W	32	SE	9.70 acres. 11.75 acres.
			the southwest quarter of the southeast quarter;	21.45 acres. TOTAL
			the southeast quarter of the southwest quarter;	
			and the northeast quarter of the southwest quarter.	
			SW 1/4 of SE 1/4	14.72 AC.
			NW 1/4 of SE 1/4	0.11 AC.
			NE 1/4 of SW 1/4	0.84 AC.
			SE 1/4 of SW 1/4	2.86 AC.
				18.53 AC Total

(If more space required, attach separate sheet)

Character of soil riverbottom loam and silt

Kind of crops raised truck gardening

... having a present population of ...

... 14.18 ...

ARTICLES 24, 25, 26, 27 AND 28 IN ALL CASES

14. Estimated cost of proposed works, \$ 3,000.00

15. Construction work will begin on or before September 1957

16. Construction work will be completed on or before September 1957

17. The water will be completely applied to the proposed use on or before September 1, 1958.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Geo D Weaver

On behalf of myself and Margaret Weaver, my wife, and Henry and Susan Small.

Remarks:

STATE OF OREGON, } ss.
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 10, 19 58
February 2, 1959

WITNESS my hand this 10th day of September, 19 58
2nd December 1958

RECEIVED
STATE ENGINEER
SALEM, OREGON

LEWIS A. STANLEY

STATE ENGINEER

By *James W. Carver, Jr.*
James W. Carver, Jr. ASSISTANT

I hereby certify that I have examined the foregoing application and do hereby grant the same, subject to EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.23 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 24, 1958

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of February 19 59

Lewis A. Stanley
STATE ENGINEER

Application No. G- 1156

Permit No. G- 1199

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of February, 1959, at 11:00 o'clock P. M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1199

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 16 page 38