

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Consolidated School District 509C  
(Name of applicant)  
of City Hall, Corvallis, Oregon, county of Benton,  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Dixon Creek  
(Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 100 gallons per minute.

3. The use to which the water is to be applied is School Grounds irrigation

4. The well or other source is located 42.78 <sup>ch</sup> N and 43 <sup>ch</sup> E from the SW corner of 5 N. 5th D.C. N 9 48  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4, NW 1/4 of Sec. 26, Twp. 11 S, R. 5 W, W. M., in the county of Benton

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Highland-View Junior High

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One water well having a diameter of 8" I.D. inches and an estimated depth of 57 feet. It is estimated that 57 feet of the well will require 2 1/2" 2" steel casing. Depth to water table is estimated 42  
(Kind) (Feet)

15 feet of casing will have 4 lines of 1/8" x 1/8" perforations 10 to the line (40 perforations)

10. Give dimensions at each end of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 7 1/2 H.P. Turbine Pump

120 G.P.M. capacity 440 volt Electric motor.

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	5 W	26	NW 1/4, NW 1/4	1.3
"	"	"	NE 1/4, NW 1/4	4.5
"	"	"	SW 1/4, NW 1/4	5.1
"	"	"	SE 1/4, NW 1/4	19.5
				<u>30.4</u>

Location of S.W. corner S.M. Stouts D.L.C. #48 is 9.94 chs. north & 15.81 chs. west of the section corner common to sections 26, 27, 34 & 35 T11 S R 5 W is a certified copy on file in the county surveyor's office dated Dec. 11 1929.

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

\_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 600.00
- 15. Construction work will begin on or before October 30 1958
- 16. Construction work will be completed on or before January 30 1959
- 17. The water will be completely applied to the proposed use on or before \_\_\_\_\_

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This water will be used only for lawn and play-field irrigation. Corvallis City water supplies the buildings.

Garrett R. Wallace  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 12 \_\_\_\_\_, 19 59

WITNESS my hand this 12th day of January, 19 59.

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver, Jr.  
James W. Carver, Jr. ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Highland View Jr. High Well

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 22, 1958

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of February, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G-1334

Permit No. G-1208

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the day of 19, at o'clock M.

Returned to applicant:

Approved: February 13, 1959

Recorded in book No. 5 of 1203 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 93