

RECEIVED
OCT 31 1958
STATE ENGINEER
SALEM, OREGON

Permit No. 1209

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ernest J. Richards
(Name of applicant)
of Rt. 1, Box 258, Albany
(Postoffice Address), county of Linn
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mill Creek
(Name of stream)
tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation and supplemental Irrigation

4. The well or other source is located N. 78 1/2° E. 5.5 chains and _____ ft. _____ from the SW corner of S. 4, T. 11 S., R. 2 W.
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of SW 1/4 of Sec. 4, Twp. 11 S., R. 2 W., W. M., in the county of Linn

5. The main pipeline to be 1360 feet _____ miles in length, terminating in the SE 1/4 of SE 1/4 of Sec. 4, Twp. 11 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.
(Name of pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Richards No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well having a diameter of 8 inches and an estimated depth of 20 feet. It is estimated that 20 feet of the well will require steel casing. Depth to water table is estimated 10 feet.
(Give number of wells, tunnels, etc.) (Kind) (Feet)

9. Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 1360 ft.; size at intake, 4 in.; in size at 1360 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 2 ft. Is grade uniform? yes Estimated capacity, 9 sec. ft.

10. If pumps are to be used, give size and type 2" Pacific Centrifugal
 Give horsepower and type of motor or engine to be used 10 H. P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development well is approximately 100 feet from Mill Creek. Stream bed is approximately 10 feet below the ground surface at the well site.

12. Location of area to be irrigated, or place of use Sections 4 and 5, T. 11 S., R. 2 W.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	2 W	4	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	10.5 suppl
11 S	2 W	4	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	1.0 suppl
11 S	2 W	5	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	<u>4.0</u>
				15.5

(If more space required, attach separate sheet)

Character of soil Newberg
 Kind of crops raised Forage

County, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 210.00
- 15. Construction work will begin on or before Sept. 11, 1958
- 16. Construction work will be completed on or before Oct. 1, 1958
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1961

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The 10.5 acres in SW $\frac{1}{4}$ of SW $\frac{1}{4}$ and the 1.0 acre in SE $\frac{1}{4}$ of SW $\frac{1}{4}$, S. 4, T. 11 S, R 2 W. also covered by application No. 31922.

Ernest J. Richards
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____ ASSISTANT

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.29 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 31, 1958

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 19 61

WITNESS my hand this 13th day of February 19 59

Lewis A. Stanley

STATE ENGINEER

Application No. G-1336
Permit No. G-1209

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of December, 1952, at 2:00 o'clock A.M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1209

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 93

13

State Printing