

Permit No. G- 1210

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Richard G. Schumacher  
(Name of applicant)  
of Sublimity Route 1 Box 28, county of Marion,  
state of Oregon, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Private

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Branch of Beaver Creek  
(Name of stream)

tributary of Beaver, Mill Creek to Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 3/4 cubic feet per second or 337 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 30 ft. S and 200 ft. W from the 1/4 corner of Common to Sec. 26 & 35 T 8 S. R 1 W W. M.  
(N. or S.) (E. or W.)  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NE 1/4 NW 1/4 of Sec. 35, Twp. 8 S, R. 1 W, W. M., in the county of Marion

5. The an economic unit of sprinkling system to be 0.75 miles  
(Canal or pipe line)  
in length, terminating in the Entire Area will be served of Sec. 35, Twp. 8 S, R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is Richard G. Schumacher Well #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One having a diameter of 8" inches and an estimated depth of 275 feet. It is estimated that feet of the well will require 40' casing. Depth to water table is estimated 70  
(Give number of wells, tunnels, etc.) (Kind) (Feet)

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Deep well Turbine (Pac. Co.)

Give horsepower and type of motor or engine to be used 20 or 25

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. & S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	1 W	26	<del>SE 1/4 SW 1/4</del>	<del>21.0</del>
"	"	<del>35</del>	<del>NE 1/4 NW 1/4</del>	<del>21.0</del>
8 S	1 W	26	SW 1/4 SW 1/4	2.2
			SE 1/4 SW 1/4	18.6
		35	NE 1/4 NW 1/4	21.1
			NW 1/4 NW 1/4	2.5
				<u>44.4</u>

(If more space required, attach separate sheet)

Character of soil Olympic

Kind of crops raised Crops for Canning

13. To supply the city of \_\_\_\_\_

in \_\_\_\_\_ county, having a present population of \_\_\_\_\_ and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,000

15. Construction work will begin on or before Probably before I can get your OK (largest)

16. Construction work will be completed on or before July 1, 1927

17. The water will be completely applied to the proposed use on or before Oct. 1, 1927

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*Richard Schumaker*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following restrictions and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well #2

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 7, 1959

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of February, 1959

Lewis A. Stanley

STATE ENGINEER

Application No. G-1338

Permit No. G-1210

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of January, 1959, at 3:20 o'clock P. M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 5 of

1210

Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 93