

RECEIVED
JAN 13 1959
STATE ENGINEER
W. L. GIBSON

Permit No. G-1213

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, JOHN V. AND WILHELMINA SCHECKEL
(Name of applicant)
of BURNS, county of HARNEY,
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated POISON CREEK SLOUGH
(Name of stream)

A tributary of SILVIES RIVER

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 750 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 40 ft. S. and 401 ft. E. from the S. 1/4 corner of Section 3 Twp 23 S. Range 31 E. W. M.
(N. or S.) (E. or W.)
(Section or subdivision)

404 feet S. 84° 40' E. from West Quarter (1/4) Corner of
(If preferable, give distance and bearing to section corner)

Section 3 Twp 23 S. Range 31 E. W. M.
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 3, Twp. 23 S., R. 31 E. W. M., in the county of HARNEY

5. The DITCHES to be ABOUT 1/4 miles
(Canal or pipe line)
in length, terminating in the SW 1/4 SW 1/4 and SE 1/4 SW 1/4 of Sec. 3, Twp. 23 S., R. 31 E. W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is SCHECKEL WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL having a diameter of 18 inches and an estimated depth of 95 feet. It is estimated that 90 feet of the well will require steel casing. Depth to water table is estimated 6 feet.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Fairbanks Morse Pomona 6 inch
Serial no. P.T.6673

Give horsepower and type of motor or engine to be used 15 Horse power
Electric power

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

750 feet, practical SAME ELEVATION
→ To East Branch Foley Slough

12. Location of area to be irrigated, or place of use Harney County

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
23 S.	31 E.	3	SW, NW	39
25 S.	31 E.	3	SE, NW	40
25 S.	31 E.	3	NW, SW	38.4
23 S.	31 E.	3	NE, SW	40
25 S.	31 E.	3	SW, SW	40
25 S.	31 E.	3	S, SW	40

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Hay and Grains

MUNICIPAL SUPPLY--

12. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3500.00
- 15. Construction work will begin on or before October 1958
- 16. Construction work will be completed on or before October 1959
- 17. The water will be completely applied to the proposed use on or before October 1960

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Determination of Relative Rights of Silvies River and Tributaries

John V. Scheckel
(Signature of applicant)
Wilhelmina Scheckel

Remarks:
This well was drilled in 1931 with 18 inch steel casing to a depth of 90 feet and has been pumped the past 15 or 20 years since the Fairbanks Morse Pomona pump with Electric motor has been used the water table was pulled down 25 feet being pumped 30 days and nights continuously

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

By ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Schackal Well.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 13, 1959

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of February, 1959

Lewis A. Stanley

STATE ENGINEER

Application No. G-1345
Permit No. G-1213

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of February, 1959 at 2:00 o'clock A.M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 5 of

1213

Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 12 page 30

State Printing