

RECEIVED

ENGINEER
STATE OF OREGON

Permit No. G-1214

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Alfred G. Guyony, of 4655 Herrin Rd. N.E., city of Salem, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Nursery Stock, Irrig.

4. The well or other source is located 110 ft. N. and 120 ft. E. from the SW corner of Property Lot being S. 88° 57' East from the most Easterly S. E. Corner of OLC # 40

being within the SE 1/4 of SE 1/4 of Sec. 7, Twp. 7 S., R. 2 W. W. M., in the county of Marion

5. The to be miles in length, terminating in the of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well having a diameter of 6 inches and an estimated depth of 100-120 feet. It is estimated that 100-120 feet of the well will require 19# per. ft. Steel casing. Depth to water table is estimated 100-120

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *Turbine or deep well jet.*

Give horsepower and type of motor or engine to be used *Electric 3φ*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	2 W	7	SE 1/4 SE 1/4	5

(If more space required, attach separate sheet)

Character of soil *Heavy loam*

Kind of crops raised *Nursery Stock*

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 15, 1959

Actual construction work shall begin on or before February 13, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of February, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G-1347

Permit No. G-1214

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February, 1959, at 10 o'clock A.M.

Returned to applicant:

Approved:

February 13, 1959

Recorded in book No. 5 of

1214

Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 2 page 935