

REVISED
1954

ENGINEER
OREGON

PERMIT No. O-1217

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Mrs. R.H. Hoodenpyle

(Name of applicant)

Milton-Freswater

(Postoffice Address)

county of Umatilla

of R. 35 E., Twp. 6 N.

state of Oregon.

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Not a corporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Middle Branch of Mud Creek

(Name of stream)

tributary of Walla Walla river.

2. The amount of water which the applicant intends to apply to beneficial use is 1.13 cubic feet per second or 505 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 405 ft. S. and 304 ft. N. from the NE corner of SE 1/4 of NE 1/4 of Section 20 Twp. 6 N. R. 35 E. W.M.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NE 1/4 of Sec. 20, Twp. 6 N., R. 35 E., W. M., in the county of Umatilla

5. The Sprinkling system to be miles

(Canal or pipe line)

in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

(Smallest legal subdivision)

6. The name of the well or other works is Hoodenpyle.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 drilled well having a diameter of 10 inches and an estimated depth of 90 feet. It is estimated that 75 feet of the well will require casing casing. Depth to water table is estimated 20 to 30 Ft.

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet. **Sprinkling system.**

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type according to supply of water available

Give horsepower and type of motor or engine to be used about 15 H.P. motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

527 ft. approximately 5 ft. at well location higher than stream

b. d.

12. Location of area to be irrigated, or place of use

Township N or S.	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N.	35 E.	20	SE 1/4 of NE 1/4	39.4
			NE 1/4 of SE 1/4	5.0
The Southeast quarter of the Northeast quarter of twenty, Tp. 6 N. R. 35 E. W. M. M.:				
Also commencing at a point on the section line, 35 rds. South of the Northeast corner of the Southeast quarter of section twenty in Tp., 6 N. R. 35 E. W. M. M., and running thence North 35 rds., to the Northeast corner of the Southeast quarter of said section, thence southeasterly in a straight line, to the point of beginning of 45 rds. To include all manner of water rights that appertain to said lands, and the right of easement over other lands to divert the said waters for irrigation and domestic use to the aforesaid premises. Excepting road ways as same exist which touch the outer side or end of said lands, in part.				

(If more space required, attach separate sheet)

Character of soil Volcanic ash.

Kind of crops raised Beets, alfalfa and grains.

MUNICIPAL SUPPLY--

12. To supply the city of _____

_____ county, having a present population of _____

and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 2500.00

15. Construction work will begin on or before As soon as Permit is received

16. Construction work will be completed on or before June 1 st 1959.

17. The water will be completely applied to the proposed use on or before June 15 th, 1959

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Supplemental to 26 acre Milton-Fraewater Hudson Bay ditch

and 13 acre right from Middle Branch of Mud Creek.

Mrs. R. H. Hoodenpyle
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right hereto granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Hoodanpyle Well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 11, 1959

Actual construction work shall begin on or before March 3, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 3rd day of March, 1959

LEWIS A. STANLEY

STATE ENGINEER

By Max F. Rogers, Deputy

Application No. G-1378

Permit No. G-4217

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of February, 1959, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

March 3, 1959

Recorded in book No. 5

Ground Water Permits on page 1217

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 7 page 44