

RECEIVED
JAN 5 1958
STATE ENGINEER
SALEM, OREGON

Permit No. G-1218

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, CITY OF JOHN DAY (Name of applicant)
of JOHN DAY (Postoffice Address), county of GRANT
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated JOHN DAY RIVER (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 320 cubic feet per second or 320 gallons per minute.

3. The use to which the water is to be applied is Municipal Water Supply

4. The well or other source is located 533.9 ft. S (N. or S.) and 578.2 ft. E (E. or W.) from the W. corner of SEC. 23, T. 13S. R. 31 E. W.M. (Section or subdivision)
~~Corner at a point on the 10 line 300' N of the SE Cor of the NW 1/4 of Sec. 23~~
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW. SW. of Sec. 23, Twp. 13 S., R. 31 E. W.M. W. M., in the county of Grant.

5. The well (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City of John Day Well # 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
continuous use Not artesian

8. The development well consists of One well (Give number of wells, tunnels, etc.) having a diameter of 12-10 inches and an estimated depth of 310 feet. It is estimated that feet of the well will require (Kind) casing. Depth to water table is estimated surface (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet. SEE ACCOMPANYING MAP.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type EDCOOK

Give horsepower and type of motor or engine to be used GE 30 hp.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

app 650 ft.

12. Location of area to be irrigated, or place of use

Township N or S	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13S	31E	23	All of SW $\frac{1}{4}$	MUNICIPAL
			SW SE $\frac{1}{4}$	"
		26	NW NW	"
			NE NW	"
			SE NW	"
			NE SW	"
			NW NE	"
			NE NE	"
			NW SE	"
			S $\frac{1}{2}$ NW	
		22	SE SE	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY--

12. To supply the city of JOHN DAY, OREGON
in GRANT county, having a present population of 1625
and an estimated population of 2500 in 1968.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before
- 17. The water will be completely applied to the proposed use on or before this date.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Water rights under permit # 5238 for 0.06 cubic feet of water per second & permit # 9926 for 0.03 cubic feet per second also see add'l reg. statement

Francis Cobb
(Signature of applicant) Recorder

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~March 27~~, 19~~58~~
~~August 10~~ 19~~58~~
March 27 1959

WITNESS my hand this ~~27th~~ day of ~~March~~ 19~~58~~
STATE ENGINEER
SALEM, OREGON

27th day of January 1959

LEWIS A. STANLEY
STATE ENGINEER

By *James W. Carver, Jr.*
James W. Carver, Jr. ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.71 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from City of John Day Well #2

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 21, 1959

Actual construction work shall begin on or before March 16, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 16th day of March, 1959

[Signature] STATE ENGINEER

Application No. G-837

Permit No. G-1218

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 16th day of March, 1959

at 1:00 o'clock P.M.

Returned to applicant:

Approved:

March 16, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1218

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 6 page 37