## OCT 3 1 1958 STATE ENGINEER SALES CREGON

## Permit No. G. 1223

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

, P.W. Marx Engr for F. L. M. P.
of Forest Lawn Memorial Park, country of Mult nomah
state of
If the applicant is a corporation, give date and place of incorporation  Feb. 12 - 1936 Tresham, Ore.
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Johnson Creek (Name of stream) tributary of William ette
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or3.50 gallons per minute.
3. The use to which the water is to be applied is Irrigation
4. The well or other source is located 1200ft. Northand 750ft. East from the SW
corner of Sec. 10 and being with-in the W12 of the SW14 of Said Sec. 10 (If preferable, give distance and bearing to section corner)
(If there is more than one we'', each must be described. Use separate sheet if necessary)
being within the Sw/4 of Sw /4 of Sec. 10, Twp. 15, R. 3 E, W. M., in the country of Multnomah
5. The Pipe Line to be 5/8 more or less miles
in length, terminating in the NW 14 of the SW 14 of Sec. 10, Twp. 15,
R. 3. E. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Forest Lawn Memorial Perk Irrig. Well +
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Not ortesion
······································
······································
8. The development will consist of One Well having a (Give number of wells, tunnels, etc.)
diameter of 16 inches and an estimated depth of 400 feet. It is estimated that 360
feet of the well will require 16 Shank tasing. Depth to water table is estimated 200

(b) At miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water  de feet fall per one thousand feet.  (c) Length of pipe, 3300 ft.; size at intake, in.; in size at #35  m intake fin.; size at place of use fin.; difference in elevation bet the and place of use, 2076, 30 ft. Is grade uniform? Yes. More. Leas Estimated cap 10. G. P. M. sec. ft.  10. If pumps are to be used, give size and type 6" Column 1 1/16 Shaff  Give horsepower and type of motor or engine to be used 40 H.P. Elec. No  11. If the location of the well, tunnel, or other development work is less than one-fourth mile four used stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile four understand the stream bed and the ground surface at the source of development work is less than one-fourth mile four all stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile four understand the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground su	lgate. At hood	lgate: width on top	p (at water line	)	feet; width on bot
feet; width on bottom  feet; depth of water  (c) Length of pipe, 3300 ft.; size at intake, 2 in.; in size at 455  m intake 1 in.; size at place of use 2 in.; difference in elevation bet ake and place of use, 20 to 30 ft. Is grade uniform? Yes. Nore = Lars Estimated cap 10 C. C. P. Msec. ft.  10. If pumps are to be used, give size and type 6 Column 1 1/16 Shop  Give horsepower and type of motor or engine to be used 40 H.P. Elec. 1/1  11. If the location of the well, tunnel, or other development work is less than one-fourth mile found stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop Surface of 9004700 25 Well 94 Sect 26  John Son Creek Bed  12. Location of area to be irrigated, or place of use W/2 9 SW 9 Section 10 Porty-acres Tract 1 Page Irrigated 10 NW 9 SW 5 SW 5 ACT  NW 9 5 SW 6 SW		eet; depth of wate	ęr		feet fall per
feet; width on bottom  feet; depth of water  (c) Length of pipe, 3300 ft.; size at intake, 2 in.; in size at 455  m intake 1 in.; size at place of use 2 in.; difference in elevation bet ake and place of use, 20 to 30 ft. Is grade uniform? Yes. Nore = Lars Estimated cap 10 C. C. P. Msec. ft.  10. If pumps are to be used, give size and type 6 Column 1 1/16 Shop  Give horsepower and type of motor or engine to be used 40 H.P. Elec. 1/1  11. If the location of the well, tunnel, or other development work is less than one-fourth mile found stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop Surface of 9004700 25 Well 94 Sect 26  John Son Creek Bed  12. Location of area to be irrigated, or place of use W/2 9 SW 9 Section 10 Porty-acres Tract 1 Page Irrigated 10 NW 9 SW 5 SW 5 ACT  NW 9 5 SW 6 SW	wend feet.				
(c) Length of pipe, 3300 ft.; size at intake, in.; in size at 135 m intake the in.; size at place of use the size at intake, in.; in size at 135 m intake the in.; size at place of use the size and place of use, 20 to 30 ft. Is grade uniform? Yes. Mare the size Estimated cap to C. P. Mec. ft.  10. If pumps are to be used, give size and type 6"Column 1"/4" they will be used 10 the P. Elec. 11.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile found stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream of a stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream of a stream of a stream of surface at the source of development work is less than one-fourth mile for the stream of the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream of the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for the property of the stream of t	(b) At	mil	es from headga	te: width on top (at water lis	ne)
(c) Length of pipe, 3300 ft.; size at intake, in.; in size at #35  m intake # in.; size at place of use from he fair difference in elevation bet the and place of use, 20 76 30 ft. Is grade uniform? Yes Mare Leas Estimated cap for G. G. P. Mec. ft.  10. If pumps are to be used, give size and type G. Column 1/1/4 shop  Give horsepower and type of motor or engine to be used 40 H.P. Elec. M.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ural stream or stream of the property of the distance to the nearest point on each of such channel and the ground surface at the source of development work is less than one-fourth mile for the property of the distance to the nearest point on each of such channel and the ground surface at the source of the property of the distance to the nearest point on each of such channel and the ground surface	*****	feet; width on b	oottom	feet; depth of water	<b></b>
(c) Length of pipe, 3300 ft.; size at intake, in.; in size at \$\frac{1}{35}\$ m intake \$\frac{1}{35}\$ in.; is size at place of use \$\frac{1}{35}\$ in.; difference in elevation bet ake and place of use, \$\frac{1}{30}\$ ft. Is grade uniform? Yes. More ** LeasEstimated cap \$\frac{1}{30}\$ O. G. P. Mec. ft.  10. If pumps are to be used, give size and type \$\frac{1}{3}\$ Column \$1\$ is \$\frac{1}{3}\$ for \$\frac{1}{3}\$ Column \$1\$ is \$\frac{1}{3}\$ for \$\	le	feet fall po	er one thousand	l feet.	400
initake in; size at place of use four in; difference in elevation bet take and place of use, 20 % 30 ft. Is grade uniform? Yes. More is less Estimated cap in. Of P. More. ft.  10. If pumps are to be used, give size and type 6" Column 1/16 And Give horsepower and type of motor or engine to be used 40 H.P. Elec. No.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile foural stream or stream channel, give the distance to the nearest point on each of such channel.  Surface of ground at the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the stream bed and the ground surface at the source of development work is less than one-fourth mile for the surface of th	(c) Length	of pipe, 330	20 ft.; siz	e at intake,	in size at +35
10. If pumps are to be used, give size and type 6" Column 1 3/4 Shape  Give horsepower and type of motor or engine to be used 40 H.P. Elec. 1/2  11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel and if the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel and if the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel and if the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel and if the ground surface at the source of development work is less than one-fourth mile for ural stream or stream channel, give the distance to the nearest point on each of such channel and the ground surface at the source of development work is less than one-fourth mile for ural stream or str	n intake	in.; si	ize at place of u	se down to fig in diffe	rence in elevation bet
10. If pumps are to be used, give size and Type G"Column 13/16 3hof  Give horsepower and type of motor or engine to be used 40 H.P. Elec. M  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop Surface of ground at well 94 feet at  Tokn Som Creek Bed.  12. Location of area to be irrigated, or place of use 41/2 of Sur of Section  Township Range Ran	ت ike and place o	juse, 20 To	30 ft. Is	grade uniform? XesMace	LassEstimated cape
Give horsepower and type of motor or engine to be used 40 H.P. Elec. M.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fural surface at the source of such channel difference in elevation between the stream bed and the ground surface at the source of development of the stream of the stream of the stream of the surface of the	TO GPI	Ysec.ft.			
Give horsepower and type of motor or engine to be used 40 H.P. Elec. M.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fural surface at the source of such channel difference in elevation between the stream bed and the ground surface at the source of development of the stream of the stream of the stream of the surface of the	10. If pum	ps are to be used, g	give size and Typ	e 6" Column	1 /16 Shaf
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of the source of development of the source of th					
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of the source of development of the source of th	Give horses	nower and tune of	motor or engin	e to be used 40 H.	P. Elec. M
rural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop Surface of ground at Well 94 feet at Toler 12. Location of area to be irrigated, or place of use 41/2 of Sur of Sec Township Range 2. or W. of Williamste Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Surface of ground at Well 94 feet at the source of develop 12. Location of area to be irrigated, or place of use 41/2 of Surface To Be Irrigated 15 Acres 15 Acres 15 Acres 15 Acres 15 Acres 16 Acres 16 Acres 16 Acres 16 Acres 17 Acres	Give norse	-	motor or engine	E 10 OF RECO TIMESTAL TO THE STATE OF	
rural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop Surface of ground at Well 94 feet at Toler 12. Location of area to be irrigated, or place of use 41/2 of Sur of Sec Township Range 2. or W. of Williamste Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Surface of ground at Well 94 feet at the source of develop 12. Location of area to be irrigated, or place of use 41/2 of Surface To Be Irrigated 15 Acres 15 Acres 15 Acres 15 Acres 15 Acres 16 Acres 16 Acres 16 Acres 16 Acres 17 Acres					
rural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of develop Surface of ground at Well 94 feet at Toler 12. Location of area to be irrigated, or place of use 41/2 of Sur of Sec Township Range 2. or W. of Williamste Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Surface of ground at Well 94 feet at the source of develop 12. Location of area to be irrigated, or place of use 41/2 of Surface To Be Irrigated 15 Acres 15 Acres 15 Acres 15 Acres 15 Acres 16 Acres 16 Acres 16 Acres 16 Acres 17 Acres	44 76 41 . 1			dlommont suomicie loca (	han one-fourth mile fo
difference in elevation between the stream bed and the ground surface at the source of develop  Surface of ground at Well 94 feet of  John Som Creek Bed  12. Location of area to be irrigated, or place of use 41/2 of Sw of Sec  Township N or S  Range 2 or W of Williamette Meridian  Swift funk Number Acres To Be Irrigated  Swift funk Number Acres To Be Irrigated  Swift funk Number Acres To Be Irrigated			i, tuithet, or oth	er development work is sess i	man one-journ mile j
Surface of ground at well 94 feet and  Johnson Creek Bed.  12. Location of area to be irrigated, or place of use W/2 of Sw of Sec  Township Range 2 or W of Williamstre Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Sw 3 E Sec. 10 North 500 5 Acres  Sw/4 of Sw/4 5 Acres  Nw/4 of Sw/4 10 "	ural stream o	r stream channel	aine the dista	nce to the nearest point on	each of such channel.
John Som Creek Bed.  12. Location of area to be irrigated, or place of use 41/2 of Sw of Sec.  Township Range 2 or W of Williamstie Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Sw 14 - Sw	ural stream o	r stream channel,	, give the dista I the stream bed	nce to the nearest point on I and the ground surface at	each of such channel.  the source of develop
John Som Creek Bed.  12. Location of area to be irrigated, or place of use 41/2 of Sw of Sec.  Township Range 2 or W of Williamstie Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Sw 14 - Sw	ural stream o difference in	r stream channel, elevation between	the stream bed	l and the ground surface at	the source of develop
12. Location of area to be irrigated, or place of use W/2 of SW of Sec Township Range 2 or W. of Williamstie Meridian Section Forty-acre Tract Number Acres To Be Irrigated    S	ural stream o difference in	r stream channel, elevation between	the stream bed	l and the ground surface at	the source of develop
12. Location of area to be irrigated, or place of use W/2 of SW of Sec Township Range 2 or W. of Williamstie Meridian Section Forty-acre Tract Number Acres To Be Irrigated    S	ural stream o difference in	r stream channel, elevation between	the stream bed	l and the ground surface at	the source of develop
Township Range S. or W. of Williamette Meridian  Section Forty-acre Tract Number Acree To Be Irrigated  Surfactorial To Recognized To Be Irrigated  Surfactorial To Recognized To Be Irrigated  Surfactorial To Recognized To Reco	ural stream o difference in Surfa	r stream channel, elevation between	the stream bed	and the ground surface at	the source of develop
Township N. or S.  Z. or W. of Williamstic Meridian  Section  Forty-acre Tract  Forty-acre Tract  To Be Irrigated	ural stream o difference in Surfa	r stream channel, elevation between	the stream bed	and the ground surface at	the source of develop
Sw/4 of Sw/4 5 Acr Nw/4 of Sw/4 10 "	ural stream o difference in Surfo	r stream channel, elevation between	the stream bed	i and the ground surface at a company of the surface at the surfac	the source of develop
Sw/4 of Sw/4 5 Acr Nw/4 of Sw/4 10 "	ural stream o difference in Surfo  12. Locatio	r stream channel, elevation between SCC 9 91	the stream bed	and the ground surface at at Well 9.  Bed.  e of use W/2 of Se	the source of develop  Feet at  West Sec
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at at Well 9.  Bed.  e of use W/2 of Se	the source of develop  Feet at  West at  Number Acres
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at at Well 9.  Bed.  e of use W/2 of Se	the source of develop  Feet at  West Sec
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at at Well 9.  Bed.  e of use W/2 of Se	the source of develop  # Sect of  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SCC 9 91	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SONT	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SONT	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM
(If more space required, attach separate sheet)	ural stream o difference in Surfo  12. Locatio Township N or 8.	r stream channel, elevation between SONT	rigated, or place	and the ground surface at  A Well 9.  Bed.  Forty-acre Tract  Swife f Swife  Nwife f Swife  Nwife f Swife  Nwife f Swife	the source of develop  # Sect OK  Number Acres To Be Irrigated  5 ACM

EL To engely the ette of	orani dilika wasan dasin matan kasan sa		
ed on antimoted annihistance	•	Ţ.	
nd an estimated population of		 D 16 M ALL CASES	
<ul><li>14. Estimated cost of proposed works, \$.</li><li>15. Construction work will begin on or b</li></ul>			it is amonte
16. Construction work will be completed			
17. The water will be completely applied			·
14. If the ground water supply is supp			
ation for permit, permit, certificate or adju	dicated right	to appropriate water,	made or held by the
pplicent. No existing gr	ound	water su	POLY
	**********	Puran	For
	Fo	rest Lawn	Mem. Park
Remarks: 1. 30 ton		,,-	•
11544 NE Cili	5417	54 Forti	and Ore
Phone AL 3	- 366	6	
	************		•
		· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·		•	•••••
·			
			······································
· · · · · · · · · · · · · · · · · · ·	*************		
STATE OF OREGON,			
County of Marion,			
This is to certify that I have examined	the foregoing	application, together	with the accompanying
naps and data, and return the same for	mpletion		•
	******* *** *** *** * * * * * * * * * *		
In order to retain its priority, this appl	ication must b	pe returned to the State	Engineer with correct
ions on or before	19 <del>-79-</del>		zigikker, wilk torree
March 23	, 1359		
WITNESS may bond abis	, 25		,
WITNESS my hand this 21st day	January		1959
		LEWIS A. STANLEY	
14.4.2		1	STATE ENGINEER
UTER	Ву	James W. Con	vet ASSISTANT
CO.	`	7	

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein grant		ount of we	<b>iter which can be applied</b> to beneficial use and
•				ired at the point of diversion from the well or ith other water users, from
The	use to which this	water is to be applied		patien
				3/90
				limited to a diversion of not to exceed 21
acre feet p	er acre for each a	cre irrigated during th	ie irrigatio	on season of each year;
			•••••	•••••••••••••••••••••••••••••••••••••••
••••••			······································	
18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	No. Well of Manager and Control of the Control of t	•••••	·
			·	
			••••	
		·		ay be ordered by the proper state officer.  ith good practice and if the flow is artesian
the works : The	shall include prop works constructed	er capping and control  d shall include an air l	l valve to line and p	prevent the waste of ground water. ressure gauge or an access port for measuring
The	permittee shall in	water level elevation stall and maintain a w e amount of ground w	eir, meter	r, or other <mark>suitable measuri</mark> ng device, and shal
The	priority date of th	is permit is	••••	October 31, 1958
Actu	al construction w	ork shall begin on or b	pefore	March 16, 1960 and shall
		_		completed on or before October 1, 19.60
Com	plete application of	of the water to the pro	po;ed use	shall be made on or before October 1, 1961
W11	WESS my nunc th	isaug of		March 19 59.
				STATE ENGINEER
	ζΩ	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the cell of day of Leteletes.  22, at Leteletes A.M.		223 g
70	ROUI	ceived ilem, C		5 122 19e 123 page 93
Application No. G- <b>LTO</b> Permit No. G- LAZZ	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	ument was first received state Engineer at Salem, day of Letchell		page page
No. G	PERMIT PRIATE THE US OF THE S	t was fi Inginee of L	nt:	ok No. mits on strank.
Application Permit No.	PI ROPRI TERS OF	ument State E C. day	ıpplica	id:  ded in book No.  Water Permits on  Wage Basin No.  Z
Appli Perm		s instr of the S	red to a	March 16, 1959 Recorded in book No. IEUIS A. STANIA
	70	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12 to the state of the sta	Returned to applicant:	Approved:  March 16, 1959  Recorded in book No. 5  Ground Water Permits on page  LEVIS A. STANIET  Drainage Basin No. 2 pa