## Part No. G. 1246

## APPERCATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

	(Mana of speciment)
F.U.BOX 912 Canby, Ore	gon Clackamas
ate of Oregon cliowing described ground waters of the	, do hereby make application for a permit to appropriate the he state of Oregon, SUBJECT TO EXISTING RIGHTS:
	rive date and place of incorporation
	to which the well, tunnel or other source of water development is
ituated Molalla River	(Name of stream)
	tributary of
2. The amount of water which teet per second or250 gallons	the applicant intends to apply to beneficial use is
3. The use to which the water is	s to be applied is Sprinkler Irrigation
4. The well or other source is loc Oft. from the N.W. corne	S.63 deg.35 W. 735.88 Ft. and N.26 deg.25 rated ft. and ft. from the cr of Block 7 fr the City of Earlby, in Clacket
5 63°W 1980 ft Hance (If there is more than on	526°25' E 830' from NW (or Phi horsefar Lee DL)  Table, give distance and bearing to section corner)  The we'l each must be described. Use separate sheet if necessary)
eing within the SE2-3E2	of Sec. 22 , Twp. 3 2. R. 1 E.
V. M., in the county of Clackam	<b></b>
	to be mile:
n length, terminating in the	(Smallest legal subdivision) of Sec, Twp.
	tion being shown throughout on the accompanying map.
6. The name of the well or other	r works is
	DESCRIPTION OF WORKS
7. If the flow to be utilized is art upply when not in use must be describ	tesian, the works to be used for the control and conservation of the bed.
· · · · · · · · · · · · · · · · · · ·	
	······································
	en e
8. The development will consist	t of . 1 Pump 1611 having ( Give number of wells, tunnels, etc.)
liameter of10 inches and ar	n estimated depth of160 feet. It is estimated that 160
eet of the well will require Steel	Casing casing. Depth to water table is estimated 58 (Feet)

•	or pipe line-	<b>-</b>	•	
(a) Olve d			al where materially changed	l in size, stating mi
ie. At headge	ate: width on top	(at water line	)	feet; width or
jei	et; depth of wate	<b></b>	feet; grade	jeet fall
ed feet.		•	•	
b) At	mile	s from headge	ite: width on top (at water li	ne)
	feet; width on bo	ottom	feet; depth of wate	<b>!T</b>
	feet fall pe	r one thousand	l feet.	
c) Length o	f pipe,	ft.; si	te at intake,in	.; in size at
take	in.; si:	ze at place of t	se in.; diffe	erence in elevation
and place of	use,	ft. Is	grade uniform?	Estimated
	sec. ft.			
		ive size and to	pe 8" Line Sha	ft Turbine
., ., pp.	,,		,	
<b>.</b>		<b></b>	15 HP	3 nhage E
sive norsepo	wer and type of	miotor or engin	e to be used 15 HP	<b></b>
	•		Application of the second seco	•
<ol><li>If the loc</li></ol>	cation of the well,	, tunnel, or oth	er development work is less	than one-fourth mi
	•			
•	, •			
12. Location	of area to be irr	igated, or plac	e of use	•
	Range Z. or W. of	igated, or plac	e Of USE	Number Acr
Township N. or S.	Range Z. or W. of	Section	Approximate to the second seco	Number Acr
Township N. or 8.	Range E. or W. of Willamette Meridian		Approximate to the second seco	Number Acr To Be Irrigat
Township N or S.	Range E. or W. of Willamette Meridian	32 32	Approximate to the second seco	Number Acr To Be Irrigat
3 S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	20.49 .27
Township N or 8.	Range E. or W. of Willamette Meridian	32 32	Approximate to the second seco	Number Acr To Be Irrigat 20.49 .27 1.00
Township N or S.  3 S.  3 S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	Number Acr To Be Irrigat 20.49 .27 1.00
Township N or S.  3 S.  3 S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	Number Acr To Be Irrigat 20.49 .27 1.00
Township N or S.  3 S.  3 S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	20.49 .27
Township N or S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	Number Act To Be Irrigat 20.49 .27 1.00
Township N or S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	Number Act To Be Irrigat 20.49 .27 1.00
Township N or S.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	Number Act To Be Irrigat 20.49 .27 1.00
Cownship N. or 8.	Range E. or W. of Willamette Meridian	32 32 32	Approximate to the second seco	Number Ar To Be Irrig 20.49 .27 1.00

Character of soil Silt

Kind of crops raised Vegetables

22. To supply the city	
# ####################################	counting having a present population of
d an estimated population a	f
AMSWI	ER QUINTIONS 14, 16, 16, 17 AND 18 IN ALL CASES
14 Estimated cost of m	roposed works, \$.1600.00
	· ·
15. Construction work	will begin on or beforeMarch1,1959
16. Construction work	will be completed on or beforeApril
17. The water will be c	ompletely applied to the proposed use on or before Sopt.30,1959
10. If the ground water	er supply is supplemental to an existing water supply, identify any appl
tion for permit, permit, c	ertificate or adjudicated right to appropriate water, made or held by the
plicant	
· / .	Patilonness (Bignature of applicant)
Remarks:	
•	
	•••••••••••••••••••••••••••••••••••••••
	•••••••••••••••••••••••••••••••••••••••
·	•
	•
	······································
TATE OF OREGON,	
County of Marion,	
	There examined the formation will be a second or the second of the second or the secon
	I have examined the foregoing application, together with the accompanyi
aps and data, and return th	ne same for
In order to retain its	priority, this application must be returned to the State Engineer, with corre
ons on or bejore	
•	
WITNESS my hand th	is
	·
	STATE ENGINEE

County of Mari

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of weter which can be applied to beneficial use and shall not exceed										
The	use to which this u	; vater is to be applied i	irrie	tslan.						
		propriation shall be lin			,	. •				
		e irrigated and shall b								
acre feet 1	per acre for each ac	ere irrigated during th	e irrigation	season of each y	2 <b>47;</b>					
				1						
			•••							
	•									
						*******				
					······					
and shall	be subject to such 1	reasonable rotation sys	tem as may	be ordered by th	e proper state o	officer.				
the works The line, adeq The	shall include prope works constructed uate to determine permittee shall in	d as necessary in accorder capping and control shall include an air lwater level elevation stall and maintain a we amount of ground w	valve to pro ine and pres in the well o eir, meter, o	event the waste issure gauge or an it all times. It other suitable r	of ground wate access port for	r. · measuring				
	•	is permit is	•			••••				
		ork shall begin on or b				•				
		th reasonable diligenc				4-				
		of the water to the pro		_	before October	1, 1901				
WI	TNESS my hand th	is day of	March	Twin	a. I	anley				
Application No. G- 1372.  Permit No. G- 1246	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of Lehruary 1959, at 11.45 o'clock A.M.	Returned to applicant:	Approved: March 16, 1959	Recorded in book No. 2 of Ground Water Permits on page 12.16 LETS A. STANLET	Drainage Basin No. Z. page 435.				

1959, at 11:45

Approved: