

1953

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Dundee (Name of applicant)

of Dundee, county of Yamhill, (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Incorporated 1895

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated head of Chehalam creek-Otter creek (Name of stream)

tributary of Chehalam Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 80 gallons per minute.

3. The use to which the water is to be applied is municipal water supply

4. The well or other source is located 365' ft. N and 3590' ft. W from the SE corner of Jacob Shuck D. L. G. (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 26, Twp. 3S, R. 3W, W. M., in the county of Yamhill

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map. (Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Dundee water supply

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 16" for 300' inches and an estimated depth of 379.8 feet. It is estimated that 96 feet of the well will require 16" casing. Depth to water table is estimated 68 (Give number of wells, tunnels, etc) (Kind) (Feet)

at each point of canal where materially changed in size, stating miles from headgate, width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 15 horse Pacific Submersible Pump

Give horsepower and type of motor or engine to be used Sk9 - 15 - T2 Pump and Motor unit with pumping plant panel

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Dundee, Oregon

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38	3W	24	SW $\frac{1}{4}$ of SW $\frac{1}{4}$ - SE $\frac{1}{4}$ of SW $\frac{1}{4}$	Municipal
		25	All NW $\frac{1}{4}$ NE $\frac{1}{4}$ of NE $\frac{1}{4}$ SW $\frac{1}{4}$ of NE $\frac{1}{4}$ SE $\frac{1}{4}$ of NE $\frac{1}{4}$ All SW $\frac{1}{4}$ All SE $\frac{1}{4}$	"
		26	NE $\frac{1}{4}$ of NW $\frac{1}{4}$ All NE $\frac{1}{4}$ SE $\frac{1}{4}$ of NW $\frac{1}{4}$ NE $\frac{1}{4}$ of SW $\frac{1}{4}$ All SE $\frac{1}{4}$ SE $\frac{1}{4}$ of SW $\frac{1}{4}$ SW $\frac{1}{4}$ of SW $\frac{1}{4}$	"
		35	NE $\frac{1}{4}$ of NW $\frac{1}{4}$ All NE $\frac{1}{4}$ SE $\frac{1}{4}$ of NW $\frac{1}{4}$ NE $\frac{1}{4}$ of SW $\frac{1}{4}$ NW $\frac{1}{4}$ of SE $\frac{1}{4}$	"
		36	All NW $\frac{1}{4}$ All NE $\frac{1}{4}$ NW $\frac{1}{4}$ of SW $\frac{1}{4}$ NW $\frac{1}{4}$ of SE $\frac{1}{4}$ NE $\frac{1}{4}$ of SW $\frac{1}{4}$	"

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

population of 300

AND IN ALL CASES

16. Construction work will be completed on or before November 1955

17. The water will be completely applied to the proposed use on or before October, 1956

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. attached- water rights

City of Dundee

Margaret Miller Recorder
(Signature of applicant) Treasurer

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 27, 1959 or May 18, 1959

WITNESS my hand this 29th day of January, 1959
18th March 1959

LEWIS A. STANLEY

STATE ENGINEER

By

James W. Carver, Jr.
James W. Carver, Jr.

ASSISTANT

lk

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Dundas Water Supply Well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 28, 1958

Actual construction work shall begin on or before April 15, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 15th day of April, 1959

LEWIS A. STANLEY STATE ENGINEER

Application No. G-1217 Permit No. G-1263

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of August 1958, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 15, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1263

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 22