

Persett No. G. 1274

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, Howard R. De Lano
of Pt. 5 Box 6,26 Oregon City, country of Clackomos
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated De Lano Creek which is a tributory of
Clear Creek which is a tributary of Clackson River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is in gation. The water is to be applied is
where the forming purposes also to the total water to the will we
4. The well or other source is located 73.5 ft. N. and 753 ft. E. from the SW
corner of Lat 5 Section 31 T25. R3E. W.M.
(If preferable, give distance and bearing to section corner)
Overhead sprinkler System (If there is more than one we'l, each must be described. Use separate sheet if necessary)
being within the Lot 5 of Sec. 31, Twp. 25. R. 3E.
W. M., in the county of Clackanas
5. The Canal or pipe line to be #00 ff miles
in length, terminating in the
R. 3 E., W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is DeLand Well
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
••••••••••••••••••••••••••••••••••••••
<u></u>
8. The development will consist of . Well (Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 120 feet. It is estimated that 118
feet of the well will require $8''$ steel casing. Depth to water table is estimated 118 H.

miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, for fall per one thousand feet. (d) Length of pipe, for fall per one thousand feet. (e) Length of pipe, for fall per one thousand feet. (f) Length of pipe, for fall per one thousand feet. (g) Length of pipe, for fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand fee	depth of water feet; grade	feet fall	······································	(at water line).	gaze: widen on so	ite. At head
miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, for fall per one thousand feet. (d) Length of pipe, for fall per one thousand feet. (e) Length of pipe, for fall per one thousand feet. (f) Length of pipe, for fall per one thousand feet. (g) Length of pipe, for fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand feet. for fall per of water fall per one thousand fee		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	feet; grade	er	eet; depth of wat	
feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, for this size at intake, for in.; in size at intake in.; size at place of use for in.; difference in elevation and place of use, for the feet of use for the feet of use, for the feet of use for use for the feet of use for us						nd feet.
jeet fall per one thousand feet. (c) Length of pipe, 100 ft.; size at intake, in.; in size at intake in.; size at place of use 2 in.; difference in elevation and place of use, 2 ft. Is grade uniform? for y Estimate sec. ft. 50 get. 100 ft. Is grade uniform? for y Estimate sec. ft. 100 get y 100 give size and type 100 ft. If pumps are to be used, give size and type 100 ft. If the location of the well, tunnel, or other development work is less than one-fourth or a stream or stream channel, give the distance to the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of deal of the stream of the source of deal of the stream of the source of deal of the source of the stream of area to be irrigated, or place of use Township 2 Range 2 or 100 getting 1	miles from headgate: width on top (at water line)		. · p idth on top (a t water line	es from headgate	mil	(b) At
take in; size at place of use 2 f in; difference in elevation and place of use, 2 f. Is grade uniform? for y Estimate sec. ft. 50 get. 100 give size and type Not defermined [In If pumps are to be used, give size and type Not defermined stream or stream channel, give the distance to the nearest point on each of such chaptering in elevation between the stream bed and the ground surface at the source of defermined surface at	et; width on bottom feet; depth of water	••••	jeet; depth of water	ottom	. feet; width on b	
in.; size at place of use 2 in.; difference in elevation and place of use, 0 - 30 ft. Is grade uniform? for yellow Estimate sec. ft. 50 gellow exercise. 10. If pumps are to be used, give size and type Not determined Give horsepower and type of motor or engine to be used Not determined 11. If the location of the well, tunnel, or other development work is less than one-fourth or lateram or stream channel, give the distance to the nearest point on each of such chargerence in elevation between the stream bed and the ground surface at the source of deal of the East to DeLono Creek. It is forward to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. If the location of area to be irrigated, or place of use 14. If the location of area to be irrigated, or place of use 15. If area of well area of use 16. If area of well area of use 17. If the location of the well, tunnel, or other development work is less than one-fourth or lateral to the nearest point on each of such characteristic point on each	feet fall per one thousand feet.		3.	er one thousand f	feet fall p	*************
Sec. ft. So gel. per air. 10. If pumps are to be used, give size and type Not determined Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth relative and or stream channel, give the distance to the nearest point on each of such character in elevation between the stream bed and the ground surface at the source of description of the ground surface at the source of description of the ground surface at the source of description of the ground surface at the source of description of the ground surface of the ground su	sipe, 400 ft.; size at intake, 4 in.; in size	size at	intake,	O ft.; size	of pipe, 40	(c) Length
sec. ft. 50 gel. per aria. 10. If pumps are to be used, give size and type Not determined Give horsepower and type of motor or engine to be used Not determined 11. If the location of the well, tunnel, or other development work is less than one-fourth relation or stream channel, give the distance to the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of description of the East to DeLano Creek. To selected the ground surface of well. 12. Location of area to be irrigated, or place of use 13. The ground surface of well. 14. Cocation of area to be irrigated, or place of use 15. The surface of well. 16. The surface of well. 17. The surface of will surface to be irrigated. 18. The ground surface of use 19. The surface of well.	in.; size at place of use 2 - 1 in.; difference in	ice in elevation b	- £ in.; differe	ze at place of use	in.; si	ntake
10. If pumps are to be used, give size and type Not determined Give horsepower and type of motor or engine to be used Not determined 11. If the location of the well, tunnel, or other development work is less than one-fourth relative and the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of description of the stream bed and the ground surface at the source of description of the stream bed and the ground surface at the source of	e, 0-30 ft. Is grade uniform? foirly 1	Estimated c	e uniform? foily	30 ft. ls gr	f use, 0	and place o
10. If pumps are to be used, give size and type Not determined Give horsepower and type of motor or engine to be used Not determined 11. If the location of the well, tunnel, or other development work is less than one-fourth relative and the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of description of the stream bed and the ground surface at the source of description of the stream bed and the ground surface at the source of	c.ft. 50 gol. per min.		•	gel. jaco a	sec. ft. Sc	•
Give horsepower and type of motor or engine to be used Not determined 11. If the location of the well, tunnel, or other development work is less than one-fourth relative to the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of description of the surface of the source of description of the surface of the source of description of the surface of the surface of the source of the surface of the surfac		red				
11. If the location of the well, tunnel, or other development work is less than one-fourth relatered or stream channel, give the distance to the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of description of the least to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Township 14. Renge 25. or W. of Willamette Meridian 15. Renge Willamette Meridian 16. Rection 17. Porty-scre Tract 18. Number A. To Be Irrigated To Be Irrigated						
11. If the location of the well, tunnel, or other development work is less than one-fourth relatered or stream channel, give the distance to the nearest point on each of such characteristic in elevation between the stream bed and the ground surface at the source of description of the least to be irrigated, or place of use 12. Location of area to be irrigated, or place of use 13. Township 14. Renge 25. or W. of Willamette Meridian 15. Renge Willamette Meridian 16. Rection 17. Porty-scre Tract 18. Number A. To Be Irrigated To Be Irrigated	mandama of motor or ancien to be used. Not defect	ermined	Not do			Circa banasa
I stream or stream channel, give the distance to the nearest point on each of such ch ference in elevation between the stream bed and the ground surface at the source of de 10 ff due East to DeLano Creek. It is a few and the ground surface at the source of de 10 ff due East to DeLano Creek. It is a few and the ground surface of the source of the sour	er and type of motor or engine to be used		oe used	motor or engine t	ower and type of	Give norse
I stream or stream channel, give the distance to the nearest point on each of such ch ference in elevation between the stream bed and the ground surface at the source of de 10 ff due East to DeLano Creek. It is a few and the ground surface at the source of de 10 ff due East to DeLano Creek. It is a few and the ground surface of the source of the sour	•	•••••			•	
I stream or stream channel, give the distance to the nearest point on each of such ch ference in elevation between the stream bed and the ground surface at the source of de 10 ff due East to DeLano Creek. It is a few and the ground surface at the source of de 10 ff due East to DeLano Creek. It is a few and the ground surface of the source of the sour				. • .•		
Fownship Z. or W. of Willamette Meridian Section Forty-acre Tract Number A. To Be Irrig	_		• •			•
Z. or W. of Willamette Meridian Section Forty-acre Tract Number A. To Be Irrig	f area to be irrigated, or place of use	reom be		_		ffera
25 R3E 31 Lat 5 7.6	Z. or W. of Section Forty-acre Tract	reom be	of well	s surface	he grow	10 ff effera
	P3E 31 Lat 5	Number Acres To Be Irrigated	use .	igated, or place o	n of area to be irr	10 ff fference 12. Location
		Number Acres	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or S.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or S.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	12. Location Township N. or 8.
		Number Acres To Be Irrigated	use Porty-acre Tract	igated, or place of	Range Z. or W. of Willamette Meridian	10 ff

Character of soil Clay loan

Kind of crops raised Pasture, Hoy, Potatoer & Grain

LEWIS A. STANLEY

STATE ENGINEER

James W. Carver, Jr.

ASSISTANT

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and								
		•		d at the point of diversion from other water users, fromDals				
The	use to which this u	øater is to be applied i	s irrigat	A.ca.				
If fo	r irrigation, this ap	propriation shall be lis	nited to	1/80 of one cubic for	ot per second			
or its equi	valent for each acr	re irrigated and shall b	e further lin	nited to a diversion of not to exc	ceed 21			
acre feet p	er acre for each ac	cre irrigated during th	e irrigation	season of each year;				
			••••					
	Marka and Carlos	Commence of the Assessment of the Commence of						
	•							
				be ordered by the proper state				
The the works The line, adequ	well shall be case shall include prop- works constructed uate to determine permittee shall in	d as necessary in acco er capping and control I shall include an air i water level elevation	rdance with valve to pr line and pre- in the well eir, meter, o	n good practice and if the florevent the waste of ground wassure gauge or an access port fat all times. Or other suitable measuring dev	w is artesian ter. for measuring			
The	priority date of th	is permit is		February 17, 1959				
				April 15, 1960				
				ompleted on or before Octobe				
Cor	nplete application	of the water to the pro his 15 th day of	pposed use sh	hall be made on or before Octob April 10 59	er 1, 19 01			
WI	INESS my hand tr	tis day of		April 19 59	VALLY			
Application No. G 1386 Permit No. G 1274	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of February. 19.59, at \$200 o'clock A. M.	Returned to applicant:	15. n boo	Drainage Basin No. 2. page 435.			