STATE OF OREGON

COUNTY OF CLACKAMAS

PERMIT TO APPROPRIATE THE PUBLIC WATTERS

THIS PERMIT IS HEREBY ISSUED TO

KELSO WATER ASSOCIATION INC. PO BOX 835 BORING, CREGON 97009

(503) 568-5948

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-13483

SOURCE OF WATER: WELL #2 IN NORTH FORK DEEP CREEK BASIN

PURPOSE CR USE: GROUP DOMESTIC USE

MAXIMUM FATE: 0.446 CUBIC FEET PER SECOND (CFS) FURTHER LIMITED TO

15,000 GALLONS PER DAY

PERIOD OF USE: YEAR ROUND

DATE OF FRIORITY: AUGUST 9, 1993

POINT OF DIVERSION LOCATION: SE 1/4 SW 1/4, SECTION 3, T2S, R4E, W.M.; 260 FEET NORTH & 1610 FEET EAST FROM THE SW CORNER OF SECTION 3

THE PLACE OF USE IS LOCATED WITHIN:

NE 1/4 SW 1/4 SE 1/4 SW 1/4 SECTION 3

NW 1/4 NE 1/4
SECTION 10
TOWNSHIP 2 SOUTH, RANGE 4 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Application G-13483 Water Resources Department

PERMIT G-12763

The Director may require the permittee to keep and maintain a record of the amount (v lume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permittee to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

Limited Vater Level Decline/Interference Condition

To monitor the effect of water use from the well(s) authorized under this permit, the Department requises the water user to make and report annual static water level measurements. The static water level shall be measured in the month of **March**. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Measurements

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

the measurement to:

All measurements shall be made by a certified water rights examiner, registered professional geologist registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Departmen requires the individual performing

- (A)
- (C)
- (D) submitted to the Department.

Identify each well with its associated measurement; and Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and

Specify the method used to obtain each well measurement; and Certify the accuracy c all measurements and calculations

The water user shall discontinue u e of, or reduce the rate or volume of withdrawal from, the well(s) if a nual water level measurements reveal any of the following events:

- An average water level cocline of 3 or more feet per year for (A) five consecutive years; or
- ${\cal I}_{\rm c}$ water level decline c. 15 or more feet in fewer than five consecutive years; or
- A water level decline o 25 or more feet; or (C)
- Eydraulic interference leading to a decline of 25 or more feet (D) in any neighboring well with senior priority.

Department.

The period of non or restricted ase shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, pased on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instarce allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the later user may submit an alternative measurement and reporting plan for review and approval by the

If at any time the well or its τ ϵ acts as a conduit for groundwater contamination, allows loss of rtesian pressure, allows waste of groundwater, interferes with sen or groundwater users, or interferes with nearby surface water sources the Department may require that the well be repaired in accordance wit current well construction standards.

STANDAR CONDITIONS

for the Construction and Mainter ance of Water Wells in Oregon. elevation in the well at all time .

The wells shall be constructed in accordance with the General Standards works shall be equipped with a us ble access port, and may also include an air line and pressure gauge adequate to determine water level

Water Resources Department Applicat on G-13483

PERMIT G-12763

The use shall conform to such a asonable rotation system as may be ordered by the proper state offic ${\tt r}$.

Prior to receiving a certificate submit the results of a pump test the Water Resources Department. pump test results every ten year.

water right, the permit holder shall eeting the department's standards, to E Director may require water level or chereafter.

penalties, or cancellation of the permit.

Failure to comply with any of the provisions of this permit may result in action including, but not limi ed to, restrictions on the use, civil

practical technologies or conservation practices to achieve this end.

This permit is for the beneficial see of water without waste. The water user is advised that new regul tions may require the use of best

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limit d when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will er ure the preservation of the public welfare, safety and health.

Actual construction of the well s all begin within one year from permit issuance, and shall be completed on before October 1, 1998. Complete application of the water to the see shall be made on or before October 1, 1999.

Issued October 30, 1996

Water Resources Department

Director