

Permit No. G-1283

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ivan R. Shields, City Recorder of Amity, Oregon

(Name of applicant)

of City Hall, Amity, county of Yamhill

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

City of Amity, incorporated in 1908

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Yamhill River

(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.45 cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is Municipal water supply for the

City of Amity

4. The well or other source is located 1/4 ft. South and 73 ft. West from the N.E. corner of Section 25

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.E. 1/4 of the N.E. 1/4 of Sec. 25, Twp. 5S, R. 5W, W. M., in the county of Yamhill

5. The pipe line to be 1-1/4 miles in length, terminating at 5th & Ends St. Amity in the NW 1/4 29, Twp. 5S

(Canal or pipe line)

(Smallest legal subdivision)

R. 5W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Amity Municipal Well No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not Artesian

8. The development will consist of a drilled and cased well having a diameter of 10 inches and an estimated depth of 80 feet. It is estimated that 80

(Give number of wells, tunnels, etc.)

feet of the well will require 10" steel casing. Depth to water table is estimated 35

(Kind)

(Feet)

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 6600+ ft.; size at intake, 6 in.; in size at 6600+ ft. from intake 6 in.; size at place of use ..... in.; difference in elevation between intake and place of use, 0 to 10 ft. Is grade uniform? No Estimated capacity, 0.45 sec. ft.

10. If pumps are to be used, give size and type 150 G.P.M. capacity deepwell turbine

Give horsepower and type of motor or engine to be used 15 horsepower three-phase electric squirrel cage induction motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

More than 1/4 mile distant

12. Location of area to be irrigated, or place of use City of Amity

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 N	4 W	19	SE $\frac{1}{4}$ SE $\frac{1}{4}$	MUNICIPAL
		20	SW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ All of S $\frac{1}{2}$	
		29	All of N $\frac{1}{2}$	
		30	NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$	

(If more space required, attach separate sheet)

Character of soil Clay - loam

Kind of crops raised --

City of Seaside, Oregon  
in Marion county, having a present population of 650  
and an estimated population of 700 in 19 75

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 35,000.00
- 15. Construction work will begin on or before June 1, 1959
- 16. Construction work will be completed on or before August 1, 1959
- 17. The water will be completely applied to the proposed use on or before September 1, 1959

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Municipal Wells No. 1 & 2 *Not to be used same as other wells, only limited*  
~~(to be abandoned upon completion of No. 1)~~

Breeding Spring in Sec. 23, T5S, R1W, and Matthews Spring in Sec 35, T5S, R1W.

*City of Seaside - Ivan R. Shields*  
(Signature of applicant)  
Ivan R. Shields, City Recorder

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Amity Municipal Well No. 2

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 6, 1959

Actual construction work shall begin on or before April 15, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 15th day of April, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G-1A10
Permit No. G-1283

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of March 1959, at 1:45 o'clock P. M.

Returned to applicant:

Approved: April 15, 1959
Recorded in book No. 5 of 1283
Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 937