

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I. Alex Legler and Iva A. Legler (Name of applicant) of Route 2, Box 199, Central Point, county of Jackson state of Oregon do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS.

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Agate Slough (Name of stream)

tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.51 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation and supplemental irrigation

4. The well or other source is located 336 ft. N. and 107 ft. W. from the E. corner of Section 25 (Section or subdivision)

(if preferable, give distance and bearing to section corner)

being within the 2 NE1/4 of Sec. 25 Twp. 36 S., R. 12 W. W. M. in the county of Jackson

5. The pipeline and main ditch to be 100 ft. in length terminating in the NE1/4 NE1/4 of Sec. 25 Twp. 36 S., R. 12 W. M. the proposed location being shown throughout on the accompanying map

6. The name of the well or other works is glass well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and supply when not in use must be described.

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 35 feet. It is estimated that concrete casing. Depth to water table is estimated to be approximately 17 feet.

CANAL SYSTEM OR PIPE LINE

9 (a) Give dimensions at each point of canal where water is changed in size, stating miles to headgate. At headgate: width on top (at water line) 1.5 feet; width on bottom 1.0 feet; depth of water 0.5 feet; grade 4.5 feet fall per one thousand feet.

(b) At same miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 3.0 in.; in size at 100 ft. from intake 2.0 in.; size at place of use 2.0 in.; difference in elevation between intake and place of use, 17 ft. Is grade uniform? yes. Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 2.5 inch jet type pump.

Give horsepower and-type of motor or engine to be used 3.0 H.P. electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels, the difference in elevation between the stream bed and the ground surface at the source of development, no stream within one-fourth mile of proposed well.

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Four-acre Tract | Number Acres To be Irrigated |
|----------------------|---|---------|-----------------|---------------------------------|
| 30 S. | 2 W. | 21 | SW 1/4 | 1.0 |
| | | | SE 1/4 | 1.0 |
| | | | SW 1/4 | 1.0 |
| | | | SE 1/4 | 1.0 |
| | | | | 4.0 acres |

If more space required, attach separate sheets

Character of soil

Kind of crops raised

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from glass well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/20th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The priority date of this permit is January 12, 1956

Actual construction work shall begin on or before March 1, 1956 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1956

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

WITNESS my hand this 20th day of March, 1956

STATE ENGINEER

Application No G- 210
Permit No. G- 1-7

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of January 1956, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. 1 of Ground Water Permits on page 129

STATE ENGINEER

STATE ENGINEER

1956