

RECEIVED  
ENGINEER  
SALES OREGON

Permit No. G-1283

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Gladys Crum  
(Name of applicant)  
of Stanfield  
(Postoffice Address), county of Umatilla  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla River  
(Name of stream)  
tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 82 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation,

4. The well or other source is located 160 ft. N and 14 ft. W from the SE corner of NW 1/4 of the SW 1/4  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)  
N. 49°33'56" E. 2,369.4 ft. from the SW corner of Section 31  
(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the NW 1/4 of the SW 1/4 of Sec. 31, Twp. 4N, R. 29E, W. M., in the county of Umatilla

5. The pipeline to be 1/3 miles  
(Canal or pipe line)  
in length, terminating in the SW 1/4 of NW of Sec. 32, Twp. 4N, R. 29E, W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.  
Pump to be used.

8. The development will consist of one well having a diameter of 48 inches and an estimated depth of 20 feet. It is estimated that feet of the well will require 48" concrete casing. Depth to water table is estimated 10  
(Kind) (Feet)

**CANAL SYSTEM OR PIPE LINE**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... Jacuzzi 3inch, 25 pound, centri-fugal type pump.

Give horsepower and type of motor or engine to be used .....  
 15 HP electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is approximately 850 feet from the nearest bank of the Umatilla River and is about 2 feet higher in elevation than river level.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 N	29 E	31	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	37.8
4 N	29 E	31	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	27.6

(If more space required, attach separate sheet)

Character of soil ..... O $\nu$ VX loam

Kind of crops raised ..... Beets, corn, hay

\_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$850.00
- 15. Construction work will begin on or before June 15, 1957
- 16. Construction work will be completed on or before June 15, 1957
- 17. The water will be completely applied to the proposed use on or before May 1, 1959

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*Glady's D. Carson*  
(Signature of applicant)

Remarks: The work on the development of this well was completed on approximately June 15, 1957. Originally the well had not been anticipated as producing its present yield, which has never been fully utilized.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 20, 1959

WITNESS my hand this 18th day of February, 1959

LEWIS A. STANLEY

STATE ENGINEER

**RECEIVED**  
APR 13 1959 BY  
STATE ENGINEER  
SALEM, OREGON

*James V. Carver, Jr.*  
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.82 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 6, 1959

Actual construction work shall begin on or before May 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of May, 1959

Lewis A. Stanley  
STATE ENGINEER

Application No. G-1373  
Permit No. G-1293

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of February, 1959, at 1:00 o'clock P. M.

Returned to applicant:

Approved: May 20, 1959 of  
Recorded in book No. 5

Ground Water Permits on page 1293

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 7 page 44