

RECEIVED
APR 29 1950
STATE ENGINEER
SALVAGE OF 1950

Permit No. G-1296

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Mr. Laddie & Carl Rajms (Name of applicant)

of Malin (Postoffice Address), county of Klamath

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lost River (Name of stream)

tributary of Tule Lake

2. The amount of water which the applicant intends to apply to beneficial use is 2.75 cubic feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 240 ft. S. and 1720 ft. W. from the NE 1/4 corner of Section 13, T. 40 S., R. 11 E. (Well #2) (Well #1) (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the (1) SE 1/4 NW 1/4 (2) SW 1/4 NW 1/4 of Sec. 13, Twp. 40 S., R. 11 E. W. M., in the county of Klamath

5. The surface sprinkle system & flood (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____ R. _____, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is Laddie & Carl Rajms Wells #1 & #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells (Give number of wells, tunnels, etc.) having a diameter of #1 -12 #2 -16 inches and an estimated depth of 714 feet. It is estimated that feet of the well will require #1- 260' #2- none casing. Depth to water table is estimated #1- 23' #2- 45' (Feet) (Kind)

CANAL SYSTEM OR PIPE LINE

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Deep Well Turbines - #1 well 60 HP 12" permanent #2 well 35 HP 12" at present (want to increase size of this pump)

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 S.	11 E.	13	NW $\frac{1}{4}$ NE $\frac{1}{4}$	1.2
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	1.6
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	8.3
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	3.0
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	7.2
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	0.9
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	5.9
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	5.1
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	1.1

(If more space required, attach separate sheet)

Character of soil sandy loam

Kind of crops raised grains grasses & row crops

To _____ county, having a present population of _____ and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$30,000 _____
- 15. Construction work will begin on or before April 15, 1959 _____
- 16. Construction work will be completed on or before April 15, 1961 _____
- 17. The water will be completely applied to the proposed use on or before April 15, 1962 _____

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Leddie & Carl Raymer
by Carl Raymer
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON

PERMIT

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.43 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Rajma Wells 2.04 ft

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 4, 1959

Actual construction work shall begin on or before May 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of May, 1959

Lewis A. Stanley

STATE ENGINEER

Application No. G-1404

Permit No. G-1296

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of March, 1959, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

MAY 20, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1296

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 14 page 33

State Printing 15