

... the city of ...
... county, having a present population of ...
and an estimated population of ... in 19...

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4500
- 15. Construction work will begin on or before February, 1955
- 16. Construction work will be completed on or before March, 1955
- 17. The water will be completely applied to the proposed use on or before June, 1955

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. supplimental right from Fruitvale Ditch - 17 A.

L. Lawrence M. E. Buel
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 8, 19 59

WITNESS my hand this 8th day of April, 19 59

LEWIS A. STANLEY

STATE ENGINEER

STATE ENGINEER
WALTER N. PERRY

Walter N. Perry

ASSISTANT

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Home well.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other rights existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 27, 1959

Actual construction work shall begin on or before June 22, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 22nd day of June, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G-1428
Permit No. G-1328

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of March 1959, at 2.00 o'clock A. M.

Returned to applicant:

Approved:

June 22, 1959
Recorded in book No. 5 of 1328
Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 7 page 45