

RECEIVED
MAY 1 1959

STATE ENGINEER
ASTORIA, OREGON

Permit No. G-1289

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, A. A. Hoffman of c/o Russel Blackler Real Estate 1016 1/2 So Main Milton-Freewater, Oregon, county of Umatilla,
(Residence Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated West Branch Ford
(Name of stream)

tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is 25 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is

Gravelly Orchard Corrugation Gravity flow irrigation

4. The well or other source is located 20 ft. N and 20 ft. E from the SE corner of NE 1/4 of NE 1/4 of Section 34 Twp. 6N Range 35 W
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of NE 1/4 of Sec. 34, Twp. 6N, R. 35 W, W. M., in the county of Umatilla

5. The Ditch to be 660 ft 1/2 miles
(Canal or pipe line)

in length, terminating in the NE 1/4 of NE 1/4 of Sec. 34, Twp. 6N, R. 35 W, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is George Tifflon well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of well Dug and drilled having a diameter of 12" inches and an estimated depth of 250 feet. It is estimated that 20' feet of the well has require Steel casing. Depth to water table is estimated 35
(Kind) (Feet)

WATER SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 7 1/2 hp centrifugal electric
5" x 6"

Give horsepower and type of motor or engine to be used
7 1/2 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....

.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Williamsite Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 North	35 E	34	NW 1/4 of NE 1/4	16 1/2

(If more space required, attach separate sheet)

Character of soil gravelly orchard

Kind of crops raised orchard

MUNICIPAL SUPPLY

12. To supply the city of _____

in _____ county, having a present population of _____

and an estimated population of _____ in 19____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ Not known. Has been completed and in operation for many years.
- 15. Construction work will begin on or before Beneficial use has been applied from this well since 1928
- 16. Construction work will be completed on or before _____
- 17. The water will be completely applied to the proposed use on or before Has been since 1928

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental to 1901 (19.42)decree and 1903 (10.28) decree

x A A Hoffman
(Signature of Applicant)

Remarks: This well should have been registered under the 1950 requirement Applicant had moved to Sunnyside, Washington, had leased out the place, and inadvertently overlooked the registration requirement. This well was developed years ago and has been in operation with beneficial use of the water since 1928. Applicant now lives in Sunnyside, Washington, and correspondence should be addressed to him c/o Russel Blocker, 1216 So. Main, Milton-Freewater, Oregon.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 7, 19 59.

WITNESS my hand this 7th day of May, 19 59

LEWIS A. STANLEY
STATE ENGINEER

RECEIVED
MAY 2 1959
By *James W. Carver, Jr.*
STATE ENGINEER James W. Carver, Jr.
SALEM, OREGON ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the well or source of appropriation or its equivalent in case of rotation with other water users, from George Fillmore well.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other rights existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 4, 1959

Actual construction work shall begin on or before June 22, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 22nd day of

June, 1959

Lewis A. Stanley

STATE ENGINEER

Application No. G-1455
Permit No. G-1339

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of May, 1959, at 3:30 o'clock P.M.

Returned to applicant:

Approved:

June 22, 1959

Recorded in book No. 5 of

Ground Water Permits on page 1339

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 7 page 46