

STATE OF OREGON

COUNTY OF GILLIAM

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

MONTY L. CRUM
P.O. BOX 21
IONE, OREGON 97843

PHONE: (541) 422-7286

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14808

SOURCE OF WATER: SEVEN WELLS IN WILLOW CREEK BASIN

PURPOSE OR USE: PRIMARY IRRIGATION OF 1604.8 ACRES AND SUPPLEMENTAL IRRIGATION OF 763.4 ACRES

MAXIMUM RATE: 22.98 CUBIC FEET PER SECOND (CFS), BEING 20.1 CFS FOR IRRIGATION OF 1604.8 ACRES AND 2.88 CFS FOR SUPPLEMENTAL IRRIGATION OF 763.4 ACRES TO MAKE UP A DEFICIENCY IN RATE; FURTHER LIMITED TO NO MORE THAN 4.22 CFS FROM ANY WELL

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JULY 22, 1998

POINT OF DIVERSION LOCATION: SE 1/4 SE 1/4, SECTION 3, NE 1/4 NE 1/4, NW 1/4 SE 1/4, SECTION 10, NW 1/4 SW 1/4, SECTION 12, SE 1/4 SW 1/4, SECTION 13, NE 1/4 SE 1/4, SE 1/4 SE 1/4, SECTION 14, T1S, R22E, W.M.;
WELL 2 - 1470 FEET SOUTH & 1370 FEET EAST FROM C1/4 CORNER, SECTION 3;
WELL 4 - 450 FEET SOUTH & 1000 FEET WEST FROM NE CORNER, SECTION 10;
WELL 1 - 120 FEET SOUTH & 1270 FEET EAST FROM C1/4 CORNER, SECTION 10;
WELL 7 - 2226 FEET NORTH & 524 FEET EAST FROM SW CORNER, SECTION 12;
WELL 5 - 100 FEET NORTH & 1450 FEET EAST FROM SW CORNER, SECTION 13;
WELL 3 - 540 FEET SOUTH & 10 FEET WEST FROM E1/4 CORNER, SECTION 14;
WELL 6 - 424 FEET NORTH & 122 FEET WEST FROM SE CORNER, SECTION 14

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Application G-14808 Water Resources Department

PERMIT G-13628

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NW 1/4 NW 1/4		20.0 ACRES
SW 1/4 NW 1/4		41.3 ACRES
NW 1/4 SW 1/4		40.0 ACRES
SW 1/4 SW 1/4		38.4 ACRES
SE 1/4 SW 1/4	5.0 ACRES	
	SECTION 2	
NE 1/4 NE 1/4		10.1 ACRES
NW 1/4 NE 1/4		24.6 ACRES
SW 1/4 NE 1/4		43.3 ACRES
SE 1/4 NE 1/4		9.7 ACRES
NE 1/4 SW 1/4		33.7 ACRES
NW 1/4 SW 1/4		27.5 ACRES
SW 1/4 SW 1/4		27.5 ACRES
SE 1/4 SW 1/4		33.7 ACRES
NE 1/4 SE 1/4		17.2 ACRES
NW 1/4 SE 1/4		37.3 ACRES
SW 1/4 SE 1/4		27.2 ACRES
SE 1/4 SE 1/4		27.0 ACRES
	SECTION 3	
NE 1/4 NE 1/4		32.1 ACRES
NW 1/4 NE 1/4		31.0 ACRES
SW 1/4 NE 1/4		30.6 ACRES
SE 1/4 NE 1/4		32.8 ACRES
NE 1/4 SE 1/4		35.4 ACRES
NW 1/4 SE 1/4		31.1 ACRES
SW 1/4 SE 1/4		30.6 ACRES
SE 1/4 SE 1/4		28.6 ACRES
	SECTION 10	
SE 1/4 NE 1/4	5.4 ACRES	
NE 1/4 NW 1/4	1.8 ACRES	
NW 1/4 NW 1/4	5.2 ACRES	26.7 ACRES
SW 1/4 NW 1/4		23.0 ACRES
NE 1/4 SW 1/4	26.2 ACRES	
NW 1/4 SW 1/4	36.3 ACRES	3.0 ACRES
SW 1/4 SW 1/4	36.0 ACRES	
SE 1/4 SW 1/4	24.1 ACRES	
NE 1/4 SE 1/4	33.7 ACRES	
NW 1/4 SE 1/4	36.6 ACRES	
SW 1/4 SE 1/4	34.5 ACRES	
SE 1/4 SE 1/4	14.2 ACRES	
	SECTION 11	
SW 1/4 NW 1/4	10.5 ACRES	
NE 1/4 SW 1/4	4.1 ACRES	

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NW 1/4 SW 1/4	39.9 ACRES	
SW 1/4 SW 1/4	18.9 ACRES	
SE 1/4 SW 1/4	0.2 ACRE	
	SECTION 12	
NE 1/4 NW 1/4	31.7 ACRES	
NW 1/4 NW 1/4	23.6 ACRES	
SW 1/4 NW 1/4	18.0 ACRES	
SE 1/4 NW 1/4	22.8 ACRES	
NE 1/4 SW 1/4	32.7 ACRES	
NW 1/4 SW 1/4	16.5 ACRES	
SW 1/4 SW 1/4	6.4 ACRES	
SE 1/4 SW 1/4	12.3 ACRES	
SW 1/4 SE 1/4	4.3 ACRES	
	SECTION 14	
NE 1/4 NE 1/4	14.9 ACRES	
NW 1/4 NE 1/4	25.1 ACRES	
SW 1/4 NE 1/4	22.4 ACRES	
SE 1/4 NE 1/4	13.2 ACRES	
NE 1/4 SE 1/4	36.5 ACRES	
NW 1/4 SE 1/4	24.0 ACRES	
SW 1/4 SE 1/4	22.8 ACRES	
SE 1/4 SE 1/4	35.3 ACRES	
	SECTION 15	
NE 1/4 NE 1/4	36.1 ACRES	
NW 1/4 NE 1/4	11.2 ACRES	
SW 1/4 NE 1/4	9.3 ACRES	
SE 1/4 NE 1/4	39.0 ACRES	
NE 1/4 SE 1/4	30.0 ACRES	
NW 1/4 SE 1/4	30.0 ACRES	
SW 1/4 SE 1/4	30.0 ACRES	
SE 1/4 SE 1/4	30.0 ACRES	
	SECTION 22	
NE 1/4 NE 1/4	9.8 ACRES	
NW 1/4 NE 1/4	38.5 ACRES	
SW 1/4 NE 1/4	35.8 ACRES	
SE 1/4 NE 1/4	17.8 ACRES	
NE 1/4 NW 1/4	24.4 ACRES	
NW 1/4 NW 1/4	14.8 ACRES	
SW 1/4 NW 1/4	27.6 ACRES	
SE 1/4 NW 1/4	28.1 ACRES	
NE 1/4 SW 1/4	39.8 ACRES	
NW 1/4 SW 1/4	38.8 ACRES	
SW 1/4 SW 1/4	17.5 ACRES	
SE 1/4 SW 1/4	19.6 ACRES	

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE 1/4 SE 1/4	39.3 ACRES	
NW 1/4 SE 1/4	36.0 ACRES	
SW 1/4 SE 1/4	14.0 ACRES	
SE 1/4 SE 1/4	18.5 ACRES	
	SECTION 23	
NW 1/4 NW 1/4	1.8 ACRES	
SW 1/4 NW 1/4	4.0 ACRES	
SE 1/4 NW 1/4	8.9 ACRES	
NE 1/4 SW 1/4	0.1 ACRE	
NW 1/4 SW 1/4	1.5 ACRES	
	SECTION 24	
NW 1/4 NE 1/4	17.5 ACRES	
	SECTION 25	
NE 1/4 NW 1/4	30.0 ACRES	
NW 1/4 NW 1/4	30.0 ACRES	
SW 1/4 NW 1/4	30.0 ACRES	
SE 1/4 NW 1/4	30.0 ACRES	
	SECTION 26	
NE 1/4 NE 1/4	30.0 ACRES	
NW 1/4 NE 1/4	30.0 ACRES	
SW 1/4 NE 1/4	30.0 ACRES	
SE 1/4 NE 1/4	30.0 ACRES	
	SECTION 27	
TOWNSHIP 1 SOUTH, RANGE 22 EAST, W.M.		

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

In the event of a request for a change in point of appropriation, an additional point of appropriation or alteration of the appropriation facility associated with this authorized diversion, the quantity of water allowed herein, together with any other right, shall not exceed the capacity of the facility at the time of perfection of this right.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin by April 16, 2000. Complete application of water to the use shall be made on or before October 1, 2003. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued April 16, 1999


Martha D. Pagel, Director
Water Resources Department

Application G-14808
Basin 07
LKS

Water Resources Department
Volume 4A EIGHTMILE CAN MISC
MGMT.CODES 7AG 7AR 7BG 7BR 3BW

PERMIT G-13628
District 5