

Permit No. G-1366

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Floyd Mc Bride (Name of applicant)  
of Jamieson (Postoffice Address), county of Malheur,  
state of Oregon, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Willow Creek (Name of stream)

tributary of Malheur

2. The amount of water which the applicant intends to apply to beneficial use is 4 cubic  
feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located \_\_\_\_\_ ft. \_\_\_\_\_ and \_\_\_\_\_ ft. \_\_\_\_\_ from the  
corner of \_\_\_\_\_ (N or S) \_\_\_\_\_ (E or W)

(Section or subdivision)

N 31° 10' E ~ 262.3 feet from the

(If preferable, give distance and bearing to section corner)

SW Cor Sec 3 T16S R43E W.M.

(If there is more than one well, each must be described. Use separate sheet if necessary.)

being within the SW SW of Sec. 3, Twp. 16S, R. 43E

W. M., in the county of Malheur

5. The Ditches Upper Lower to be 5220' 5640' miles  
(Canal or pipe line)

in length, terminating in the SW NE of Sec. 10, Twp. 16S,  
(Smallest legal subdivision)

R. 43E W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Mc Bride No 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of 1 well having a  
(Give number of wells, tunnels, etc.) diameter of 6' inches and an estimated depth of 29 feet. It is estimated that 29

feet of the well will require Cornug. Steel piping. Depth to water table is estimated 5  
(Kind) (Feet)

Pumps down to 26'

1366

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type *Western Land Roller Cen. 8" inlet & outlet*

Give horsepower and type of motor or engine to be used *25 HP Elect. 1500 G.P.W. capacity.*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
16 S	4 3E	3	SW SW	16 { 6 prime 10 supplemental
		3	SE SW	6 prime
		3	SW SE	28 prime
		3	SE SE	7 prime
		10	NW NE	22 { 10 prime 12 supp.
		10	SW NE	38 supplemental
		10	NW NW	40 "
		10	NE NW	39 "
		10	SE NW	39 "

(If more space required, attach separate sheet)

Character of soil *Sandy silt loam*

Kind of crops raised *Hay pasture corn.*

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before Immediately
- 16. Construction work will be completed on or before June 1960
- 17. The water will be completely applied to the proposed use on or before June 1960
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. SEE REMARKS

*[Signature]*  
(Signature of applicant)

Remarks: The land lying between the Vale Main Canal and the Orchard Water Co Ditch has a right for 68 shares. The land South of the Vale Main Canal has a right under the Vale-Ore Irrig Dist.

The well was originally dug for the purpose of drainage. Because of the great flow of water encountered it was decided to utilize the water for irrigation. 57 acres of additional land will be brought under cultivation by leveling & sprinkler irrigation. The supplemental right is for short water years under the Malheur Reservoir.  
STATE OF OREGON,  
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 6, 19 59

WITNESS my hand this 5th day of May, 19 59.

LEWIS A. STANLEY

STATE ENGINEER

RECEIVED  
MAY 10 1959  
STATE ENGINEER  
SALE OFFICE

By *[Signature]*  
James W. Carver

ASSISTANT

STATE OF OREGON, }  
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from McBride Well No. 1

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 29, 1959

Actual construction work shall begin on or before July 20, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of

July, 1959  
*Lewis A. Stanley*  
STATE ENGINEER

Application No. G- 1452  
Permit No. G- 1366

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 29th day of April,  
1959, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

July 20, 1959

Recorded in book No. 6 of

Ground Water Permits on page 1366

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 10 page 38

State Printing