

RECEIVED
MAY 1959

STATE ENGINEER
SALEM, OREGON

Permit No. G-1367

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Charles J. Sandoz (Name of applicant)
of Route 2, The Dalles, county of Wasco,
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mill Creek (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 250-300 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1142 ft. N and 556 ft. W from the corner of Sec's 13, 14, 23 and 24, T. 1 N., R. 12 E., W. M. 1415 ft. (Section or subdivision)
Bearing and distance from corner to well is N 25 50 W, 1275 ft (If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)
being within the SE 1/4 SE 1/4 of Sec. 14, Twp. 1 N., R. 12 E. W. M., in the county of Wasco

5. The pipe line (Canal or pipe line) to be 1000 feet miles in length, terminating in the SW 1/4 SW 1/4 (Smallest legal subdivision) of Sec. 13, Twp. 1 North R. 12 East, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Julius Sandoz well in SE 1/4 SE 1/4 of Section 14, Twp. 1 North, Range 12 E., W. M.
DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Water will be transported from 8" water line extending from said well through NW 1/4 SW 1/4 of Section 13, T. 1 North, Range 12 East, W. M., through 400 feet of 6" pipe and 600 feet of 4" pipe into said SW 1/4 SW 1/4 of Section 13 to irrigate areas of 3 acres and 17 1/2 acres in said SW 1/4 SW 1/4 of Section 13. Well appropriation was approved by State Engineer on December 20, 1954 in Book No. 2 of Permits on page U-662.

8. The development will consist of _____ having a diameter of _____ inches and an estimated depth of _____ feet. It is estimated that _____ feet of the well will require _____ casing. Depth to water table is estimated _____ (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
L North	12 East	13	SW $\frac{1}{4}$ SW $\frac{1}{4}$	20 $\frac{1}{2}$

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1200
- 15. Construction work will begin on or before May 20, 1959
- 16. Construction work will be completed on or before Oct. 1, 1959
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1959
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

Charles Kaudy
(Signature of applicant)

Remarks:

A 25 horsepower pump is used at the well. A Gould centrifugal type.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 13, 19 59.

WITNESS my hand this 12th day of May, 19 59.

LEWIS A. STANLEY

STATE ENGINEER

By *James W. Carver, Jr.*
James W. Carver, Jr.

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Julius Sandoz well.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 5, 1959

Actual construction work shall begin on or before July 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of July, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G-6-1457 Permit No. G-1367

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of July, 1959, at 1:11 o'clock P.M.

Returned to applicant:

Approved: July 20, 1959 Recorded in book No. 6 of 1367 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 7 page 36

State Printing