

JUN 1959  
STATE ENGINEER  
ORLE 21200

Permit No. G- **1370**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

We, Judd D. Kimball and Baker-Boyer National Bank, as trustees under the Last Will and Testament of Frank H. Lockwood, Deceased, of Baker Building, county of Walla Walla,  
(Postoffice Address)

state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Mud Creek  
(Name of stream)

tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 350 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 120 ft S. and 2180 ft E. from the Northwest

4. The well or other source is located North 36° 00' East 1301.2 feet from the Southwest corner of the Southeast Quarter of the Southwest Quarter of Section 17, Township 6 North, Range 35, E. W. M., ~~and~~ South 67° 54' East 840' from the Northwest corner of said Southeast Quarter of the Southwest Quarter being within the Southeast Quarter of the Southwest Quarter of said Section 17.

\_\_\_\_\_ in the county of \_\_\_\_\_

5. The pipe line to be 2000 feet ~~xxx~~  
(Canal or pipe line)  
in length, terminating in the East Half Lot 2 NW Quarter of Sec. 17, Twp. 6 N.  
(Smallest legal subdivision)

R. 35 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Lockwood No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well 1 well having a diameter of 12 inches and an estimated depth of 265 feet. It is estimated that 80 feet of the well will require steel casing. Depth to water table is estimated 80  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 5" in.; in size at from intake ..... in.; size at place of use 3" in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type

6" turban pump

Give horsepower and type of motor or engine to be used 30 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N	35	17	½ East Half of SW Quarter of Sec. 17	40
6 N	35	17	Lot 2 East Half of the Northwest Quarter	25
6 N	35	17	Northwest Quarter of the Southeast Quarter	9.24
6 N	35	17	Southwest Quarter of the Southeast Quarter	9.05
6 N	35	17	Southeast Quarter of the Southwest Quarter	39.87
6 N	35	17	Northeast Quarter of the Southwest Quarter	40.68

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Diversified

MUNICIPAL SUPPLY--

13. To supply the city of .....

in ..... county, having a present population of .....

and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....5700.00.....

15. Construction work will begin on or before June 15, 1959.....

16. Construction work will be completed on or before July 15, 1959.....

17. The water will be completely applied to the proposed use on or before Oct. 15, 1959.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

BAKER-BOYER NATIONAL BANK  
WALLA WALLA, WASH.  
Trust Officer  
(Signature of applicant)

Remarks: ..... As Trustees under the Last Will and Testament of Frank M. Lockwood, Deceased.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 24, 19 59.....

WITNESS my hand this 22nd day of June, 19 59.....

LEWIS A. STANLEY  
STATE ENGINEER

By James W. Carver, Jr.  
ASSISTANT

STATE OF OREGON  
COUNTY OF MARION

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.24 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Lockwood Well No. 2

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 8, 1959

Actual construction work shall begin on or before July 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of July 1959

Lewis A. Stanley, STATE ENGINEER

Application No. G-1494
Permit No. G-1370

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of July, 1959, at 1:37 P.M.

Returned to applicant:

Approved:

July 20, 1959

Recorded in book No. 6 of

Ground Water Permits on page 1370

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 7 page 46