

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Russell W. Girvin (Name of applicant) of Route 1, Vale (Postoffice Address), county of Malheur, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated J. H. Ditch of the ditch works of the Warm Springs Irrigation District (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 660 cubic feet per second or 660 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 10 ft. North-West of (N. or S.) North 59°40' East 1095 feet from Southwest corner of Sec. 7, T. 19S., R. 44 EWM (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW 1/4 SW 1/4 of Sec. 7, Twp. 19S., R. 44 E., W. M., in the county of Malheur

5. The canal to be 1000 feet in length, terminating in the SW 1/4 SW 1/4 of Sec. 7, Twp. 19S., R. 44 E. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 60 feet. It is estimated that 25 feet of the well will require galvanized casing. Depth to water table is estimated 26 feet.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from

headgate. At headgate: width on top (at water line) ..... 2 ..... feet; width on bottom

V ditch 16-18 inches ..... feet; depth of water ..... 1 ..... feet; grade ..... 4 ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line)

..... feet; width on bottom ..... feet; depth of water ..... feet;

grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft.

from intake ..... in.; size at place of use ..... in.; difference in elevation between

intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity,

..... sec. ft.

10. If pumps are to be used, give size and type ..... Jacuzzi Pump. Turbine Type

Give horsepower and type of motor or engine to be used ..... 10 horse motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... not closer than 1/4 mile

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
19S	E	7	SW 1/4 SW 1/4	<del>15</del> ac. primary; <sup>3 ac.</sup> 50 ac. supplemental
			NW 1/4 SW 1/4	6 ac. supplemental

(If more space required, attach separate sheet)

Character of soil ..... Clay

Kind of crops raised ..... Hay, Grain, Row Crop

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$2500.00.....
- 15. Construction work will begin on or before June 15, 1959.....
- 16. Construction work will be completed on or before when application is granted.....
- 17. The water will be completely applied to the proposed use on or before <sup>July 1, 1959</sup> when application is granted.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The applicants authority with respect to the acreage listed as being served supplementarily, is pursuant to the authority of the Warm Springs Irrigation District in its adjudicated rights and permits.....

*Russell W. Thomas*  
(Signature of Applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ..... 19.....

STATE ENGINEER

By ..... ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.74 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from well No. 1.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 17, 1959

Actual construction work shall begin on or before July 20, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of July

Lewis A. Stanley 1959 STATE ENGINEER

Application No. G- 1504

Permit No. G- 1376

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of July, 1959, at 2:00 o'clock P.M.

Returned to applicant:

Approved:

July 20, 1959 of 6 Recorded in book No. 1376 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 10 page 38