

Permit No. G- 1377

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Clarence G. and Geneva Regard
of Rt. 1, Bex 36 D, Lebanem (Name of applicant) (Passalles Address) (Passalles Address)
state of
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development i
situated South Sentiam River (Name of stream)
tributary of Santian River
2. The amount of water which the applicant intends to apply to beneficial use is cubi feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located ft. and ft. from the SS corner of MB2 of S. 24, T. 12 S, R. 2 W. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the SE of ME of Sec. 2k , Twp. 12 S , R. 2 W
W. M., in the county of
5. The main pipe line to be 600 feet mile
in length, terminating in the SE of IE3 of Sec. 24 , Turp. 12 S
R
6. The name of the well or other works is Rogers L. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of Give number of wells, tunnels, etc.) having (Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of feet. It is estimated that 60
feet of the well will require casing. Depth to water table is estimated (Feet)

AL SYSTI	EM OR PIPE LI	NE	•	
9. (a) Gi	ive dimensions at	each point of c	anal where materially chang	ged in size, stating mile
			ne)	
			feet; grade	feet fall p
sand feet.			•	
(b) At	· ······	miles from head	gate: width on top (at water	· line)
			feet; depth of wo	
	feet fall			
(c) Lengt	th of pipe,	600 ft.;	rize at intake, 3	in.; in size at 600
			use ' 2 in.; di	
e and place	of use,	ft. 1	s grade uniform? 🔭	Fstimated car
		·		. Estimatea caj
	•		ype Deep well turbine	
	location of the we	ell, tunnel, or ot	her development work is less tance to the nearest point o	s than one-fourth mile f
ifference in	location of the we or stream channed elevation between appreximately 7 20 feet leve	ell, tunnel, or ot el, give the distent the stream be 835 feet from them the w	her development work is lest ance to the nearest point of ed and the ground surface of the South Santian Reall site.	s than one-fourth mile for each of such channe it the source of develo
ifference in	location of the we or stream channed elevation between appreximately 7 20 feet leve	ell, tunnel, or ot el, give the distent the stream be 835 feet from them the w	her development work is lestance to the nearest point of ed and the ground surface of the South Santian R	s than one-fourth mile for each of such channe at the source of development. The stream leading of the sumber Acres
ifference in site 1s. curinately 12. Locati	location of the wester stream channels elevation between appreximately 20 feet lewer ion of area to be in a real of the stream o	ell, tunnel, or ot el, give the distent the stream be 835 feet from the marrigated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lest tance to the nearest point of the and the ground surface of the South Santian Result site.	s than one-fourth mile for each of such channe at the source of development. The stream leading of the sumber Acres
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of develority. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of develority. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream
ifference in site 1s. carinately 12. Locati Township N. or S.	location of the wear stream channel elevation between appreximately 20 foot lower to be in the control of area to be in the control of area to be in the control of will americal meridian area to be in the control of	ell, tunnel, or ot el, give the dis en the stream be estimated, or place	her development work is lestance to the nearest point of the ground surface of the South Santian Relation. Torty-acre Tract	s than one-fourth mile in each of such channe at the source of development. The stream in the stream

Character of soil Renberg

Kind of crops raised Forego

ASSISTANT

MUNICIPAL SUPPLY	. · ·	.577
13. To supply the city of	•	··· · · · · · · · · · · · · · · · · ·
county, has	ring a present population of	
nd an estimated population of		•
	•	
ANSWER QUESTION	3 14, 16, 16, 17 AND 18 IN ALL CASES	
14. Estimated cost of proposed work	, ; 1000,00	
15. Construction work will begin on	or before	
16. Construction work will be comple	ted on or before	
	lied to the proposed use on or before October	1 1040
ation for permit, permit, certificate or a	spplemental to an existing water supply, ident djudicated right to appropriate water, made o	ify any ap r held bu
pplicant.		.
		······································
	(Signature of applicant)	Liqu
Remarks:	Christic of The result (Bignature of applicant) By Clarence of I	ite i
		1
•		**********
	•	
	•	
•		
	······································	
CATE OF OREGON,	•	
County of Marion,		
This is to certify that I have examine	d the foregoing application, together with the a	ccompani

		And the second second
	olication must be returned to the State Engineer	. with cor
ns on or before	, 19	
•		
WITNESS my hand this day	/ of	10
· •••	•	. 19
	ST	ATE ENGINEE
	Ву	
•	The second secon	

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and source of appropriation, or its equivalent in case of rotation with other water users, from Rogers Well The use to which this water is to be applied is irrigation. If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2\frac{1}{2} acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is June 18, 1959 Actual construction work shall begin on or before July 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 60 Complete application of the water to the proposed use shall be made on or before October 1, 1961 WITNESS my hand this 20th day of first received in the nneer at Salem, Oregon E THE GROUND THE STATE X REGON 3 WATERS OF OF OF PEF July 20, Application N Permit No. G. TO APPROPRIA This instrument u office of the State Eng on the day of 19. 19, at o'c Returned to applicant: Recorded in book Ground Water Permit LENTS A. ST Drainage Basin No

Approved:

State Pri

...