

Permit No. G- 1381

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Salem Golf Club (Name of applicant) of Route 3 Salem (Postoffice Address), county of Marion state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Salem, Oregon 1928

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Slough of the Willamette River (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Supplemental Irrigation

4. The well or other source is located 3,340 ft. S. and 175 ft. E from the N. W. corner of Section 33, T 7 S, R 3 W W.M. (N. or S.) (E or W) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 33, Twp. 7 S, R. 3 W W. M., in the county of Marion

5. The Pipeline (Canal or pipe line) to be 17,000 ft miles in length, terminating in the of Sec. , Twp. R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Does not apply

8. The development will consist of One drilled well (Give number of wells, tunnels, etc) having a diameter of 10 inches and an estimated depth of 50 feet. It is estimated that 50 feet of the well will require std steel (Kind) casing. Depth to water table is estimated 40 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Turbine pump. size to depend on success of well

Give horsepower and type of motor or engine to be used Electric motor. size not yet determined.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development approx. 1/4 mile south and west from a slough of the Willamette River

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	3 W	32	SE $\frac{1}{4}$ NE $\frac{1}{4}$	4.42
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	23.07
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	24.32
		33	SW $\frac{1}{4}$ NW $\frac{1}{4}$	5.14
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	20.39
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	11.02
				88.36

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2,000 .....
- 15. Construction work will begin on or before Upon receipt of permit .....
- 16. Construction work will be completed on or before Fall of 1959 .....
- 17. The water will be completely applied to the proposed use on or before Fall of 1959 .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Permit No. G-964, File No. G-1219 .....

Remarks: .....  
by: Salem Golf Club  
(Signature of applicant)  
*Edward Ray*  
L.D. in file # G-1219

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 29, 1959

Actual construction work shall begin on or before July 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of July 1959  
*Lewis A. Stanley*  
STATE ENGINEER

Application No. G- 1513  
Permit No. G- 1381

**PERMIT**  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 day of June, 1959, at 9:15 o'clock A. M.

Returned to applicant:

Approved: July 20, 1959

Recorded in book No. 6 of 1381  
Ground Water Permits on page

**LEWIS A. STANLEY**  
STATE ENGINEER

Drainage Basin No. 2 page 95

State Printing

2385