Permit No. G- 139

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

| of 150 LARRY AIE, Salem, country of MARIO |
|---|
| of 150 LARRY AVE, Salem, country of MARIO |
| state of CREGO , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporation, give date and place of incorporation |
| |
| 1. Give name of nearest stream to which the well, tunnel or other source of water development is |
| situated IV, LL AMETTE (Name of stream) |
| tributary of |
| 2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or a gallons per minute. |
| 3. The use to which the water is to be applied is Alc MESTIE |
| 4. The well or other source is located 39% (it. 3) and 1219 (ft. 4) from the from the from the former of Section or subdivision. |
| corner of Section or subdivision) |
| (If preferable, give distince and bearing to section corner) |
| being within the $f(R) \neq f(R)$. Respectively the epirate sheet if necessary |
| W,M , in the country of $\mathcal{M}_{\mathcal{A}}(\mathcal{A},\mathcal{B},\mathcal{C},\mathcal{A})$ |
| 5. The constant problem |
| m length, terminating in the $rac{constant}{s_{materical enterphysics}}$ |
| R W. M., the proposed location being shown throughout on the accompanying map. |
| 6. The name of the well or other works is |
| DESCRIPTION OF WOUKS |
| 7. In the element he at lized is artesian, the works to be used for the control and conservation of the suggest, when not in the must be described. |
| |
| |
| en e |
| 8. The development will consist of |
| Dameter of inches and an estimated depth of 1964 feet. It is estimated that it |
| were of the well will require (27.43) p. 11 K.D. casing. Depth to water table is estimated. Fig. |

| | | | | q miles tron |
|--------------------|------------------------------|--------------------------|-------------------------|---------------|
| headgate. At hea | dgate: width on top (at w | ater line) | teet wid | the on hotton |
| | feet; depth of water | feet; grade | e teel | t fall in on |
| thousand feet. | | | | |
| (b) At | miles fron | n headgate: width on top | (at water line) | |
| | feet; width on bottom | feet; de | pth of water | ture * |
| grade | feet fall per one | thousand feet. | | |
| (c) Length | of pipe. | ft.; size at intake. | in , in size at | • , |
| from intake | in.; size at p | lace of use | ing difference in eleva | tion hotrese |
| intake and place o | of use. | ft. Is grade uniform? | F. time | r transcr |
| | sec. ft. | | | |
| 10. If pum | ps are to be used, give size | e and type '5" H | F. LONDING | |
| intake and place o | of use, sec. ft. | ft. Is grade uniform? | | r Leavae |

In If the location of the well, tunnel, or other development work is less than one-fourth in the from a matural stream or stream channel, give the distance to the nearest point on each of such constitution the difference in elevation between the stream bed and the ground surface at the source of discongruent.

Michael Mic TIE PRIVER Joseph College of the

12. Location of area to be irrigated, or place of use

| Township Nor S | Range E or W of Willamette Meridian | esection | | Forti-sacre Tract | Something Action of the Berlingare in |
|-------------------|---|----------|--------|-------------------|---------------------------------------|
| 75 | 2 11 | 10 | • | AAAAAA | 200 |
| 7.2 | | if | , | 12 1 1/4 1/10 12 | |
| | 1 | | | | |
| | • | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | : | | | | |
| | | | • | | |
| | ! ! | | ! | | |
| | | | : | | |
| | · · · · · · · · · · · · · · · · · · · | | ; ; | : | |
| | | | : | | |
| | | | | | |

Character of soil

Kind of crops raised

| MUNICIPAL SUPPLY—3013 D1 V. S | 101 | | |
|--|---|---|---------------------------------------|
| 10. 10 supply time day of | | UNCAN | |
| in MARION county, | having a present pop | pulation of NONE | |
| and an estimated population of 20 | in 1966 | <u>o</u> | |
| 14. Estimated cost of proposed u | porks, \$ 5,000 | | . , |
| 15. Construction work will begin16. Construction work will be con | on or defore EN | issue if parm | . F. |
| 16. Construction work will be cor | npleted on or before | Jan 1 1957 | |
| 17. The water will be completely | | | ••• |
| 18. If the ground water supply cation for permit, permit, certificate | is supplemental to a or adjudicated right | in existing water supply, ide to appropriate water, made | entify any appli- e or held by the |
| applicant. | | | |
| | | (Signature of applicant) | |
| Remarks: | | | |
| | | | |
| · | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | ··· · | | |
| | | | |
| | | | |
| | | | |
| STATE OF OREGON. County of Marion. | | | |
| This is to certify that I have ex | amined the foregoing | application, together with t | he accompanying |
| maps and data, and return the same for | r | | |
| | | | |
| | | | |
| | | | |
| In order to retain its priority, th | his application must l | be returned to the State Engi | neer, with correc- |
| t wa on or before | , 19 | | |
| WITNESS my hand this | day of | | . 19 |

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not exceed 0.56 cubic fect per second measured at the point of diversion from the well ar source of appropriation, or its equivalent in case of rotation with other water users, from 0. H. Dimeau well

The use to which this water is to be applied is manicipal (all of the purposes for rather water could be used in a city under a right initiated for numberal use)

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The priority date of this permit is January 30, 1956

Actual construction work shall begin on or before March 20, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1. 19 50. The permittee shall install and maintain a weir, meter, or other suitable meas a no device, and shall keep a complete record of the amount of ground water withdrawn.

WITNESS my hand this 20th day of March 1956

STATE ENGINFER

ROUND
TE
eitred in the
em. Oregon,

M. M.

1333

PERMIT

TO APPROPRIATE THE CANATERS OF THE ST.

OF OREGON

This instrument was first recipice of the State Engineer at Sa on the 20 day of Jenus

19 St., at 8: to o'clock

19 St., at 8: to o'clock

Approved:

Returned to applicant:

Returned to applicant:

Recorded in book No.

Ground Water Permits on page

Application No. G. Approximation No. G.