## Person 1415

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I,Kasuo .Kino	shita md	Ami D. Kinoshita
of	lox 19	GEESHAM , county of Multnomah
· •	· constitut services.	
following described gr	ound waters of the st	, do hereby make application for a permit to appropriate the tate of Oregon, SUBJECT TO EXISTING RIGHTS:
	•	
If the applicant		date and place of incorporation
_ 1. Give name o		which the well, tunnel or other source of water development
situated	Johnson Creek	
		tributary of Wilamette River
2) The amount feet per second or30	of water which the a	applicant intends to apply to beneficial use is
3. The use to w	hich the water is to b	be applied is 1rrigation
4. The well or o	ther source is located	ft. and ft. from the
corner of		(Section or subdivision)
***************************************		he West quarter corner of Section 15 give distance and bearing to section corner)
		each must be described. Use separate sheet if necessary)  of Sec. 16, Twp. 1.S, R. 3.E.
	•	
5. The		to be mile
in length termination	(Canal or p	pipe line)
in tengin, terminating	in the(Sm	nallest legal subdivision) of Sec, Twp.
$R. \ldots , W. M., t$	he proposed location	being shown throughout on the accompanying map.
		·ks is
		CRIPTION OF WORKS
7. If the flow to supply when not in use	be utilized is artesian	n, the works to be used for the control and conservation of th
····		•
. The developt	nene will consist of	i (one) pump well having (Give number of wells, tunnels, etc.)
diameter of	inches and an esti	imated depth of
		casing. Depth to water table is estimated

· · · · · · · · · · · · · · · · · · ·	OR PIPE LINE— dimensions at each		nal where materially changed	in size, stating miles fr
	•	•	e)	
	·		feet; grade	
ousand jest.				
(b) At	mile	s from headg	ate: width on top (at water li	ne)'
	feet; width on bo	ottom	feet; depth of wate	·r f
rade	feet fall pe	r one thousan	nd feet.	
(c) Length	ı of pipe,	ft.; s	ize at intake, in	; in size at
rom intake	in.; siz	ze at place of	<b>use</b> in.; diffe	erence in elevation betu
ntake and place	of <b>use</b> ,	ft. I:	s grade uniform?	Estimated capa
•	sec. ft.	•		
- 10. If pum	aps are to be used, gi	ive size and t	yperot kr	own yet
	•			
Give horse	power and type of	motor or engi	ne to be usednot kr	lawn yet.
11. If the natural stream che difference in	location of the well, or stream channel, elevation between	tunnel, or ot give the dis the stream be	her development work is less tance to the nearest point on ed and the ground surface at	than one-fourth mile from each of such channels the source of develops
11. If the natural stream che difference in	location of the well, or stream channel, elevation between	tunnel, or ot give the dis the stream be 1250 feet	her development work is less tance to the nearest point on ed and the ground surface at	than one-fourth mile from each of such channels the source of develops
11. If the natural stream of the difference in Tell	location of the well, or stream channel, a elevation between that I have been that I will will will	tunnel, or ot give the disthestream be	her development work is less tance to the nearest point on ed and the ground surface at	than one-fourth mile from each of such channels the source of development of Johnson Creek
11. If the natural stream of the difference in Tell 3. The top 3. That seat	location of the well, or stream channel, elevation between that I be located of the well will than at the Grace	tunnel, or of give the disthe stream be 1250 feet	her development work is less tance to the nearest point on ed and the ground surface at from the nearest section of the nearest section o	than one-fourth mile from each of such channels the source of development of Johnson Creek
11. If the natural stream of the difference in Tell of the top of that seat	location of the well, or stream channel, elevation between that I be located of the well will than at the Grace	tunnel, or of give the disthe stream be 1250 feet	her development work is less tance to the nearest point on ed and the ground surface at the nearest section of the	than one-fourth mile from each of such channels the source of development of Johnson Creek
11. If the natural stream of the difference in Tell of the top of that seat 12. Locat	location of the well, or stream channel, delevation between the located of the well will than of the Grace ion of area to be irrespondent.	tunnel, or ot give the disthe stream be 1250 feet.	her development work is less tance to the nearest point on ed and the ground surface at the nearest section of the	than one-fourth mile from each of such channels the source of development of Johnson Greek
11. If the natural stream is the difference in The top of the top	location of the well, or stream channel, delevation between the located of the well will also are decided from at the Grace ion of area to be irrectly and the located will amend to be irrectly and the located will amend the located will amend the located will amend the located and located area to be irrectly and located area to be irrectly and located and located area to be irrectly as a located area to be irrectly and located area to be irrectly as a located ar	tunnel, or ot give the disthe stream be 1250 feet.	her development work is less tance to the nearest point on ed and the ground surface at from the nearest section of the nearest section of the nearest section of the nearest section of the section of t	than one-fourth mile from each of such channels the source of development of Johnson Creek in el. vettor than Number Acres To Be Irrigated
11. If the natural stream of the difference in Tell 3. The ton 3. The ton 3. Township N. or 8.	location of the well, or stream channel, elevation between the located of the well will sion of area to be irrection of area to be irrection.  Range Willamette Meridian	tunnel, or ot give the disthestream be 1250 feet to herroxide.	her development work is less tance to the nearest point on ed and the ground surface at that the nearest section of the nearest section of the nearest section of the nearest section of the section of t	than one-fourth mile free each of such channels the source of development of Johnson Creek in elevation that
11. If the natural stream of the difference in Tell 3. The top 3. The top 3. The top 3. The top 3. Township N. or 8.	location of the well, or stream channel, elevation between the located of the well will will store of the well will will store of area to be irrectly of willamette Meridian will among the located of the well will be considered by the located of the well will be considered by the located of the well will be considered by the located of	tunnel, or ot give the disthestream be 1250 feet. The Harroxi  A.  rigated, or pla	her development work is less tance to the nearest point on ed and the ground surface at from the nearest section of the nearest section of the nearest section of the nearest section of the section of t	than one-fourth mile from each of such channels the source of development of Johnson Creek in el. vettor than Number Acres To Be Irrigated
11. If the natural stream is the difference in Tell 3. The top 3. The top 3. The top 3. Township N. or 8.	location of the well, or stream channel, delevation between the located of the well will show at the Gree ion of area to be irrection of area to be irrection.    Range   Rang	tunnel, or ot give the disthestream be 1250 feet. The Harroxi  A:  igated, or pla  bectton	her development work is less tance to the nearest point on ed and the ground surface at that the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest section of the nearest section of the nearest point on ed and the ground surface at the nearest section of the neare	than one-fourth mile free each of such channels the source of development of Johnson Creek in elevation that  Number Acres To Be Irrigated
11. If the natural stream is the difference in Tell 3. The top 3. The top 3. The top 3. Township N. or 8.	location of the well, or stream channel, delevation between the located of the well will show at the Gree ion of area to be irrection of area to be irrection.    Range   Rang	tunnel, or ot give the disthestream be 1250 feet. The Harroxi  A:  igated, or pla  bectton	her development work is less tance to the nearest point on ed and the ground surface at that the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest section of the nearest section of the nearest point on ed and the ground surface at the nearest section of the neare	than one-fourth mile free each of such channels the source of development of Johnson Creek in elevation that  Number Acres To Be Irrigated
11. If the natural stream of the difference in Tell 3. The top 3. The top 3. The top 3. Township N. or 8.	location of the well, or stream channel, delevation between the located of the well will show at the Gree ion of area to be irrection of area to be irrection.    Range   Rang	tunnel, or ot give the disthestream be 1250 feet. The Harroxi  A:  igated, or pla  bectton	her development work is less tance to the nearest point on ed and the ground surface at that the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest section of the nearest section of the nearest point on ed and the ground surface at the nearest section of the neare	than one-fourth mile free each of such channels the source of development of Johnson Creek in elevation that  Number Acres To Be Irrigated
11. If the natural stream is the difference in Tell 3. The top 3. The top 3. The top 3. Township N. or 8.	location of the well, or stream channel, delevation between the located of the well will show at the Gree ion of area to be irrection of area to be irrection.    Range   Rang	tunnel, or ot give the disthestream be 1250 feet. The Harroxi  A:  igated, or pla  bectton	her development work is less tance to the nearest point on ed and the ground surface at that the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest section of the nearest section of the nearest point on ed and the ground surface at the nearest section of the neare	than one-fourth mile free each of such channels the source of development of Johnson Creek in elevation that  Number Acres To Be Irrigated
11. If the natural stream of the difference in Tell 3. The top 3. The top 3. The top 3. Township N. or 8.	location of the well, or stream channel, delevation between the located of the well will show at the Gree ion of area to be irrection of area to be irrection.    Range   Rang	tunnel, or ot give the disthestream be 1250 feet. The Harroxi  A:  igated, or pla  bectton	her development work is less tance to the nearest point on ed and the ground surface at that the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest point on ed and the ground surface at the nearest section of the nearest section of the nearest section of the nearest point on ed and the ground surface at the nearest section of the neare	than one-fourth mile free each of such channels the source of development of Johnson Creek in elevation that  Number Acres To Be Irrigated

7

(If more space required, attach separate sheet)

Character of soil	Powell sist lown	 	,	
Kind of crops raised	herries, some order	 	 	

	e e	and the state of t			
MUNICIPAL BUPPLY	an distribution di distribution di distribution di distribution di distribution di distribution di distribution Management di distribution di distribution di distribution di distribution di distribution di distribution di d	ž	•		1415
II. To supply the	city of	restrafisher usakan garas sa estatuan	·		
<b>66</b>	county, has	ing a present p	opulation of	•	
and an estimated populat			•	•	
, A	NEMES OFFEETIONS	3 24, 26, 26, 27 <i>A</i>	NO 16 EN ALI	CASES .	:
14. Estimated cost	of proposed works	<b>, \$3600</b> .	>> <b></b>		
15. Construction w					
16. Construction so					
17. The water will	•		,		
18. If the ground cation for permit, permi	waten supply is su it, certificate or a	upplemental to djudicated righ	an existing u t to appropri	rater supply, is ste water, mas	dentify any appli- le or held by the
applicant.	•••••••••••••••••••••••••••••••••••••••	***************************************	••••••••••••••	••••••	•••••
•		•••••••••••••••••••••••••••••••••••••••		. 1	7
•		······································	Dazus	Company and Count	hita)
· Remarks:		······································	Imi L	9 Kin	oslita
			***************************************	, 	
	Mariana na maria y Perrou no mana a mariana da Adalah			nati (de l'arabanation des non manusco despete	
	······································	·····	•	•	•••••
		•••••••••••••••••••••••••••••••••••••••	• • • • • • • • • • • • • • • • • • • •		
	•••••	••••	•••••	·············	
	•	••••			
ř					•••••••••••••••••••••••••••••••••••••••
	,	***************************************			••••••
			•••		•••••••••••••••••••••••••••••••
	•••••••••••••••••••••••••••••••••••••••		••••••		·
STATE OF OREGON,	} \$55.	•			
County of Marion,	<b>538.</b>		•		
This is to certify th	hat I have examin	ed the foregoin	g application,	together with	the accompanying
maps and data, and retur					
In order to metric :	ite maionis 421-	7:			
In order to retain i			b <b>e return</b> ed to	the State Eng	ineer, with correc-
WITNESS my hand	l this do	1y of			<b>19</b>

STATE ENGINEER

ASSISTANT

Ву .....

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein grant	ed is limited to the am	ount of we	ter which can b	e applied to	beneficial use and
shall not	exceed 0.38	cubic feet per sec	ond measu	ered at the poin	of diversion	n from the well or
source of	appropriation, or it	s equivalent in case of t	rotation wi	ith other water	users, from	a well
	,	water is to be applied	is 1x	rigation		······································
		ppropriation shall be li		1/80th		
		re irrigated and shall l				
acre feet	per acre for each a	cre irrigated during t	ie irrigatio	on season of eac	h year;	
	•••••	•		······································	• • • • • • • • • • • • • • • • • • • •	
	······································	······································	······································		************	
		10 - 10 to 1000 Miles of Friday and April 100 to 10	•			
***************************************			••••	······································	*	
	······································		•••••••••••			
and shall	ha subject to such	reasonable rotation sy:	······································		<b>'</b> 43	
		ed as necessary in acco			•	•••
the works	shall include prop	per capping and control d shall include an air	valve to	prevent the wa	ste of ground	d water.
une, aaeq	uate to determine	water level elevation stall and maintain a u	in the wel	l at all times.	-	•
keep a co	mplete record of th	e amount of ground w	ater withd	lrawn.	ec measuren	y device, and shall
The	priority date of th	is permit is		August 6, 19	59	
Act	ual construction w	ork shall begin on or t	efore	August 20, 1	960	and shall
thereafter	r be prosecuted wi	ith r <b>easona</b> ble diligend	e and be	completed on c	r before Oc	tober 1, 19 60
Con	nplete application	of the water to the pro	po;ed use :	shall be made o	n or before (	October 1, 19 <sup>6</sup> 1
	TNESS my hand th			August		59 
			••••	Slw	To A.	Starley STATE ENGINEER
ı	,				•	, ,
	ę	in th			5.5	NEER
2 1	GROUND	em, O	:		~	76
	E E O	rst rec r at Sal 1.J.L.			961	БТАТ
. 6	ERMIT IATE THE OF THE S	i was firs Ingineer of Au		<b>59</b>	on po	181 S
Application No. G-	<b>₩</b> ≈ .	nent was fite Engineeday of A	cant:	20, 1959	book No. Permits o	STANLEY sin No. 2
Application Permit No.	PAPPROPE	trume e State do	appli		n be	Basin
App Per	·	This instrument was first received in the ce of the State Engineer at Salem, Oregon, i.e. C. day of August A. M.	red to	red: August	Recorded in book No. 6	De maye Basin No.
is ii ii	TO	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Gay of August A.	Returned to applicant	Powered	Rec	2
		3 7	~	•	~	