Person 1434

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, Dessith Tigers
of Stayton RI BOX24, country of 4 17777
state of
journing described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated North Santiam
(Name of streem) tributary of Willamette
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is ITTIGATION OF
Crops
4. The well or other source is located 2069t. S and 600 ft. W from the NE
corner of N.W. 4 of the S.E. 4 of Sec 15 Township
9 S. Range West of The Will Merd, (If preferable, give distance and bearing to section corner)
(If there is more than one we!', each must be described. Use separate sheet if necessary)
being within the NWT S. ET of Sec. 15, Twp. 9 S, R. 1W,
W. M., in the county of L/77 77
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
••••••••••••••••••••••••••••••••••••••
8. The development will consist of One One of wells, tunnels, etc.) (Give number of wells, tunnels, etc.)
diameter of 10" inches and an estimated depth of 22 in feet. It is estimated that
feet of the well will require 10" 17077 casing. Depth to water table is estimated 12 (Feet)

feet; depth of water feet; grade feet fall thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water from feet; with on feet; with on feet; depth of water from finisher feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at from intake in.; size at place of use in.; difference in elevation intake and place of use, ft. Is grade uniform? Estimated sec. ft. 10. If pumps are to be used, give size and type 72. HP. Fee CTTIC. Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth m natural stream or stream channel, give the distance to the nearest point on each of such chan the difference in elevation between the stream bed and the ground surface at the source of development in elevation of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Poetr-serv Treat To be Irrigated for the formulation between the stream for the formulation for the formulation between the stream for the formulation for the formulation between the stream for the formulation
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water from least feet fell per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at from intake in.; size at place of use in.; difference in elevation intake and place of use, ft. Is grade uniform? Estimated sec. ft. 10. If pumps are to be used, give size and type 72. HT. F/CCTT/CC Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of dev 12. Location of area to be irrigated, or place of use Township Remarks Meridian Gestion Forty-acre Treet Number Acre To Be Impair
feet; width on bottom
grade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; in size at
(c) Length of pipe, ft.; size at intake, in.; in size at from intake in.; in.; in.; in.; in.; in.; in.; in.;
from intake in.; size at place of use in.; difference in elevation intake and place of use, ft. Is grade uniform? Estimated sec. ft. 10. If pumps are to be used, give size and type The Fee Trice Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charther the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charther the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream.
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of development. 12. Location of area to be irrigated, or place of use Township Range Row of Rection Forty-acre Tract Number Acre To Be Irrigated.
10. If pumps are to be used, give size and type 72. HP. F/RCTTIC Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of dev 12. Location of area to be irrigated, or place of use Township Range S. or W. of Section Porty-acre Tract Number Acre To Be Irrigated.
Give horsepower and type of motor or engine to be used 11. If the location of the well, tunnel, or other development work is less than one-fourth mi natural stream or stream channel, give the distance to the nearest point on each of such char the difference in elevation between the stream bed and the ground surface at the source of dev 12. Location of area to be irrigated, or place of use Township Range Range Range Range Range Rection Forty-acre Tract Number Acre To Be Irrigated.
11. If the location of the well, tunnel, or other development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such chartenance in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such chartenance in elevation between the stream bed and the ground surface at the source of development in the source of development work is less than one-fourth minatural stream or stream or stream or stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream of the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and
11. If the location of the well, tunnel, or other development work is less than one-fourth minatural stream or stream channel, give the distance to the nearest point on each of such charthe difference in elevation between the stream bed and the ground surface at the source of development in elevation between the stream bed and the ground surface at the source of development. 12. Location of area to be irrigated, or place of use Township Range 2. or W. of Willemette Meridian Section Forty-acre Tract Number Acr To Be Irrigated.
natural stream or stream channel, give the distance to the nearest point on each of such char the difference in elevation between the stream bed and the ground surface at the source of dev 12. Location of area to be irrigated, or place of use Township Range B. or W. of Willemette Meridian Rection Porty-acre Tract Number Acre To Be Irrigate
WILLEST WATER TO THE TOTAL TO T
95 RIW 15 NW to of SE14 14.3

(If more space required, attach separate sheet)

Character of soil	•
Kind of crops raised	

/ Mari	Militaras, autoritar	1.13	1434
V6 _	Country having	sveettt population of	
end bee	Angles of the season between the season of t		
y is	ANSWER QUESTIONS 14,	36, 56, 17 AND 18 SH ALL CA	•••
	14. Estimated cast of proposed works, 2	8000	
	15. Construction work will begin on or be		
,	16. Construction work will be completed o		1959
	17. The water will be completely applied	,	
catic	 If the ground water supply is supple on for permit, permit, certificate or adjud 	emental to an existing water licated right to appropriate	vater, made or held
appl	licent.		
*******		:00:44	
		De Will	Siger
	Remarks:		
	Control of the contro	general F. Son o 1996 meneral angles growth and Milester 1996 meneral scales	
			·· ·····
• • • • • • • • • • • • • • • • • • • •			
• - •			
•••••			
		······································	
•			
*****		······································	
	ATE OF OREGON, Ss.		
,	County of Marion,) This is to certify that I have examined to	the foregoing application to	athan with the accou
maj	ps and data, and return the same for		
·			
	In order to retain its priority, this applic	cation must be returned to th	e State Engineer, wit
tion	is on or before	, 19	
	WITNESS my hand this day o	of	, 19

County of Marion,

This is to certify that I have exemined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not a source of a The If for its equi	exceed Q.18. Experopriation, or its Experopriation, or its Experopriation, this appropriation, this appropriation, this appropriation are for each acceptance for each acceptance.	cubic feet per see requivalent in case of r water is to be applied ppropriation shall be live irrigated and shall to	is is interest in the irrigation	red at the point of diversion from the we th other water users, from . Well. Trigation
The the works The line, adeq The keep a co	e well shall be case shall include prope works constructed that to determine expermittee shall in mplete record of the priority date of the tual construction we	ed as necessary in according and controller capping and controller and air water level elevation is tall and maintain a unse amount of ground water permit is	ordance with valve to pline and proint the well peir, meter, pater withdoes	, or other suitable measuring device, and s lrawn.
Con		of the water to the pro	pposed use s	September 1, 196 September 1959 LIVIA A. LIANKI, STATE ENGINE
Application No. G-1572 Permit No. G-1434	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the day of September, 1959, at 1.45 o'clock P. M.	Returned to applicant:	Approved: September 22, 1959 Recorded in book No. 6 of Ground Water Permits on page Livins A. Sianley Erate Evolution