

RECEIVED
AUG 20 1958

STATE ENGINEER
SALEM, OREGON

Permit No. G-1448

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, EUGENE FRUIT GROWERS ASSOCIATION

(Name of applicant)

of 8th & Perry Sts., (P.O. Box 1266) Eugene, county of Lane

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Incorporated January 11, 1908

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette river - main branch

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 70 gallons per minute.

3. The use to which the water is to be applied is used for cooling condensers of cold storage plant

4. The well or other source is located 337 ft. N and 504.3 ft. E from the SE corner of Skinner DLC # 64

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 32, Twp. 17 S, R. 3 W, W. M., in the county of Lane

5. The (Canal or pipe line) to be miles in length, terminating in the NW 1/4 of NW 1/4 of Sec. 32, Twp. 17 S, R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 drilled well having a diameter of 6 inches and an estimated depth of 302 feet. It is estimated that 136 feet of the well will require 6 casing. Depth to water table is estimated 23 feet. First water (ceiled off by steel casing)

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1 pump 220' down in 3" column driven by 3/4" shaft - 26 stage

Give horsepower and type of motor or engine to be used 10 hp electric motor 1760 rpm

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

750 ft. from main Willamette river
Stream bed about 20 ft. below surface of ground level at point of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Party-acre Tract	Number Acres To Be Irrigated
			water to be used in Cold Storage plant located 450 ft. N and 50 ft. E of N. E. corner of 6th Ave. East, in Eugene, Ore.	
17 S	3 W	32	NW 1/4 of NW 1/4	None-Industrial

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

WATER WELL PERMIT

To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$3000.
- 15. Construction work will begin on or before June 1, 1957
- 16. Construction work will be completed on or before July 1, 1957 Completed-In operation
- 17. The water will be completely applied to the proposed use on or before July 15, 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

E. S. Pitkin
(Signature of applicant)

Remarks:

Well driller was authorized to drill a test well and file application later. Applicant after several repeated efforts to secure signed log of the well drilling obtained the attached log on August 18, 1959

E. S. Pitkin

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 3, 1959

WITNESS my hand this 3rd day of September, 1959

LEWIS A. STANLEY

STATE ENGINEER

By

Walter N. Perry
Walter N. Perry

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is cooling condensers of cold storage plant.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 20, 1959

Actual construction work shall begin on or before November 20, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 20th day of November, 1959

Lewis A. Stanley STATE ENGINEER

Application No. G-15555

Permit No. G-1443

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of August

1959, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

November 20, 1959

Recorded in book No. 6 of 1443

Ground Water Permits on page

Lewis A. Stanley STATE ENGINEER

Drainage Basin No. 2 page 26