

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, City of Rogue River
(Name of applicant)
of Rogue River, county of Jackson,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

Incorporated City 1912

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Rogue River
(Name of stream)

tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 260 gallons per minute.

3. The use to which the water is to be applied is Municipal

4. The well or other source is located 25 ft. S and 40 ft. E from the NW corner of Lot 16, Block 2, Berglund Addition to the City of Rogue River
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 of S.E. 1/4 of S.E. 1/4 of Sec. 16, Twp. 36 S, R. 4 W, W. M., in the county of Jackson

5. The Pipe line to be about 1 miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. 15, Twp. 36 S, R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Rogue River Water Works

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 96 feet. It is estimated that 96 feet of the well will require Cast Iron casing. Depth to water table is estimated 18
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10 HP Besler Turbine

Give horsepower and type of motor or engine to be used 10 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	4 W	16	S.E. 1/4 of S.E. 1/4 Section 16 City of Rogue River-Municipal	
			NE 1/4 SE 1/4	
			SE 1/4 NE 1/4	
		15	SW 1/4 NW 1/4	
			NW 1/4 SW 1/4	
			SW 1/4 SW 1/4	
			SE 1/4 SW 1/4	
		21	NE 1/4 NE 1/4	
		22	NW 1/4 NW 1/4	
			SW 1/4 NW 1/4	
			NE 1/4 NW 1/4	
			SE 1/4 NW 1/4	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY

12. To supply the city of Seaside, Oregon
 in Clatsop county, having a present population of 600
 and an estimated population of _____ in 19____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 6000.00
15. Construction work will begin on or before September 1, 1959
16. Construction work will be completed on or before October 1, 1959
17. The water will be completely applied to the proposed use on or before October 1, 1959
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. GR 2436

John B. Hays Mayor
 (Signature of Applicant)

Remarks: Well drilled due to loss of auxiliary well in City Park
to State Highway Department and a shortage of water for the
summer of 1959.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion
completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 7, 1959
January 5, 1960

WITNESS my hand this 5th day of October, 1959
5th November 1959

LEWIS A. STANLEY

STATE ENGINEER

By

Walter N. Perry
 Walter N. Perry

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.58 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Rogue River Water Works Well.

The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 30, 1959

Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 21st day of December, 1960

Lewis A. Stanley

STATE ENGINEER

Application No. G-1591

Permit No. G-1471

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 30th day of September,
1959, at 2.00 o'clock A. M.

Returned to applicant:

Approved:

December 21, 1959

Recorded in book No. 6 of
1171
Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 15 page 93

State Printing