Permit No. G. 1484

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	(Manage of applicated)
	Portion Address
state	of Oregon do hereby make application for a permit to appropriate the
jollo	wing described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation

	1. Give name of nearest stream to which the well, tunnel or other source of water development is
ritua	
	Poison Creek Slough (Name of Street)
	tributary of Silvies River
feet	2. The amount of water which the applicant intends to apply to beneficial use is cubic per second or gallons per minute.
	3. The use to which the water is to be applied is supplemental irrigation
*********	4. The well or other source is located 2355 ft. S and 1660 ft. W from the NE
corn	er ofSection 28. (E or w.) (Section or subdivision)
	·
	(If preferable, give distance and bearing to certica corner)
*******	(If there is more than one well, each must be described. Use separate sheet if necessary)
bein	g within the SNI NEI of Sec. 28 , Twp. 23 S. , R. 32 E. ,
W. A	M., in the county ofHarney
	5. The two ditches to be 1 miles
in le	(Canal or pipe line) Ingth, terminating in the SW SE
	(Smallest legal subdivision)
п	32. E, W. M., the proposed location being shown throughout on the accompanying map.
	6. The name of the well or other works is Jacob's Well No. 2
	DESCRIPTION OF WORKS
supp	7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the ply when not in use must be described.
•••••	
•••••	
s.	
	8. The development will consist ofone_drilled_well having a
d:	(Give number of wells, tunnels, etc.)
	neter of 12. It is estimated that 1.6
feet	of the well will require steel casing. Depth to water table is estimated (Feet)

CANAL SYSTEM OR PIPE LII	M**	¹⁰ → 4,	
		canal where materially change	ed in size, stating miles from
headgate. At headgate: width on	top (at water i	ine)	feet; width on bottom
feet; depth of u			•
thousand fact.			
(b) At 1	miles from hea	lgate: width on top (at water	line)
		feet; depth of wat	
grade feet fal			•
. 9	•	size at intake, is	n.: in size at
from intake in			
intake and place of use,		,	
sec. ft.			
	d cine sire and	type Peerless deep	well
turbine 8" c		· · · · · · · · · · · · · · · · · · ·	
	••••••	gine to be used 30 H.P.,	
natural stream or stream chann	rel, give the di	other development work is less stance to the nearest point o	n each of such channels an
the difference in elevation betwe	en the stream	b ed and the ground surface a	t the source of developmen
,	,		

12. Location of area to be	irrigated, or pl		
		lace of use	
Township Range E. or W. of Willamette Meridin	Cection	Porty-acre Tract	Number Acres To Be Irrigated
N. or S. Willamette Meridia	dection .	Forty-scre Tract	To Be Irrigated
Township E. or W. of	Cection	Forty-acre Tract	To Be Irrigated
N. or S. Willamette Meridia	dection .	Forty-acre Tract NE 2 SE 1 M/4 SE 2	L ₊ G
N. or S. Willamette Meridia	dection .	Forty-acre Tract NE SE SE SA SE SE SE SE SE SE S	### To Be Irrigated L+C
N. or S. Willamette Meridia	dection .	Forty-acre Tract NE 2 SE 1 M/4 SE 2	## To Be Irrigated LiC
N. or S. Willamette Meridia	dection .	Forty-acre Tract NE SE SE SA SE SE SE SE SE SE S	### To Be Irrigated L+C
N. or S. Willamette Meridia	dection .	Forty-acre Tract NE SE SE SA SE SE SE SE SE SE S	## To Be Irrigated LiC
N. or S. Willamette Meridia	dection .	Forty-acre Tract NE SE SE SA SE SE SE SE SE SE S	## To Be Irrigated LiC
N. or S. Willamette Meridia	28	Forty-acre Tract NE SE SE SA SE SE SE SE SE SE S	## To Be Irrigated LiC

		(If more space req	uired, attach separate sheet)	
Character of	soil			
Kind of crops	raised	grain and a	lfalfa	

	1481
MUNICIPAL SUPPLY—	
end an estimated population of	***************************************
ANSWER QUINTIONS 14, 16, 16, 17 AND 16 IN ALL	, CASES
14. Retimeted least of proposed works, \$7.000.00	
15. Construction work will begin on or before smlling.drilled	d.4.tested
16. Construction work will be completed on or before	ber 1, 1960
17. The water will be completely applied to the proposed use on or	before October 1, 1961
18. If the ground water supply is supplemental to an existing water cation for permit, permit, certificate or adjudicated right to approprie	ester supply, identify any appli- ate water, made or held by the
applicant. supplemental to Permit No. 25838	
from Poison Creek Slough	
L. L. Jr	arob
Remarks:	gasture or applicant)
	n danim baga agas ann ann ann an da an da an da an
•	
¹ %	
STATE OF OPECON	
STATE OF OREGON, ss. County of Marion,	
	A second and the second and the
This is to certify that I have examined the foregoing application	
maps and data, and return the same for	
In order to retain its priority, this application must be returned t	to the State Engineer, with correc
tions on or before	
tions on or bejore	
WITNESS my hand this day of	
	•
	STATE ENGINEER

By ASSISTANT

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shell not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Jacobs well No. 2. The use to which this water is to be applied is Supplemental irrigation. If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed a acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of mater allowed herein, together with the amount secured which are in that the amount of mater allowed herein, together with the amount secured which herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdraum. The priority date of this permit is howember 1, 1935 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 and shall be made on or before October 1, 19 and shall be made on or before October 1, 19 and shall be made on or before October 1, 19 and shall water to the proposed use shall be made on or before October 1,
Source of appropriation, or its equivalent in case of rotation with other water users, from Jacobs well No. 2. The use to which this water is to be applied is Supplemental irrigation. If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; Provided further that the amount of water allowed herein, together with the amount secured where any other right existing for the same lands shall not exceed the limitation allowed herein, The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdraum. The priority date of this permit is November 1, 1939 Actual construction work shall begin on or before December 21, 1950 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 12 Complete application of the water to the proposed use shall be made on or before October 1, 19 12 Complete application of the water to the proposed use shall be made on or before October 1, 19 12 Complete application of the water to the proposed use shall be made on or before October 1, 19 12 Complete application of the water to the proposed use shall be made on or before October 1, 19 12 Complete application of the water to the proposed use shall be made on or before October 1, 19 19 19 19 19 19 19 19 19 19 19 19 19
The use to which this water is to be applied is Supplemental irrigation. If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed a scree feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured water and other right existing for the same lands shall not exceed the limitation allowed herein, The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is howember 1, 1909 Actual construction work shall begin on or before December 21, 1860 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 11 Complete application of the water to the proposed use shall be made on or before October 1, 19 12 WITNESS my hand this 2125 day of December 21 at 1860 and shall with reasonable diligence and be completed on or before October 1, 19 25
The use to which this water is to be applied is SUP-lemental irrigation. If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; Provided Fancier that the amount of water allowed herein, together with the amount secured write any other right existing for the same lands shall not exceed the limitation allowed herein, The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is howenther 1, 1909 Actual construction work shall begin on or before Decenter 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 12 Complete application of the water to the proposed use shall be made on or before October 1, 19 25 Allumbar 4. Allumbar 4
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of mater allowed herein, together with the amount occurs and other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Movember 1, 1909 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 and the complete application of the water to the proposed use shall be made on or before October 1, 19 and the WITNESS my hand this 2130 day of December 1
acre feet per acre for each acre irrigated during the irrigation season of each year; Provided further that the amount of water allowed herein, together with the amount secured unice any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the water of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is November 1, 1939 Actual construction work shall begin on or before December 21, 1560 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 1 Complete application of the water to the proposed use shall be made on or before October 1, 19 2 50 WITNESS my hand this 2124 day of December 19 50
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter at all times. The priority date of this permit is November 1, 1959 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 WITNESS my hand this 21st. day of December 1, 1955 LINE A. Lalully
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is November 1, 1969 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water 1 an
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is Movember 1, 1969 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961 Complete application of the water to the proposed use shall be made on or before October 1, 1965 WITNESS my hand this 2125 day of December 21 Allunda
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is November 1, 1959 Actual construction work shall begin on or before December 21, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1951 Complete application of the water to the proposed use shall be made on or before October 1, 1952 WITNESS my hand this 2125 day of December 1
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is November 1, 1909 Actual construction work shall begin on or before December 21, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1909 Complete application of the water to the proposed use shall be made on or before October 1, 1909 WITNESS my hand this 21st day of December 21.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is November 1, 1909 Actual construction work shall begin on or before December 21, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1909 Complete application of the water to the proposed use shall be made on or before October 1, 1909 WITNESS my hand this 21st day of December 21.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is November 1, 1939 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 11 Complete application of the water to the proposed use shall be made on or before October 1, 19 12 WITNESS my hand this 21st day of December 1
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is
The priority date of this permit is November 1, 1939 Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960 Complete application of the water to the proposed use shall be made on or before October 1, 1960 WITNESS my hand this 21st day of December 21, 1960 And Statuly
Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.
Actual construction work shall begin on or before December 21, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.
Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed use shall be made on or before October 1, 19 Complete application of the water to the proposed u
Complete application of the water to the proposed use shall be made on or before October 1, 19 60. WITNESS my hand this 21st day of December 1950.
WITNESS my hand this 21st day of December 19 50
seuro a. Laula
STUTO A. Estauly STATE ENGINEER
STATE ENGINEER
g in g
Orego drin
ROUGH ATE M. M. M.
AIT AIT AIT THE GRO THE STATE GON first receiv for at Salem New Good k P 1 h page LEY E page 3
Permit No. G. /// FY Permit No. G. /// FY APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON The State Engineer at Salem, Ore AM day of Newwork AM day of Newwo
PERMI PRAMI PROPRIATE TE TERS OF THE OF OREGO Turnent was first K day of L' 3'e o'clock L' 3'e o'clock The book No T
PPROPRATERS WATERS WATERS OF Instrument inst
Applic Permit WATI instru inst
Permit No. G. // FFF Permit No. G. // FFF TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the ice of the State Engineer at Salem, Oregon, the A/A day of November LET, at A: 30 o'clock P M. Lurned to applicant: December 21, 1959 LETIS A. STANIEY LETIS A. STANIEY LETIS A. STANIEY STATE ENGINER STATE ENGINERA TABBE ENGINERA TABBE ENGINERA This instrument was first received in the off of Oregon, and All 30 o'clock P M. LETIS A. STANIEY STATE ENGINERA STATE ENGINERA STATE ENGINERA STATE ENGINERA STATE ENGINERA STATE ENGINERA TO OF OREGON TO OF OREGON THE STATE STATE ENGINERA STATE ENGINERA STATE ENGINERA STATE ENGINERA STATE ENGINERA STATE ENGINERA TO OF OREGON THE STATE STATE ENGINERA STATE
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the Office of the State Engineer at Salem, Oregon, on the M. M. and of Melecoher 19.51, at M. Approved: December 21, 1959 Recorded in book No. 6 of Ground Water Permits on page 1.181 LETIS A. STANIEY LETIS A. STANIEY STATE ENGINEER Drainage Basin No. 12 page 30