## Permit No. G. 1499

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Buil P. Kraft (Stance of applicant)
of, county ofClackamas,
state of Oragon do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Mollala River (Name of streem)
tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied isirrigation
4. The well or other source is located
corner of N.30° W. 2008* from SE corner of Sec. 34 (Section or subdivision)
N 52° 05° W 2250° from SE corner of Sec. 34  (If preferable, give distance and bearing to section corner)
(If there is more than one we!', each must be described. Use separate sheet if necessary)
being within the NN 4 SE4 & NE/4 SE/4 of Sec. 34 Twp. 3 S., R. L.E.
W. M., in the county of
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
•
· · · · · · · · · · · · · · · · · · ·
•
8. The development will consist of two wells tunnels, etc.) having a
diameter of8" inches and an estimated depth of feet. It is estimated that 125
feet of the well will require steel casing. Depth to water table is estimated 50 (Feet)

	ve dimensions at ec			-
			ne)	
•••••••••••••••••••••••••••••••••••••••	feet; depth of wat	er	feet; grade	feet fall
and feet.				,
(b) At		les from head	gate: width on top (at water	line)
			feet; depth of wa	iter
	feet fall p			
			size at intake,i	
			use in.; di	
		ft. 1	Is grade uniform?	Estimated
••••••	<b>s</b> ec. ft.			
10. If pun	ips are to be used, g	rive size and t	ype Jacuzzi 6" column.	4" discharge
	choked to 2" an	d Peerless	200 gpm capacity.	• • • • • • • • • • • • • • • • • • • •
11. If the	and 15 hapa election of the wellor stream channel,	ctric 3 pha , tunnel, or ot give the dis	ther development work is lest tance to the nearest point of ed and the ground surface of	s than one-fourth mi n each of such chan
11. If the al stream of ference in	and 15 hapa election of the wellor stream channel, elevation between	stric 3 pha , tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point o ed and the ground surface o	s than one-fourth mi n each of such chan
11. If the al stream of ference in	and 15 hapa election of the wellor stream channel, elevation between	stric 3 pha , tunnel, or ot give the dis the stream b	her development work is les	s than one-fourth mi n each of such chan
11. If the al stream of ference in 12. Location Township N. or S.	location of the well or stream channel, elevation between on of area to be irrectly or well and the irrectly or well and irrectly or well	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point o ed and the ground surface o	s than one-fourth mi n each of such chan at the source of deve
11. If the al stream of ference in 12. Location Township N. or 8.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is lestance to the nearest point of ed and the ground surface of the control of the contro	s than one-fourth mineach of such chan it the source of development th
11. If the al stream of ference in 12. Location Township N. or S.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point o ed and the ground surface of the control of the contro	s than one-fourth mineach of such chan it the source of development th
11. If the al stream of ference in 12. Location Township N. or 8.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point of ed and the ground surface of the control of the contr	s than one-fourth mine each of such chan it the source of development the source of development to Be Irrigate 15
11. If the al stream of ference in 12. Location Township N. or 8.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point of ed and the ground surface of the control of the contr	Number Acres To Be Irrigate  15
11. If the al stream of ference in 12. Location Township N. or S.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point of ed and the ground surface of the control of the contr	Number Acres To Be Irrigate  15
11. If the al stream of ference in 12. Location Township N. or S.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point of ed and the ground surface of the control of the contr	Number Acres To Be Irrigate  15
11. If the al stream of ference in 12. Location Township N. or S.	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point of ed and the ground surface of the control of the contr	Number Acres To Be Irrigate  15
11. If the al stream of ference in 12. Locati	location of the well or stream channel, elevation between  on of area to be irr  Range Z or W of Willamette Meridian	tunnel, or ot give the dis the stream b	her development work is les tance to the nearest point of ed and the ground surface of the control of the contr	Number Acres To Be Irrigate  15

Character of soil Willamette loam Kind of crops raised .... Filbert Orchard and Berries.

(If more space required, attach separate sheet)

1499
······································
ctober 1, 1961
ply, identify any appli- r, made or held by the
policant)
ion to that
certificate No.
······································
er with the accompanying
The image with some
ate Engineer, with correc-

	1499
DESCIPAL SUPPLY—	<del>-</del> .
23. To supply the city of	
	population of
d an estimated population of in 19.	unertrust.
ANSWER QUESTSONS 14, 15, 14, 17	AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$	
15. Construction work will begin on or beforeBot	h wells completed
16. Construction work will be completed on or before	
17. The water will be completely applied to the pro	
18. If the ground water supply is supplemental to	
tion for permit, permit, certificate or adjudicated rig	ht to appropriate water, made or held by the
pplicant. Not supplemental to other permit	
	Emil P. Traff
	(Signature of applicant)
Remarks: This application is for irrigati	•
authorized under permit G-114 and w	ell registration, certificate No.
GR_100	Photo Agrick man galas production of the grant of the sea debat of the grant man, or the grant of the grant man and the
······································	
<u></u>	
	•
STATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have examined the foreg	oing application, together with the accompanyi
maps and data, and return the same for	
i	······································
In order to retain its priority, this application me	ust be returned to the State Engineer, with corr
tions on or before, 19	<b>.</b>
WITNESS my hand thisday of	10
WIINESS MY NUNC INIS day of	, 19
	STATE ENGINEE
B	' ASSISTAN

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

				water which can be applied to beneficial use and
				asured at the point of diversion from the well or
source of	appropriation, or t	ts equivalent in case of	rotation	with other water users, fromtwo wells
Th	e use to which this	s water is to be applied	is irr	igation
If j	for irrigation, this c	appropriation shall be	limited to	of one cubic foot per second
or its equ	ivalent for each a	cre irrigated and shall	be furth	er limited to a diversion of not to exceed $2^{\frac{1}{2}}$
acre feet	per acre for each	acre irrigated during	the irrigo	tion season of each year;
	•••••••••••••••••••••••••••••••••••••••		••••••	
	•••••••••••••••••••••••••••••••••••••••		······	
	**************************************	anguaran shedi Shak Managan ay in an ann an a		
***************************************	•••••		•••••	
	······································		•••••	
••••••			· · · · · · · · · · · · · · · · · · ·	
and shall	be subject to such	reasonable rotation s	ystem as	may be ordered by the proper state officer.
The the works	e well shall be cas s shall include pro	ed as necessary in acc per capping and contro	ordance	with good practice and if the flow is artesian o prevent the waste of ground water.
The	e works constructe	ed shall include on oir	line and	TITOSTITO CAUDO OF AN ACCOUNT MONT for an account
The	e permittee shall is	water level elevation astall and maintain a	weir, mei	er, or other suitable measuring device, and shall
keep a co	mpiece record of the	he amount of ground t	vater wi	indrawn.
The	e priority date of th	his permit is	•••	December 10, 1959
Act	tual construction u	oork shall begin on or	before	January 20, 1961 and shall
<b>the</b> reafte:	r be prosecuted w	ith reasonable diligen	ce and b	e completed on or before October 1, 19
				se shall be made on or before October 1, 19 62
	TNESS my hand t			January 1060
				STATE ENGINEER
				STATE ENGINEER
!		the distribution		70 -
	UND	ed in A. Oreg		133
6	E GROUND STATE	receive t Salem, e c eurs		1 6
667		at Sc Acc		age STAT
6	PERMIT APPROPRIATE THE WATERS OF THE S' OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, he was day of December, M.		0 8 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Application N Permit No. G-	PERM PRIATE 1 RS OF TH OF OREG	nt w Eng iy of	cant:	in book No.  Thermits or  Thermits or
icati iit N	PAPPROPH	trume State K da	ıpplic	in bo r Per
Аррі Рет	APP WA'	instr f the (O)	d to a	d: ded ded Wate Wate
-	OT.	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of Orcers here.	Returned to applicant:	Approved: January 20, 1966 Recorded in book No. 6 Ground Water Permits on page LECTS A. CARACY Sub Printing
1		om t	Ret	App.