## To Appropriate the Ground Waters of the State of Oregon

	r, City of Cekelege
	City Hall, Oakridge, Oregon, county of
state o follow	f Oregon , do hereby make application for a permit to appropriate the ing described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	January 22, 1934 - Oakridge, Oregon
	1. Give name of nearest stream to which the well, tunnel or other source of water development is
situate	d Salmon Creek
	(Name of stream) Middle Fork, Willamett tributary of River
feet pe	<ol> <li>The amount of water which the applicant intends to apply to beneficial use is7.75 cubic r second or _3.500 gallons per minute.</li> </ol>
	3. The use to which the water is to be applied is municipal
	912 × 1-1, 41
	1. The wellog other source is located ft and ft from the
corner	of 5 48 - 04'Wa distance of 1976', 5 27 - 02'Wa distance of 1050' and
S. 4	2001'04" W, a distance of 1,477.05 feet from the 1/4 corner common to
Secti	(If preferable, give distance and bearing to section corner) Ons. 15 and 16
being 1	(If there is more than one well, each must be described. Use separate sheet if necessary)  Within the
W. M.,	in the county of Lane
	i. The pipe line to be 400 feet (Canal or pipe line)
in leng	th, terminating in the N.E. 1/4 of the S.E. 1/4 of Sec. 16 , Twp. 21S.  (Smallest legal subdivision)
R. 3	E, W. M., the proposed location being shown throughout on the accompanying map.
	The name of the well or other works is
	DESCRIPTION OF WORKS
supply	. If the flow to be utilized is artesian, the works to be used for the control and conservation of the when not in use must be described.
***************************************	
<b></b>	· · · · · · · · · · · · · · · · · · ·
••••••	
8	The development will consist of3 wells having a
liamet	er of 8 to 12 inches and an estimated depth of 200 feet. It is estimated that £00
	the well will requiresteel casing. Depth to water table is estimated 25

adgate. At hea	dgate: width on t		design the second second	***************	Jeet, wiath on bot
			foet; grade		
			rate: width on top (at r		
•					
			feet; depth	of water	J
	feet fall				
			ize at intake,		
			use i		
ake and place	of use,	ft. It	grade uniform?		Estimated capac
	sec. ft.				
10. If pum	ps are to be used,	give size and ty	pe not known	1	
		· · · · · · · · · · · · · · · · · · ·			
Give horse	nower and tune o	f motor or engin	re to be used	not know	n.
0100 110100	power and type c	, motor or engin	70 00 00 WOW		
11. If the	ocation of the 10e	ll, tunnel, or oth	ier development work		
tural stream o	r stream channe	l, give the dist	ance to the nearest po		
tural stream of difference in	r stream channe elevation betwee	l, give the dist n the stream be	d and the ground sur	face at the s	source of developm
tural stream of difference in	r stream channe elevation betwee	l, give the dist n the stream be		face at the s	source of developm
tural stream of difference in	r stream channe elevation betwee	l, give the dist n the stream be	d and the ground sur	face at the s	source of developm
tural stream of difference in	r stream channe elevation betwee	l, give the dist n the stream be	d and the ground sur	face at the s	source of developm
tural stream of difference in 50 feet nort	r stream channe elevation betwee	l, give the dist n the stream be	d and the ground sur	face at the s	source of developm
tural stream of difference in 50 feet nort	r stream channe elevation betwee h of Salmon (	l, give the dist n the stream be Creek. Diffe	d and the ground sur	face at the s	ource of developm
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe	d and the ground sur	face at the s	ource of developm
tural stream of difference in 50 feet nort	r stream channe elevation betwee h of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
ural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the dist n the stream be Creek. Diffe rrigated, or place	d and the ground sur	face at the s	Number Acres
tural stream of difference in 50 feet nort	r stream channe elevation betwee th of Salmon (	l, give the distinct the stream be creek. Difference creek. Difference creek. Difference creek. Section	d and the ground sur	face at the s	Number Acres

Township N. or S.	Range E. or W.	Section	40-acre tract	No. Acres to be irrigated
21 S.	3 E.	7	Signed Swig Seig	Municipal
		8	SWA NWA NWA SWA SWA SWA	
		9	SWA NEZ SEA NEZ SEA NWA NEZ SWA SEA SWA SEA SWA	
		10	NW: NE: 4 SW: NE: 5 SE: NE: 1 NW: 5 SW: 5 SE: 5	
		11	SW 1 NW 1 NW 1 SW 1 SW 1 SW 1	
		15	NET NET NET NWT NET NWT NWT NWT NWT NWT NWT NWT SWT NWT SWT SWT SWT SWT SWT	
		16	NE L NW L NE L SW L NW L SW L SE L SW L SE L SE L	
		17	NE   NW   NE   SW   NW   SW   SE   SW   SE   SW	
		18	NEŽ NWŽ NEŽ SWŽ NWŽ SWŽ NEŽ SSŽ	
		21	NE A NE A NW A NE A	

Township N. or S.	Range E. or W.	Section	40-acre tract	No. Acres to be irrigated
21 5.	3 ₺•	22	NW 1 NW 1 SW 1 NW 1 SE 1 NW 1 NE 1 SW 1	Municipal
21 S.	2 E.	12	SWA NEA SEA NEA NEA SEA NWA SEA SEA SEA	

MUNICIPAL SUPPLY—  13. To supply the city of Oakri	dge, Oregon
Lane county, having	a present population of2,300
nd an estimated population of	in 19.79.
14. Estimated cost of proposed works, \$	85,000
15. Construction work will begin on or b	pefore June 15, 1960
16. Construction work will be completed	
	d to the proposed use on or before June, 1979
18. If the ground water supply is supp	olemental to an existing water supply, identify any applidicated right to appropriate water, made or held by th
pplicant. 1.56 cfs from Salmon Cre	ek under Certificate #11967
	CITY OF OAKRIDGE By Edith M. Williams lity Rean
Remarks: Aftached is a copy	of page 18 from a report prepared for the
ity of Oakridge concerning the prob	able future water requirements of the City
Oakridge and its metropolitan are	a,
TATE OF OREGON,	
County of Marion,	
This is to certify that I have examined t	the foregoing application, together with the accompanying
aps and data, and return the same for comple	etion in accordance with our letter of 12-11-5
completion of item 4 and th	ne map
correction	ia nap
1 - 2	
In order to retain its priority, this applic	cation must be returned to the State Engineer, with correc
ons on or before February 11  March 21	, 19.60. April 11, 1960
WITNESS my hand thislith day o	of December, 19.59
20th 11th	January 1960 February 1960
GEGENYE REGE!	LEWIS A. STANLEY STATE ENGINEER
1 13 12 FEB 9 1930 1 JAN 18	1930 Hawalter N. Perry Assistant

County of Marion,

SUBJECT	TO EXISTING RI	GHTS and the followi	ng limitat	ions and conditions:	gr <b>a</b> no ono osmoc,
The	e right herein grant	ed is limited to the am	ount of w	ater which can be applied to b	eneficial use and
shall not	exceed 5.4	cubic feet per sec	ond meas	ured at the point of diversion	from the well or
			rotation w	ith other water users, from 3	wells, being
1.8 c.f.	s. from each we	11			-
The	e use to which this	water is to be applied	is muni	cipal	
	*:				
If f	or irrigation, this ap	opropriation shall be li	mited to .	of one cubic	foot per second
or its equ	ivalent for each act	re irrigated and shall	be further	limited to a diversion of not to	exceed
acre feet	per acre for each a	cre irrigated during t	he irrigati	on season of each year;	-Bride
			••••	1	
	ĝ.				
					e de la como
		·			
and shall	he subject to such	reasonable rotation su	stem as m	ay be ordered by the proper s	tate officer
				ith good practice and if the prevent the waste of ground	10
The line, adeq	e works constructed quate to determine	d shall include an air water level elevation	line and p in the we	ressure gauge or an access po ell at all times.	rt formeasuring
The	e permittee shall in		veir, mete	r, or other suitable measuring	device, and shall
weep wee		, , , , , , , , , , , , , , , , , , ,			* ^
The	e priority date of th	is permit is		November 30, 1959	
Act	tual construction w	ork shall begin on or	pefore	March 1, 1961	and shall
<b>there</b> afte	r be prosecuted wi	ith reasonable diligen	ce and be	completed on or before Octo	ber 1, 19.61
Co	mplete application	of the water to the pro	posed use	shall be made on or before Oc	tober <b>1. 19</b> . 62
		ris 1st day of			A 57
***	110 Des may make the	, aug 07		Lluna 1. HA	no la la ser
	107			( ) your in a comment	STATE ENGINEER
	· *	, n, he		75 87	: <b>.</b>
	g	in t )rego		21.8	$\mathcal{S}'$
0 2	GROUND	rived em, C C.E.		**	nge . 9.6.
5/2		rece f. Salu			: -
G/	MIII THE THE	first eer at looks k. A		1960 n pag	10 2
No. (	FRMITI IATE THE OF THE	was 1gine 1f./N	<b>;</b> ;	1, 10.	State Printing
tion N	PERION OF OR OF	ent te Entay o	lican	rch book	sin N
Application No. G- <b>./630</b> Permit No. G	PERMIT APPROPRIATE THE WATERS OF THE S' OF OREGON	trum Sta h	app	Varch 1, 1960 d in book No	LENIS A. STANIEY inage Basin No. 2 state Printing 80
Apr Per	·	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the $30^{th}$ day of $Nckembel$	turned to applicant:	proved:  Verch 1, 1960  Recorded in book No.  6  ound Water Permits on page	LENIS A. STA Drainage Basin No. State Print
	TO	Thi fice of the \$9,	turn	opro: Rec	Dra

Returned to app

office of the St

on the 30th

からいないないない

J. 1, 1856

£ €

8

Approved:

Ground Water 1