

10
10
20

RECEIVED

JAN 18 1960
STATE ENGINEER
SALEM, OREGON

Permit No. G-1527
APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Robert L. Stockhoff (Name of applicant)
of Route 1, Dayton, Oregon (Postoffice Address), county of Yamhill,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Unnamed tributary to west fork of Palmer Creek
(Name of stream) tributary of _____

* 2. The amount of water which the applicant intends to apply to beneficial use is 0.8 cubic
feet per second or 5 gallons per minute. See remarks

3. The use to which the water is to be applied is irrigation

4. The well or other source is located #1-1315 West and 174 South
#2-200 ft. North and 210 ft. West from the N.E.
(N. or S.) (E. or W.)
corner of L. S. Moran D.L.C.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the #1-NE 3/4 of Sec. 6, Twp. 5 S, R. 3 W,
#2-SW NE
W. M., in the county of Yamhill

5. The Pipeline (Canal or pipe line) to be 3.20 miles
in length, terminating in the SW 1/4 of the NE 1/4 or
SW 1/4 of the SE 1/4 (Smallest legal subdivision) of Sec. 6, Twp. 5 S,
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of two wells having a
(Give number of wells, tunnels, etc.)
diameters of 6 inches each, and an estimated depth of 191 ft. feet. It is estimated that full depth
feet of the well will require steel casing. Depth to water table is estimated 14
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1320 ft.; size at intake, 2 1/2 in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 5 HP Jet

Give horsepower and type of motor or engine to be used 5 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 250' to wet weather divide and 10 ft. difference in elevation

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries include 'E 11', '6', 'NW 1/4 of NE 1/4', 'SE 1/4 of NE 1/4', 'NE 1/4 of SW 1/4', 'NW 1/4 of SE 1/4', and '67'.

(If more space required, attach separate sheet)

Character of soil Salt loam

Kind of crops raised Potatoes, alfalfa, timothy, and other crops

MUNICIPAL SUPPLY-

To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before Completed
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1963
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Robert F. Stackhoff
(Signature of applicant)

Remarks: * Plan to irrigate 15 acres per year until 1963 within the 69 acres within the area shown on the map. Then increase to 69 acres yearly after 1963

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 25, 1960...

WITNESS my hand this 25th day of January, 1960...

RECEIVED
STATE ENGINEER
SALEM, OREGON

LEWIS A. STANLEY
STATE ENGINEER
By *Walter N. Perry*
Walter N. Perry
ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.80 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 wells

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 18, 1960

Actual construction work shall begin on or before March 1, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 1st day of March, 1960

Handwritten signature of Lewis A. Stanley, State Engineer

STATE ENGINEER

Application No. G-1669
Permit No. G-1527

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of January, 1960, at 3:00 o'clock P. M.

Returned to applicant:

Approved: March 1, 1960
Recorded in book No. 6 of
Ground Water Permits on page 1527

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 96B