

STATE OF OREGON

COUNTY OF UMATILLA

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RAY WILLIAMS

49654 UMAPINE RD

(541) 938-9016

MILTON FREEWATER, OREGON 97862

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15579

SOURCE OF WATER: EIGHT WELLS IN PINE CREEK BASIN

PURPOSE OR USE: DAIRY USE, PRIMARY IRRIGATION OF 4.6 ACRES, AND SUPPLEMENTAL IRRIGATION OF 1198.9 ACRES

MAXIMUM CUMULATIVE TOTAL: 15.81 CUBIC FEET PER SECOND (CFS); BEING NO MORE THAN 3.79 CFS FROM WELL #1, 1.0 CFS FROM PROPOSED WELL #2, 1.0 CFS FROM PROPOSED WELL #3, 2.67 CFS FROM WELL #4, 1.0 CFS FROM PROPOSED WELL #5, 4.01 CFS FROM WELL #8, 1.34 CFS FROM WELL U 452, AND 1.0 CFS FROM PROPOSED WELL #4. FURTHER, LIMITED TO 1.0 CFS FOR DAIRY USE AND 14.81 CFS FOR IRRIGATION.

PERIOD OF USE: YEAR ROUND FOR DAIRY USE AND MARCH 1 THROUGH OCTOBER 31 FOR IRRIGATION

DATE OF PRIORITY: AUGUST 10, 2001

WELL LOCATIONS:

WELL #4: SE ¼ NW ¼, SECTION 21, T6N, R34E, W.M.; 85 FEET NORTH & 40 FEET WEST FROM C1/4 CORNER, SECTION 21

WELL #8: SW ¼ NW ¼, SECTION 21, T6N, R34E, W.M.; 125 FEET NORTH & 90 FEET EAST FROM W1/4 CORNER, SECTION 21

WELL #U452: SE ¼ SW ¼, SECTION 21, T6N, R34E, W.M.; 690 FEET NORTH & 420 FEET WEST FROM S1/4 CORNER, SECTION 21

WELL #1: SW ¼ NE ¼, SECTION 28, T6N, R34E, W.M.; 2130 FEET SOUTH & 2930 FEET EAST FROM NW CORNER, SECTION 28

WELL #2: SE ¼ SE ¼, SECTION 29, T6N, R34E, W.M.; 980 FEET NORTH & 580 FEET WEST FROM SE CORNER, SECTION 29

- PROPOSED WELL #1: NE ¼ SE ¼, SECTION 29, T6N, R34E, W.M.; 1900 FEET NORTH & 800 FEET WEST FROM SE CORNER, SECTION 29
- PROPOSED WELL #3: NE ¼ SE ¼, SECTION 29, T6N, R34E, W.M.; 1950 FEET NORTH & 4000 FEET EAST FROM SW CORNER, SECTION 29
- PROPOSED WELL #5: SW ¼ NW ¼, SECTION 29, T6N, R34E, W.M.; 3250 FEET NORTH & 1100 FEET EAST FROM SW CORNER, SECTION 29

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
SW ¼ NW ¼		0.2 ACRES
SE ¼ NW ¼		0.2 ACRES
NE ¼ SW ¼		23.0 ACRES
NW ¼ SW ¼		35.5 ACRES
SW ¼ SW ¼		37.6 ACRES
SE ¼ SW ¼		32.2 ACRES
NW ¼ SE ¼		4.3 ACRES
SW ¼ SE ¼		33.2 ACRES
SE ¼ SE ¼		15.8 ACRES
SECTION 20		
NE ¼ SW ¼		40.0 ACRES
NW ¼ SW ¼		39.0 ACRES
SW ¼ SW ¼		37.4 ACRES
SE ¼ SW ¼		40.0 ACRES
NW ¼ SE ¼		2.0 ACRES
SW ¼ SE ¼		5.9 ACRES
SECTION 21		
NW ¼ NE ¼		8.4 ACRES
SW ¼ NE ¼	4.6 ACRES	4.3 ACRES
NE ¼ NW ¼		39.0 ACRES
NW ¼ NW ¼		29.1 ACRES
SW ¼ NW ¼		39.8 ACRES
SE ¼ NW ¼		37.3 ACRES
NE ¼ SW ¼		40.0 ACRES
NW ¼ SW ¼		26.9 ACRES
SW ¼ SW ¼		26.8 ACRES
SE ¼ SW ¼		31.7 ACRES

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NW ¼ SE ¼		10.2 ACRES
SW ¼ SE ¼		10.9 ACRES
SECTION 28		
NE ¼ NE ¼		32.7 ACRES
NW ¼ NE ¼		41.8 ACRES
SW ¼ NE ¼		42.0 ACRES
SE ¼ NE ¼		34.7 ACRES
NE ¼ NW ¼		42.3 ACRES
NW ¼ NW ¼	- DAIRY USE	
SW ¼ NW ¼	- DAIRY USE	
SW ¼ NW ¼		14.0 ACRES
SE ¼ NW ¼		42.4 ACRES
NE ¼ SW ¼		40.7 ACRES
NW ¼ SW ¼		40.0 ACRES
SW ¼ SW ¼		39.1 ACRES
SE ¼ SW ¼		39.3 ACRES
NE ¼ SE ¼		31.9 ACRES
NW ¼ SE ¼		41.3 ACRES
SW ¼ SE ¼		33.5 ACRES
SE ¼ SE ¼		32.5 ACRES

SECTION 29

TOWNSHIP 6 NORTH, RANGE 34 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted

to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2007. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued November 29, 2002


Paul R. Cleary, Director
Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.