

Permit No. G-1589

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Frank Brooks (Name of applicant) of Hillsboro Ore. (Postoffice Address), county of Wash. state of Ore.

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tualatin River. (Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 21 cubic feet per second or 21 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 260 ft. N. and 700 ft. E. from the 1/4 sec corner of the south line of section 4, T2S, R2W, W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of SE 1/4 of Sec. 4, Twp 2, S., R. 2, W. W. M., in the county of Washington

does not apply The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp.

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

does not apply. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 (Give number of wells, tunnels, etc) having a diameter of 6 inches and an estimated depth of 55 feet. It is estimated that 20 feet of the well will require steel (Kind) casing. Depth to water table is estimated 23 (Feet)

SYSTEM OR PIPE LINE—

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type ~~2 horse power motor~~
 fall in → 2 Inch Universal pump
 Give horsepower and type of motor or engine to be used 2 horse pump
 Deep well

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
 Does not apply

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25	2W	4	SW 1/4 of SE 1/4	6.75
		9	NE 1/4 of NE 1/4	1.25

(If more space required, attach separate sheet)

Character of soil Willamette loam
 Kind of crops raised Berries

the city of _____ county, having a present population of _____ and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1200⁰⁰
- 15. Construction work will begin on or before 6-1-1956
- 16. Construction work will be completed on or before 7-1-1956
- 17. The water will be completely applied to the proposed use on or before 7-1-1956
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None EXISTING

Frank Brooks
(Signature of applicant)

Remarks: _____
STATE OF OREGON)
) ss.
County of Marion.)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 25, 1960.
February 2, 1960

WITNESS my hand this _____ day of November, 1959.
 2nd day of December, 1959.

LEWIS A. STALLER, State Engineer

STATE OF OREGON,)
County of Marion,) ss.
W. E. Perry

By Walter E. Perry
Walter E. Perry, Assistant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Frank Brooks

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this 4th day of January, 1959

STATE ENGINEER
By Walter E. Perry
ASSISTANT

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 9, 1959

Actual construction work shall begin on or before April 11, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 11th day of April, 1960

Lewis A. Stanley STATE ENGINEER

Application No. G-1617 Permit No. G-1529

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of November, 1959, at 1.00 o'clock P. M.

Returned to applicant: Approved: April 11, 1960 Recorded in book No. 6 of 1529 Ground Water Permits on page

LEWIS A. STANLEY STATE ENGINEER Drainage Basin No. 2 page 96A