Parmit No. C.

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1, Leste C Kler					
a Pt 2 Dox 109	austa, county of Terasion,				
state of Outside Address	the state of Oregon, SUBJECT TO EXISTING RIGHTS:				
If the applicant is a corporation, give date and place of incorporation					
·	n to which the well, tunnel or other source of water development is				
situated & mi E	(Name of stream)				
	tributary of Pulling River				
2. The amount of water which feet per second or 25 gallon	the applicant intends to apply to beneficial use is cubic is per minute.				
3. The use to which the water	is to be applied is Ie IrrigaTe pasture				
	's - Dimerric				
,	ocated 50 ft. M. and 198 ft. w from the S. F.				
	(N. or S.) Section of subdivision)				
	(Section or subdivision) 4 Sec Comer Berween Sec 2 4 11				
(If pro	eferable, give distance and bearing to section corner)				
(If there is more than	n one we'l each must be described. Use separate sheet if necessary)				
being within the	of Sec. 1' Twp. 45, R. 1"				
W. M., in the county of	rion				
5. The	Canal or pipe line: miles				
	(Smallest legal subdivision) of Sec. , Twp.				
	ocation being shown throughout on the accompanying map.				
6. The name of the well or oth	her works is				
	DESCRIPTION OF WORKS				
7. If the flow to be utilized is supply when not in use must be desc	artesian, the works to be used for the control and conservation of the				
	·				
8. The development will con	sist of fig. 21/ having a				
	(Give number of wells, tunnels, etc.) I an estimated depth of				
jeet of the well will require	Size! casing. Depth to water table is estimated !! }				

		o (me maner mes)		jeet; wath on oo
***************************************	feet; depth of wate	rr	feet; grade	feet fall per
und jeet.		•		
		es from headgat	e: width on top (at water lin	e)
•	feet; width on b	· ottom	feet; depth of water	
	feet fall pe	er one thousand	feet.	
(c) Length	of pipe,	ft.; size	e at intake, in.;	in size at
intake	in.; si	ize at place of us	ein.; differ	rence in elevation bet
e and place o	of use,	ft. ls g	rrade uniform?	Estimated cap
	sec. ft.			
10. If pum	ps are to be used, g	rive size and type	Jacuzzi	Jer 2H
· · · · · · · · · · · · · · · · · · ·		•••••		
ral stream o lifference in	or stream channel, elevation between	give the distant the stream bed	r development work is less the second the nearest point on and the ground surface at t	each of such channel the source of develop
ral stream o difference in	or stream channel, elevation between	give the distant the stream bed	nce to the nearest point on e	each of such channel the source of develop
ral stream of difference in	elevation between	give the distanthe stream bed	ace to the nearest point on a and the ground surface at t	each of such channel the source of develop mi
ral stream of difference in	elevation between	give the distanthe stream bed	and the ground surface at t	each of such channel the source of develop mi
ral stream of difference in	elevation between	give the distanthe stream bed	and the ground surface at t	each of such channel the source of develop
ral stream of difference in	elevation between	give the distanthe stream bed	and the ground surface at the state of the ground surface at the state of the state	each of such channel the source of develop
ral stream of difference in 12. Appendix	or stream channel, elevation between FCST ST CAN LIZA CAT On of area to be irr Range E or W of	give the distant the stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop
ral stream of difference in 12 C. A	or stream channel, elevation between F. C. S. T	give the distanthe stream bed e.a	of use	each of such channel the source of develop

Kind of crops raised Gerries - pusture

Remerks: ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction In order to retain its priority, this application must be returned to the State Engineer, with corns on or before Pebruary 23		f proposed works, \$				
11. The under will be completely applied to the proposed use on or before all the transfer supply is supplemental to an existing noter supply, identify any open for permit, permit, certificate or adjudicated right to appropriate under, made or held by bloomt. Remerks: Remerks: ATE OF OREGON, 28. County of Marion, 38. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for	ي. ي. الله الله الله الله الله الله الله الل					
M. If the ground water supply is supplemental to an existing eater supply, identify any apon for permit, permit, certificate or adjudicated right to appropriate water, made or held by licent. The continuation of the continu						
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction In order to retain its priority, this application must be returned to the State Engineer, with corns on or before February 23	The same section of the same section is	ones and service and service and the service of the service and the service an				
Remerks: ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for correction In order to retain its priority, this application must be returned to the State Engineer, with corns on or before February 23						
Remeria: ATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with corns on or before	•	4.				
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for correction In order to retain its priority, this application must be returned to the State Engineer, with corns on or before February 23., 1960. WITNESS my hand this 23rd day of Decomber 1959.						
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany as and data, and return the same for correction In order to retain its priority, this application must be returned to the State Engineer, with corms on or before February 23., 1960. WITNESS my hand this 23rd day of Decomber , 1959.	PP + PP + 470 + 0 PP +	4 1. 12 10				
ATE OF OREGON, Set. County of Marion, Set. This is to certify that I have examined the foregoing application, together with the accompany on and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with corms on or before February 23. 1960. WITNESS my hand this 23rd day of December 1959.		(Signature of applicant)				
ATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23., 1960. WITNESS my hand this 23rd day of December , 1959.	Remerks:					
ATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23., 1960. WITNESS my hand this 23rd day of December , 1959.	**************************************					
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cors on or before February 23 , 1960. WITNESS my hand this 23rd day of Decomber , 1959	***************************************					
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cors on or before February 23 , 1960. WITNESS my hand this 23rd day of Decomber , 1959						
This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23 , 1960. WITNESS my hand this 23rd day of December , 1959						
This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23 , 1960. WITNESS my hand this 23rd day of December , 1959						
This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23 , 1960. WITNESS my hand this 23rd day of December , 1959	,					
This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23 , 1960. WITNESS my hand this 23rd day of December , 1959						
This is to certify that I have examined the foregoing application, together with the accompany of and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23., 1960. WITNESS my hand this 23rd day of December , 1959.						
This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23 , 1960. WITNESS my hand this 23rd day of December , 1959						
This is to certify that I have examined the foregoing application, together with the accompany of and data, and return the same for correction In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23						
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23						
This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23	•••••••••••••••••••••••••••••••••••••••					
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with correspondence or before February 23., 1960. WITNESS my hand this 23rd day of December , 1959.						
This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with correspondence or or before February 23. WITNESS my hand this 23rd day of December , 1959.		•				
This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with correspondence or or before February 23. WITNESS my hand this 23rd day of December , 1959.	***************************************					
This is to certify that I have examined the foregoing application, together with the accompany os and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with correspondence on or before February 23. , 1960. WITNESS my hand this 23rd day of December , 1959.						
This is to certify that I have examined the foregoing application, together with the accompany of and data, and return the same for correction. In order to retain its priority, this application must be returned to the State Engineer, with corms on or before February 23	}	38.				
In order to retain its priority, this application must be returned to the State Engineer, with cores on or before February 23	County of Marion,					
In order to retain its priority, this application must be returned to the State Engineer, with cors on or before February 23	This is to certify the	at I have examined the foregoing application, together with the accompany				
In order to retain its priority, this application must be returned to the State Engineer, with cors on or before February 23	os and data, and return	the same forcorrection				
WITNESS my hand this 23rd day of December , 1959 . LEWIS A. STANLEY STATE ENGINE						
WITNESS my hand this 23rd day of December , 1959 . LEWIS A. STANLEY STATE ENGINE	In and an earnering is					
WITNESS my hand this 23rd day of December , 1959 . LEWIS A. STANLEY STATE ENGINE		•				
LEWIS A. STANLEY STATE ENGINE	is on or beforeFebr	nary 23, 1960 .				
LEWIS A. STANLEY STATE ENGINE	•					
LEWIS A. STANLEY STATE ENGINE	WITNESS my hand	this 23rd day of December 1959				
STATE ENGINE	•					
STATE ENGINE		•				
STATE ENGINE		LEWIS A. STANLEY				
		STATE ENGINE				
ASSISTA		By Walter N. Perry				

the foregoing application and do hereby grant the same,

	nd measured at the point of diversion from the well or
erce of appropriation, or its equivalent in case of ro	
The use to which this water is to be applied is	irrigation
	uited to 1/80th of one cubic foot per second
	e further limited to a diversion of not to exceed22
re feet per acre for each acre irrigated during the	e irrigation season of each year;
d shall be subject to such reasonable rotation sys	tem as may be ordered by the proper state officer.
	rdance with good practice and if the flow is artesi
e works shall include proper capping and control	valve to prevent the waste of ground water.
The works constructed shall include an air lear, adequate to determine water level elevation	ine and pressure gauge or an access port for measuri in the well at all times.
The permittee shall install and maintain a weep a complete record of the amount of ground we	eir, meter, or other suitable measuring device, and sho
The priority date of this permit is	
Actual construction work shall begin on or b	pefore April 11, 1961 and sh
Actual construction work shall begin on or b	ce and be completed on or before October 1, 19 11
Actual construction work shall begin on or b	ce and be completed on or before October 1, 19 1
Actual construction work shall begin on or b	ce and be completed on or before October 1, 19 1
Actual construction work shall begin on or b	ce and be completed on or before October 1, 19 1
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of water to the prowing the water to the proving the water to the prowing the water to	pefore April 11, 1261 and shope and be completed on or before October 1, 19 posed use shall be made on or be
Actual construction work shall begin on or be nereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of water to the prowing the water to the proving the water to the prowing the water to	pefore April 11, 1961 and shope and be completed on or before October 1, 1961 posed use shall be made on or before October 1, 1960 posed u
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of water to the prowing the water to the proving the water to the prowing the water to	pefore April 11, 1961 and shope and be completed on or before October 1, 19 on posed use shall be made on or before October 1, 19 on the fore Octobe
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of water to the prowing the water to the proving the water to the prowing the water to	pefore April 11, 1261 and shope and be completed on or before October 1, 19 of the project use shall be made on or before Octo
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of way of wa	pefore April 11, 1261 and shope and be completed on or before October 1, 19 of the project use shall be made on or before Octo
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of way of wa	pefore April 11, 1261 and shope and be completed on or before October 1, 19 of the project use shall be made on or before Octo
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water. day of water to the prowing the water to the proving the water to the prowing the water to	pefore April 11, 1261 and shope and be completed on or before October 1, 19 of the project use shall be made on or before Octo
Actual construction work shall begin on or be hereafter be prosecuted with reasonable diligence. Complete application of the water to the prowing WITNESS my hand this water to day of water to the prowing the water to the water t	re and be completed on or before October 1, 19 on posed use shall be made on or before October 1, 19 on page of the state