## To Appropriate the Ground Waters of the State of Oregon

I, William Rust, Jr.					
Route 1 Box 530 Talent, county of Jackson					
state of					
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to which the well, tunnel or other source of water development is					
situated Wagner Creek (Name of stream)					
tributary of Bear Creek					
2. The amount of water which the applicant intends to apply to beneficial use is					
3. The use to which the water is to be applied is <u>irrigation</u>					
4. The well or other source is located 1450 ft. No. and 2235 ft. E. from the Single (N. or 8.)					
corner of Section 2 (Section or subdivision)					
(If preferable, give distance and bearing to section corner)					
(If there is more than one we'', each must be described. Use separate sheet if necessary)					
being within the NEL SW. of Sec. 2 , Twp. 39 S., R. 1 W.					
W. M., in the county of Jackson					
5. The see remarks to be mile					
in length, terminating in the NE's SW SW of Sec. 4, Twp. 37 S.					
R 1. W., W. M., the proposed location being shown throughout on the accompanying map.					
6. The name of the well or other works is Hust Well (Sump)					
DESCRIPTION OF WORKS					
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.					
••••••••••••••••••••••••••••••••••••••					
8. The development will consist of one well (sump) having					
diameter of 65 1x155 and an estimated depth of 12 feet. It is estimated that no					
feet of the well will require none casing. Depth to water table is estimated 5.0					
(Kind) (Feet)					

itte. At he	sugate: where on to	p (at water	line)	jeet; width on botto
Wan 64000 as a vas sas ( a q	feet; depth of wet	· ·	feet; grade	feet fall per or
and feet.				•
(b) At	wii	les from hea	adgate: width on top (at water	· line)
•	feet; width on t	bottom	feet; depth of wo	iter fee
***************************************	feet fall p	er one than	oand feet.	
(c) Lengt	h of pipe,	remarks	; size at intake,	in.; in size at
intake	in.; s	ize at place	of use in.; di	fference in elevation betwe
e and place	of use,	ft.	. Is grade uniform?	Estimated capacit
	sec. ft.			
10. If pun	rps are to be used, g	jive size and	type 2.0 inch cent	trifugal pump
***************************************		***************************************	7	
Give horse	epower and type of	motor or en	igine to be used 3. H.P.	gasoline engine
al stream of ifference in Hust Wellis appro	or stream channel, elevation between 1 is located	give the dethe stream	other development work is less listance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevat	at the source of developme to: magner Creek
al stream of ifference in Hust Wells appropriately wagne	or stream channel, elevation between 1 is located eximately 30	give the dather the stream approxi	listance to the nearest point of bed and the ground surface of mately 700 feet Wes	on each of such channels a at the source of developme to: "agner Creek lon than the strea
al stream of ifference in Hust Wells appropriately wagne	or stream channel, elevation between 1 is located eximately 30	give the dather the stream approxi	istance to the nearest point of bed and the ground surface of mately 700 feet Wes et higher in elevat	on each of such channels a at the source of developme to: "agner Creek lon than the strea
al stream of ifference in Hust Wells appropriate 12. Location Township	or stream channel, elevation between 1 is located eximately 30 or Creek.	approxi to 40 fe	istance to the nearest point of bed and the ground surface of use	on each of such channels at the source of development of magner Creek  Lon than the streat  Number Acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	bed and the ground surface of use  Forty-acre Tract	on each of such channels at the source of development of magner Creek  Lon than the streation than the streation than the streation of the str
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated according to the surface of use  NE: SW4	on each of such channels at the source of development of magner Creek  Lon than the streat  Number Acres To Be Irrigated  3.7 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevations of use    NE; SW; SW; SW; SW; SW; SW; SW; SW; SW; SW	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek  Ion than the streation than the streation than the streation acres  Number Acres To Be irrigated  3.7 acres  0.2 acre  3.9 acres
al stream of ifference in Hust Wells appropriate Wagner 12. Location N. or 8.	or stream channel, elevation between 1 is located 2 ximately 30 or Creek.  The Creek of Tange 2 or W. of Willesmette Meridian	approxi to 40 fe	istance to the nearest point of bed and the ground surface of mately 700 feet Wester higher in elevated and surface of use    Porty-acre Tract	n each of such channels at the source of development of magner Creek lon than the street of Be Irrigated  Number Acres To Be Irrigated  3.7 acres  0.2 acre  3.9 acres

Kind of crops raised Christmas Trees.

Alternative population of	
A. Belimated text of proposed	sporks, 8, 1650.00
	gin on or before l year from date of issuance of pe
	completed on or beforeQotober 1, 1961
•••	ely applied to the proposed use on or beforeQataber1,1962
18. If the ground water suppl	ly is supplemental to an existing water supply, identify any appli-
graph of the second of the sec	se or adjudicated right to appropriate water, made or held by the
pplicent NODe	
······································	William theat h
n Water will be	pumped from Hust Well into a 1000 gallon steel
	then be trucked to irrigated area for hand wate
of Christmas Trees.	
OI VIII I VIII I VIII I VIII	
,	· · · · · · · · · · · · · · · · · · ·
······· <del>·</del>	
	······································
	······································
	······································
TATE OF OREGON,	
County of Marion,	
This is to certify that I have e	examined the foregoing application, together with the accompanying
naps and data, and return the same	for
In order to retain its priority,	this application must be returned to the State Engineer, with correc-
ions on or before	, 19
WITNESS my hand this	day of, 19

by of Marion

This is to certify that I have as d the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....QaQii ...... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ... Hust well The use to which this water is to be applied is irrigation If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 22 acre feet per acre for each acre irrigated during the irrigation season of each year; ..... ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is hecember 27, 1959 Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19. Complete application of the water to the proposed use shall be made on or before October 1, 19 WITNESS my hand this land day of April 1942 received in th GROUND Z STATE HE T OF OREGON

State Printing

Drainage Basin No. 15

LEWIS A. ST.

Recorded in book No.

April 11,

Approved:

Ground Water Permits on p

Application No. G

Permit No. G-...

PERM

TO APPROPRIATE 1 WATERS OF TH This instrument was fi

office of the State Engineer

on the Aga day of D

1959, at 6:00 o'clock

Returned to applicant: