

1537

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

, Fred R. and Ethel M. West					
of Route 1. Box 51, Jacksonville, county of Jackson					
otate of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the applicant is a corporation, give date and place of incorporation					
1. Give name of nearest stream to which the well, tunnel or other source of water development is					
situated Applegate River (Name of stream)					
tributary of Rogue River					
2. The amount of water which the applicant intends to apply to beneficial use isgallons per minute.					
3. The use to which the water is to be applied is supplemental irrigation					
4. The well or other source is located 580 ft. S. and 1160 ft. N. from the NE					
corner of Section 4 (Section or subdivision)					
(If preferable, give distance and bearing to section corner)					
(If there is more than one we'', each must be described. Use separate sheet if necessary)					
being within the NET NET of Sec. 4 , Twp. 39 S., R. 3 ".					
W. M., in the county of Jackson					
5: The pipeline to be 3000 feet (Canal or pipe line)					
in length, terminating in the $SN_4 SE_4$ of Sec. 33., Twp. $SV_5 SI_4 SI_5 SI_5 SI_5 SI_5 SI_5 SI_5 SI_5 SI_5$					
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.					
6. The name of the well or other works is West Well (Sump)					
DESCRIPTION OF WORKS					
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.					
. 					
8. The development will consist of One Well (sump) having (Give number of wells, tunnels, etc.)					
diameter of 40'x160' and an estimated depth of 10 feet. It is estimated that no					
feet of the well will require none casing. Depth to water table is estimated feet (Kind)					

*******	feet; depth of me	ster	feet; grade	feet fall nor one
and feet.				Jees jest per one
•		iles from bes	dgate: width on top (at water lin	10)
			feet; depth of water	
	jeet fall	• •		, jeet,
	••		size at intake,3.0 in.;	in size at 2300 fr
			of use2.0 in.; differ	
		4	Is grade uniform? Yes	
-	sec. ft.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Downstow Capacity,
	•	aine size and	type 12 inch centrift	ugal pump.
	. Pump).		туре	
		•	gine to be used 7.5 H.P.	
	power und type o			
••••••	····	***************************************		
ral stream ifference in est Well	or stream channe elevation between to be loca	el, give the di in the stream ted appro	other development work is less this tance to the nearest point on ebed and the ground surface at tains tely 150 feet Wes	each of such channels and the source of development t of Applegate Hiv
ral stream ifference in est Well and is 12 iver.	or stream channed elevation between to be locally to 15 feet to 15	el, give the dien the stream ted approhigher i	istance to the nearest point on e bed and the ground surface at t	each of such channels and the source of development t of Applegate Hiv stream bed of Appl
ral stream of ifference in est Well and is 12 iver.	or stream channed elevation between to be locally to 15 feet	el, give the dien the stream ted approhigher i	istance to the nearest point on e bed and the ground surface at t ximately 150 feet Wes n elevation than the	each of such channels and the source of development t of Applegate Hiv
ral stream ifference in est Well and is 12 locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range 2. or W. of	ted approhigher i	istance to the nearest point on ebed and the ground surface at taximately 150 feet Wes nelevation than the lace of use	each of such channels and the source of development t of Applegate Eiv stream bed of Appl
ral stream of ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet to 15 feet Range Z. or W. of Williamette Meridian	el, give the dien the stream ted appro higher i	istance to the nearest point on e bed and the ground surface at t ximately 150 feet Wes n elevation than the lace of use	each of such channels and the source of development t of Applegate Hiv stream bed of Appl
ral stream of ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximates and the stream ted approximates and ted approximates approximates approximate a	istance to the nearest point on ebed and the ground surface at taximately 150 feet Wes nelevation than the	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1
ral stream difference in est Well and is 12 iver.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximates and the stream ted approximates and ted approximates approximates approximate a	stance to the nearest point on ebed and the ground surface at to ximately 150 feet Wes no elevation than the lace of use Forty-acre Tract SWA SEA NEA NEA	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1
ral stream of ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximates and the stream ted approximates and ted approximates approximates approximate a	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1
ral stream of ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximates and the stream ted approximates and ted approximates approximates approximate a	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1
ral stream of ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximates and the stream ted approximates and ted approximates approximates approximate a	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1
ral stream of ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximate in the stream ted ap	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1
ral stream ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximate in the stream ted ap	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1
ral stream difference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximate in the stream ted ap	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1
ral stream ifference in est Well and is 12 iver. 12. Locate Township N. or 5.	or stream channed elevation between to be locally to 15 feet ion of area to be in Range williamette Meridian	ted approhigher in the stream ted approximate in the stream ted ap	stance to the nearest point on ebed and the ground surface at taximately 150 feet West nelevation than the lace of use Forty-acre Tract SWA SEA NEW NEA NEW	each of such channels and the source of development t of Applegate Hiv stream bed of Appl Number Acres To Be Irrigated 10.1 0.3 4.1

By

	y the city of			r kana na ngagan gan dadan a ran 17 Mas Se ess ess ess ess es	;
	[중요] 그 [[경기 (1991)]		population o	1	
e statement of the	opelation of Landa		91.1.3 9	1	
grafier Geografie		3000 14, 16, 16, 1°		S.L. CASSS	
SA Brillen, and	e become to take be				
-				data of issuan	ce of perm
	,			date of issuan	
•				tober 1, 1961	_
				or before October	
28. If the g tion for permit,	round water supply , permit, certificate	ts supplemental or adjudicated r	to an axisting ight to approp	, water supply, identi p riate water, mad e or	held by the
pplicant. InRC	gue River Dec	ree, Page 23	. Col. 3	- H.H. Taylor.	Also in
upplemental	Findings of			age 200 - E.H.	
aura Taylor	•	<u></u>	- Fred	R Cuch	
Remarks:	•		Enter	m. We	4
Nemarks:		•••••••••••••••••••••••••••••••••••••••			
***************************************	••••••				
······································	••••••••••	*******		······································	
		·	••••••		

		•			
• • • • • • • • • • • • • • • • • • • •					
					••••••
		······································	***		

STATE OF ORE	} <i>ss</i> .	•			
County of Mar	ion,)				
This is to c	certify that I have e	xamined the fore	going applicat	ion, together with the	accompanying
naps and data, a	nd return the same f	o r			
In order to	retain its priority,	this application n	ust be returne	ed to the State Engine	er, with correc
	e	• •		•	
www.on.or.oejore		, 43			
WITNESS	my hand this	day of	•••••••••••••••••••••••		, 19
		•••	•••••••		STATE ENGINEER

ned the foregoing application and do hereby grant the same, following limitations and conditions: to certify that I have

The	right herein granted	d is limited to the emo	unt of water t	which can be ap	plied to ber	seficial use and
45		cubic feet per seco	_			
		1244 hada yaran ga esa esa esa e asaa 1 1114 a 1140 a				
The :		pater is to be applied i				
14 400	•	propriation shall be lin				
		e irrigated and shall b	,			
		re irrigated during th				
that the	amount of wat	er allowed herein,	together	with the amo	unt se c ur	ed under aug
other ri	ght existing for	or the same lands	shall not	exceed the 1	imitation	n allowed
herein.	•••••					······································
		•••••••••••••••••••••••••••••••••••••••				186
		•				
		reasonable votation sys				
the works The line, adequ The keep a con	shall include proper works constructed wate to determine permittee shall insupplete record of the	d as necessary in according and control shall include an air lessater level elevation stall and maintain a we amount of ground with permit is	valve to pressine and pressin the well a seir, meter, or ater withdra	vent the waste rure gauge or a t all times. other suitable wn.	of ground in access poi	water. t for measuring
		ork shall begin on or t			901	and shall
		th reasonable diligend				. •
Con	nplete application (of the water to the pro	posed use sho	ıll be made on o	r before Oc	tober 1, 19
WI:	TNESS my hand th	is lith day of		April	19.50	
				News	a U.S	MANUELE STATE ENGINEER
!!	ļ	<u>.</u> 2			₹ ₹	:_N
Application No. G-1672, Permit No. G-1537	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of AMACCO	Returned to applicant:	Approved: April 11, 1960	Recorded in book No. 6 Ground Water Permits on page	Drainage Basin No. 15 page 94.