

RECEIVED
STATE ENGINEER

Permit No. G-1540

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Nyssa (Name of applicant)
of City Hall, 14 South 3rd Street, county of Malheur,
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

February 24, 1903, Salem, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Snake River (Name of stream) tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is 2.0 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is municipal for the City of Nyssa

4. The well or other source is located 150 ft. S and 100 ft. W from the _____ corner of Section 33, T. 22 S., R. 17 E. (Section or subdivision)

Auxiliary well 200 feet west and 100 feet east from the corner of Section 33, T. 22 S., R. 17 E. (If preferable, give distance and bearing to section corner)

being within the SW 1/4, NW 1/4 & NW 1/4 ST 1/4 of Sec. 33, Twp. 22 S., R. 17 E., W. M., in the county of Malheur

5. The _____ (Canal or pipe line) to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a diameter of _____ inches and an estimated depth of _____ feet. It is estimated that _____ feet of the well will require _____ casing. Depth to water table is estimated _____ (Kind) _____ (Feet)

CANAL SYSTEM OR PIPE LINE

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

24' el @ well 2175.92 - el @ high water 2167.0
= 8.92'

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
19 S	17 E	29	NE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ W SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$	Municipal
		31	NE $\frac{1}{4}$ NW $\frac{1}{4}$	
		32	NE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ All NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$	
		33	NW $\frac{1}{4}$ NW $\frac{1}{4}$	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

GROUND WATER SUPPLY

To supply the city of Wagon
in Malheur county, having a present population of 2850
and an estimated population of 2850 in 1960

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before February 1, 1960.....
- 16. Construction work will be completed on or before February 10, 1960.....
- 17. The water will be completely applied to the proposed use on or before June 15, 1960.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The application for the supplemental well is included also in an application for the existing municipal system for the City of Wagon.

[Handwritten Signature]
(Signature of applicant)

Remarks:

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well and a Banny Collector well

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 2, 1960

Actual construction work shall begin on or before April 11, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 11th day of April, 1960

Lewis A. Stanley

STATE ENGINEER

Application No. G-1676
Permit No. G-1540

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of February, 1960, at 1:00 o'clock P. M.

Returned to applicant:

Approved: April 11, 1960
Recorded in book No. 6 of 1510
Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 10 page 38