

RECEIVED  
FEB 15 1950  
STATE ENGINEER  
SALES

Permit No. G-1541

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Oregon Water Corporation

(Name of applicant)

of Box 229, Klamath Falls, Oregon, county of Klamath

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

May 8, 1950 State of Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Link River

(Name of stream)

tributary of Upper Klamath Lake

2. The amount of water which the applicant intends to apply to beneficial use is 17.8 cubic feet per second or 8,000 gallons per minute. Well No. 3 pumps 700 gpm; Well No. 6 pumps 1200 gpm; Well No. 7 pumps 2300 gpm; Well No. 8 pumps 3800 gpm.

3. The use to which the water is to be applied is Municipal

See Remarks

4. The well or other source is located ft. and ft. from the NE corner of Sect. 32, T. 38S, R. 9E W.M.

(N. or S.)

(E or W)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of NW 1/4, & SE 1/4 of NW 1/4 of Sec. 32, Twp. 38S, R. 9E W. M., in the county of Klamath

5. The 3 pipelines 12", 12" & 16" being 120', 125' & 130' respectively in length, terminating in the Distribution System of Sec. , Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

wells

6. The name of the main or other works is Conger Avenue No. 3, 6, 7, and 8.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Each well is equipped with a control valve.

8. The development will consist of 4 (See remarks) having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated wells feet

(Give number of wells, tunnels, etc)

(Kind)

(Feet)

**ON PIPE LINE**

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 3 Horizontal Centrifugal Pumps

Give horsepower and type of motor or engine to be used 250, 450, and 350 H.P. Electric Motors, all connected to common suction pipe.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

.....  
.....  
.....

12. Location of area to be irrigated, or place of use See attached list

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

Item 12 Appl. G-1679

1541

<u>Twp.</u>	<u>Rng.</u>	<u>Sec.</u>		
38 S	9 E.	19 All		
		20 S $\frac{1}{2}$		
		" SW $\frac{1}{4}$ NW $\frac{1}{4}$		
		21 S $\frac{1}{2}$		
		28 All		
		29 All		
		30 All		
		32 All		
		33 All		
		34 W $\frac{1}{2}$ NW $\frac{1}{4}$		
		" S $\frac{1}{2}$		
		35 S $\frac{1}{2}$		
		39 S	9 E.	1 W $\frac{1}{2}$
				2 All
3 All				
4 All				
5 All				
8 E $\frac{3}{4}$				
9 NE $\frac{1}{4}$				
" E $\frac{1}{2}$ NW $\frac{1}{4}$				
10 All				
11 All				
12 NW $\frac{1}{4}$				
14 N $\frac{1}{2}$				
15 All				

MUNICIPAL SUPPLY

12. To supply the city of Klamath Falls, Oregon and Suburbs

in Klamath county, having a present population of 25,000

and an estimated population of 28,000 in 1963.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before .....

16. Construction work will be completed on or before Already completed.

17. The water ~~supply~~ <sup>was</sup> completely applied to the proposed use ~~on or before~~ June 8, 1933

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*OREGON WATER Corporation* *By Glenn D. Bowen*  
(Signature of applicant) *Vice Pres*

Remarks: The filing of this application in no way waives our claim to a vested right for the use of ground water from wells 3, 6, 7, & 8, established by the construction and appropriation of ground water prior to effective date June 8, 1933.

Well Locations

Well No. 3 is 2193' S & 1400' W from N $\frac{1}{4}$  Corner Section 32, being within SW $\frac{1}{4}$  of NW $\frac{1}{4}$ .

Well No. 6 is 2199' S & 1301' W from N $\frac{1}{4}$  Corner Section 32, being within the SE $\frac{1}{4}$  of NW $\frac{1}{4}$ .

Well No. 7 is 2071' S & 1410' W from N $\frac{1}{4}$  Corner Section 32, being within SW $\frac{1}{4}$  of NW $\frac{1}{4}$ .

Well No. 8 is 2216' S & 1460' W from N $\frac{1}{4}$  Corner Section 32, being within SW $\frac{1}{4}$  of NW $\frac{1}{4}$ .

Well Data

Well No. 3. 8" diameter, 190' deep, cased to 190' Drilled in 1913

Well No. 6. 12" diameter, 147' deep, cased to 57' Drilled in 1926

Well No. 7. 13" diameter, 370' deep, cased to 73' Drilled in 1926

Well No. 8. 16" diameter, 850' deep, cased to 44' Drilled in 1930

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 17.8 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 4 wells; being 1.50 c.f.s. from well No. 3; 2.70 c.f.s. from well No. 6; 5.10 c.f.s. from well No. 7 and 8.50 c.f.s. from well No. 8. The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 15, 1960

Actual construction work shall begin on or before April 11, 1961 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19

Complete application of the water to the proposed use shall be made on or before October 1, 19

WITNESS my hand this 11th day of April, 1960

Lewis A. Stanley STATE ENGINEER

Application No. G-1679
Permit No. G-1541
PERMIT
TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of February, 1960, at 8:00 o'clock A. M.
Returned to applicant:
Approved: April 11, 1960
Recorded in book No. 6 of 1511
Ground Water Permits on page
LEWIS A. STANLEY STATE ENGINEER
Drainage Basin No. 14 page 34
State Printing