

STATE OF OREGON

COUNTY OF WASCO

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

THE DALLES COUNTRY CLUB; BOB SPROULE
4550 HWY 30 W
THE DALLES, OREGON 97058

(541) 296-5252

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15859

SOURCE OF WATER: TWO WELLS IN COLUMBIA RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 9.5 ACRES, FILL AND MAINTAIN A 7.0
ACRE-FEET RESERVOIR FOR RECREATION (WATER HAZARD)

MAXIMUM RATE: 0.891 CUBIC FOOT PER SECOND (CFS), BEING 0.118 CFS TO
IRRIGATE 9.5 ACRES, 0.891 CFS FOR INITIAL FILL OF 7.0 ACRE-FEET IN A
RESERVOIR (WATER HAZARD), AND 0.07 CFS FOR MAINTENANCE OF THE RESERVOIR

MAXIMUM VOLUME OF STORAGE: 7.0 ACRE-FEET EACH YEAR

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31 EACH YEAR FOR IRRIGATION AND
YEAR ROUND FOR RESERVOIR MAINTENANCE

DATE OF PRIORITY: OCTOBER 23, 2002

WELL LOCATIONS:

WELL 1 - SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 17, T2N, R13E, W.M.; 820 FEET NORTH &
1130 FEET WEST FROM SE CORNER, SECTION 17

WELL 2 - NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 17, T2N, R13E, W.M.; 1510 FEET NORTH &
320 FEET WEST FROM SE CORNER, SECTION 17

DAM LOCATION: SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 17, T2N, R13E, W.M.; 1100 FEET
NORTH AND 1100 FEET WEST FROM SE CORNER, SECTION 17

The amount of water used for irrigation under this right, together with
the amount secured under any other right existing for the same lands, is
limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or
its equivalent) and 3.0 acre-feet for each acre irrigated during the
irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE ¼ SE ¼	4.0 ACRES	IRRIGATION
SE ¼ SE ¼	5.5 ACRES	IRRIGATION
SE ¼ SE ¼		RESERVOIR

SECTION 17

TOWNSHIP 2 NORTH, RANGE 13 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action

is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2007. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued July 24, 2003


 Paul R. Cleary, Director
 Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.

Application G-15859 Water Resources Department
 Basin 04 Volume 1 COLUMBIA R & MISC
 KL

PERMIT G-15467
 District 3