

RECEIVED  
STATE ENGINEER  
SALEM, OREGON

Permit No. G-1561

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Robert E. Moller & Nancy J. Moller  
of Rt. 3 Box 738, county of Hood River  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Hood River  
tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is supplemental irrigation

4. The well or other source is located 780 ft. S and 443 ft. E from the NE corner of Section 15, T. 2 N., R. 10 E. W.M., Tag Lot 10

being within the NW NE of Sec. 15, Twp. 2 N, R. 10 E W. M., in the county of Hood River

5. The pipe line to be 1500 ft. in length, terminating in the Tax Lot 10 of Sec. 15, Twp. 2N R. 10 E W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of well, or sump 30' X 20' X 6' deep having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet, grade ..... feet fall per one thousand feet.

(c) Length of pipe, 7500 <sup>ft.</sup> ft.; size at intake, 5" in.; in size at 750 ft. from intake 4" in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type pumped from sump by 5 hp electric motor, distributed by sprinkler irrigation system.

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	10 E	15	Tax Lot 10 (NW $\frac{1}{4}$ NE $\frac{1}{4}$ )	18
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	2

(If more space required, attach separate sheet)

Character of soil rockford loam

Kind of crops raised fruit

MUNICIPAL SUPPLY

12. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 150
- 15. Construction work will begin on or before March 15, 1960
- 16. Construction work will be completed on or before May 1, 1960
- 17. The water will be completely applied to the proposed use on or before June 1, 1960

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. \_\_\_\_\_

*Robert Foy Moller*  
*Nancy J. Moller*  
(Signature of applicant)

Remarks: Regular allotment from Hood River Irrigation District of 2/5" per  
acre, total 8 minor inches; and water from spring #1 of application #10821  
permit #7354, are collected in sump as a settling basin and the waters  
are distributed over 20 acres. There is also a considerable amount of  
ground water in this basin which this application seeks to use.

STATE OF OREGON, }  
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right, and the amount allowed herein together with the amount secured under any other right existing for said lands shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 23, 1960

Actual construction work shall begin on or before May 13, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 13th day of May, 1960

*[Signature]*  
STATE ENGINEER

Application No. G- 1701  
Permit No. G- 1561

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of March 1960 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 13, 1961

Recorded in book No. 6 of

Ground Water Permits on page 1561

L. S. STUBBS  
STATE ENGINEER

Drainage Basin No. 4 page 38