

## Permit No. G- 1583

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Robert W. Sage (Hame of applicant)	<b>.</b>
of 101 Oregon Terrace, Medford, county of Jackson	,
state of	the
If the applicant is a corporation, give date and place of incorporation	
1. Give name of nearest stream to which the well, tunnel or other source of water developmen	t is
situated Rogue River (Name of stream)	
tributary of Pacific Ocean	
2. The amount of water which the applicant intends to apply to beneficial use is 0.07	
3. The use to which the water is to be applied is Supplemental Irrigation.	
4. The well or other source is located 1115 ft. No. and 397 ft. No. from the Sign of the S	 3
corner of Section 10 (Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
being within the NE SE	• ,
W. M., in the county of Jackson	
5. The pipeline to be 620 feet 7	hides
in length, terminating in the NEL SEL SEL of Sec. 10, Twp. 76	, S •
R. 2 11. W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is Sage Well	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation o supply when not in use must be described.	f the
8. The development will consist of One Well hav	ing a
diameter of 12 inches and an estimated depth of 13 feet. It is estimated that	L3
feet of the well will require galvanized iron casing. Depth to water table is estimated (Kind)	rt)

feet; depth of water feet; grade feet fall per one and feet.  (b) At miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water feet feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 fintake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee e and place of use, same ft. Is grade uniform? — Estimated capacities sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump eerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from ral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from ral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development work.  12. Location of area to be irrigated, or place of use  Township Range Williamster Meridian Gaction Forty-acre Tract Number Acres To Be Irrigated	feet; width on bottom feet; depth of water line)  feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 finitake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee e and place of use, Same ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifural pump cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from ral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development of the surface in elevation between the stream bed and the ground surface at the source of development.  12. Location of area to be irrigated, or place of use  Township Range Range Section Forty-acre Tract Number Acres To Be Irrigated  North Section Sect	feet,	e: width on top (	at water line	<b>?</b> )	jeet, width on observe
miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water feet  feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 fintake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee e and place of use, same ft. Is grade uniform? — Estimated capacit sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump eerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development.  12. Location of area to be irrigated, or place of use  Township Research  Number Acres to Be Irrigated	miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water feet  feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 ft.  intake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee  e and place of use, same ft. Is grade uniform? — Estimated capacity  sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump  cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development cone.  12. Location of area to be irrigated, or place of use  Township Region of the place of use Section Forty-acre treet Nomber Acres to be irrigated.  Nomber Acres to be irrigated.	Jees,	· denth of spater		feet; grade	feet fall per one
(b) At miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water feet  feet; width on bottom feet;  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 finitake 2.0 in.; size at place of use 2.0 in.; difference in elevation between e and place of use, same ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels addifference in elevation between the stream bed and the ground surface at the source of development of the control of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Township Range of Willemarkie Meridian Section Forty-acre Tract Number Acres To Be Irrigated  No. 12. No. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	(b) At miles from headgate: width on top (at water line)  feet; width on bottom feet; depth of water feet; depth of water feet  feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 finitake 2.0 in.; size at place of use 2.0 in.; difference in elevation between e and place of use, same ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifural pump cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development of the control of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Now the section of the control of the contr					
feet; width on bottom feet; depth of water feet  feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 ft.; size at place of use 2.0 in.; difference in elevation betwee and place of use, Samo ft. Is grade uniform? Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifural pump eerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development of the control of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Normalia area of the product of the place of use the control of area to be irrigated.  Normalia area of the place of use the place of u	feet; width on bottom feet; depth of water feet  feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 ft.  intake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee  e and place of use, Samo ft. Is grade uniform? Estimated capacity  sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifural pump  eerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development of the control of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Township grant for work or grant for the feeting the form of the control of the contro	•	milae	from heada	ate: width on top (at water line	
feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 f intake 2.0 in.; size at place of use 2.0 in.; difference in elevation between the place of use, 5 amo ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifusal pump eerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Zange Zor W of Williamster Meridian Section Forty-acre Tract Number Acres To be irrigated.	feet fall per one thousand feet.  (c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 ft. intake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee e and place of use, 5 ame ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump eerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range 2 or W of Williamster Meridian Section Forty-acre Tract Number Acres To Be Irragated					
(c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 f intake 2.0 in.; size at place of use 2.0 in.; difference in elevation between and place of use, Samo ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from the iral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range of Williamste Meridian Rection Forty-acre Tract Number Acres To Be Irragated  No of S. SET SET 5 2000 Sin.; in in in it is in it. in	(c) Length of pipe, 620 ft.; size at intake, 3.0 in.; in size at 300 ft.; intake 2.0 in.; size at place of use 2.0 in.; difference in elevation between the and place of use, same ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from it is stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range of Williamste Meridian Rection Forty-acre Tract Number Acres To Be irrigated.					
intake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee e and place of use, 5amo ft. Is grade uniform? — Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump reerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one and the ground surface at the source of the ground surface at the source of the ground surface at the source of the ground surface a	intake 2.0 in.; size at place of use 2.0 in.; difference in elevation betwee e and place of use, 5 amo ft. Is grade uniform? Estimated capacity sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump eeerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range 2 or W. of Williamstein Meridian Gection Forty-acre Tract Number Acres To Be irrigated  Northern Tract Secretary Se		feet jall per	ft · e	ize at intake. 3.0 in.;	in size at 300 ft
sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump  Teerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed an	sec. ft.  10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump  Teerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from tral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of	(c) Length of	pipe,	a at place of	2.0 in.; differ	ence in elevation between
10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump  cerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from 12. If the location between the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development 12. Location of area to be irrigated, or place of use  Township Range of Willements Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Nor 8. Section Forty-acre Tract To Be Irrigated  10. Nor 8. Section Forty-acre Tract To Be Irrigated  5 acres (Su	10. If pumps are to be used, give size and type 1.5" x 1.25" centrifugal pump  Teerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range Range Gection Forty-acre Tract Number Acres To Be Irrigated  Secries (Su	intake	in.; siz	e at place of	e gende uniform?	Estimated capacity
10. If pumps are to be used, give size and type 1.5" x 1.25" centrifusal pump  Teerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from it is stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development on the stream of the s	10. If pumps are to be used, give size and type 1.5" x 1.25" centrifucal pump  Teerless).  Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from iral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of the stream bed and the ground surface at the sour				s grade uniform.	
Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of development on the stream bed and the ground surface at the source of	Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from the stream or stream channel, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of developmed one.  12. Location of area to be irrigated, or place of use  Township Range Row Range To Work Williamsette Meridian  Section Forty-acre Tract Number Acres To Be Irrigated  Number Acres To Be Irrigated  Section Section Forty-acre Tract Section Se	S	ec.ft.	<u> </u>	1 5" + 1.25" cen	trifusal pump
Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from iral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development on surface at the source of	Give horsepower and type of motor or engine to be used 1.5 H.P. electric motor.  11. If the location of the well, tunnel, or other development work is less than one-fourth mile from iral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range Rome Rome Gection Forty-acre Tract Number Acres To Be Irrigated Willemente Meridian Gection Forty-acre Tract To Be Irrigated Surface (Su					
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from it all stream or stream channels, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range S. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Nor S. Williamette Meridian Section S	11. If the location of the well, tunnel, or other development work is less than one-fourth mile from iral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range S. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	eerless).				
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from it all stream or stream channels, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range S. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  Nor S. Williamette Meridian Section S	11. If the location of the well, tunnel, or other development work is less than one-fourth mile from iral stream or stream channel, give the distance to the nearest point on each of such channels a difference in elevation between the stream bed and the ground surface at the source of development one.  12. Location of area to be irrigated, or place of use  Township Range S. or W. of Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	Give horsepo	wer and type of t	motor or eng	ine to be used 1.5 H.P. $\Theta$	lectric motor.
12. Location of area to be irrigated, or place of use  Township Range 2. or W. of N. or S. Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  12. SET SET SET 5 acres (Su	12. Location of area to be irrigated, or place of use  Township Range 2. or W. of N. or S. Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  13. Location of Section Forty-acre Tract Number Acres To Be Irrigated Section S				***************************************	
Township Range S. or W. of Williamette Meridian  Rection Forty-acre Tract Number Acres To Be Irrigated	Township Range S. or W. of Williamette Meridian  Rection Forty-acre Tract Number Acres To Be Irrigated			•	<u></u>	······································
N. or 8. Williamette Meridian  N. or 8. SE	N. or 8. Williamette Meridian	12. Location	Range		lace of use	
36 S. 2 W. 10 NE, SE, SE, SE, SE, SE, SE, SE, SE, SE, S	36 S. 2 W. 10 NE; SE; SE; 9 20163 YOU	Township		Section		
			Willemette Meridian	Section	Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated
		N. or 8.	Willemette Meridian		Forty-acre Tract	
		N. or 8.	Willemette Meridian		Forty-acre Tract	To Be Irrigated

(If more space required, attach separate sheet)

Character of soil Pumice soil.

Kind of crops raised Christmas trees and truck garden.

unicipal supply—	1583
13. To supply the city of	
county, having a present population of	
d an estimated population of in 19 in 19	,
ANSWER QUESTIONS 14, 15, 14, 17 AND 18 IN ALL C	ASES
14. Estimated cost of proposed works, \$800.00	
15. Construction work will begin on or before . L. yaar from dat	e of issuance.
16. Construction work will be completed on or beforeQC toboxl.	, 1961
17. The water will be completely applied to the proposed use on or be	fore October 1, 1962
18. If the ground water supply is supplemental to an existing wat tion for permit, permit, certificate or adjudicated right to appropriate	er supply, identify any appli-
plicant Permit No. 22381, Application No. 28365	_
Topus,	In Sage
Remarks:	ture of applicant
······································	
	··· ··································
·	
TATE OF OREGON, )	
County of Marion,	
This is to certify that I have examined the foregoing application, to	ngether with the accompanying
•	
aps and data, and return the same for	
In order to retain its priority, this application must be returned to t	he State Engineer, with correc-
ons on or before, 19	
WITNESS my hand this day of	
,	,

By .....

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	right herein granted	i is limited to the amo	ount of wat	er which can be a	<b>pplied</b> to be	neficial use and
		cubic feet per seco equivalent in case of n		•		
		pater is to be applied i				
If for	r irrigation, this app	propriation shall be lis		1/80th (		
or its equi	valent for each acre	e irrigated and shall b	e further l	imited to a divers	ion of not to	exceed 23
acre feet p	er acre for each ac	re irrigated during th	ie irrigatio	n season of each	year; the	right allowed
hereunde	er fer the appro	opriation of water	r for lar	ds having a v	alid prio	r right shall
		nt mocospary to m				
		ld prior right an				
		er say other righ				
by the	duty of water a	s fixed herein,				
the works The line, adequ The keep a cor  The Act thereafter	shall include proper works constructed water to determine to permittee shall insupplete record of the priority date of the wal construction were be prosecuted with		l valve to pline and printhe welveir, meter vater without the welveir will be welveir without the welveir will be welveir without the welveir will be welveir without the welveir will be welveir without the welveir will be welveir will	erevent the wast essure gauge or l at all times. or other suitable rawn.  April 22, 1  June 6, 196  completed on or	e of ground in access po measuring  960  before Oct or before O	water. ort for measuring device, and shall and shall ober 1, 1961 ctober 1, 1962
Application No. G-1730  Permit No. G- 1583	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 222 day of April M.	Returned to applicant:	Approved:	Recorded in book No. 5. Cound Water Permits on page 1583	Drainage Basin No. 15 page 94.