Permit No. G- 1597

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

i HR+ M. C. Jones
of Salem B# 3 Box 7(x, country of Marron
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Battle Creek
(Name of stream) tributary of Mell Creek
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is the surge hon
4. The well or other source is located 7/8/ft. M. and 726.6ft. W from the E decorner of Sec 29
(Section of Subdivision)
(If preferable, give distance and bearing to section corner) (If there is more than one we'' each must be described. Use separate sheet if necessary)
being within the SW4NE4 of Sec. 79, Twp. 85, R. 3W
W. M., in the county of Manon
5. The to be miles
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
• • • • • • • • • • • • • • • • • • •
8. The development will consist of Give number of wells, tunnels, etc.)
diameter of unches and an estimated depth of 13.7 feet. It is estimated that
feet of the well will require 25 casing. Depth to water table is estimated 3.7

te. At headg	use. waste on top	(at more, m	e)	. jeet, width on
fe	et; depth of water	r	feet; grade	feet fall
nd feet.				
b) At	mile	s from headg	ate: width on top (at water line)	
•	feet; width on bo	ottom	feet; depth of water	
	feet fall pe	r one thousan	d feet.	
c) Length o	f pipe,	ft.; s	ize at intake, in.; in	size at
itake	in.; si	ze at place of	use in.; differen	ice in elevation
and place of	use,	ft. I	s grade uniform?	Estimated of
	sec. ft.			10
0. If pumps	are to be used, gi	ive size and t	pe Submorser	Le.
			ne to be used 5 HP	
il stream or	stream channel,	give the dis	her development work is less that tance to the nearest point on each	ch of such chan
l stream or	stream channel,	give the dis	tance to the nearest point on eaced and the ground surface at the	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between	give the dis the stream b	tance to the nearest point on eac ed and the ground surface at the	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the	ch of such chan e source of deve
il stream or iference in e	stream channel, levation between n of area to be irr	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
ol stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the	ch of such chan e source of deve
ol stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	give the dis the stream b	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve
l stream or ference in e	stream channel, levation between n of area to be irr Range Z. or W of Williamette Meridian	igated, or pla	tance to the nearest point on eaced and the ground surface at the second surface at the second surface at the second surface at the second surface of use	ch of such chan e source of deve

1597
<i>.</i>
ach 1 1961
ly, identify any appli- , made or held by the
) ones
<u></u>

MUNICIPAL SUPPLY—	
13. To supply the city of	
in county, having a present	population of
and an estimated population of in 1	
ANSWER QUESTIONS 14, 15, 16, 17	AND 18 IN ALL CASES
14. Estimated cost of proposed works, \$200	0.00
15 Comment on manh ani II hagin on or hefore	outlier
مهم المسيد في المسيد و المسيد	
16. Construction work will be completed on or bejo	Och 1 1961
17. The water will be completely applied to the pr	oposed use on or before
18. If the ground water supply is supplemental cation for permit, permit, certificate or adjudicated r	to an existing togter supply, identify any apple
applicant.	
applicant.	
	HRA M.S. Jones (Bignature of applicant)
Remarks:	
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the for	egoing application, together with the accompanying
maps and data, and return the same for	
,	
	weet he returned to the State Engineer with correct
	must be returned to the State Engineer, with correc
tions on or before, 19	
WITNESS my hand this day of	, 19
	STATE ENGINEER
	By
	####

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The t	ight herein granted	is limited to the amou	nt of wate	r which can be a	pplied to ber	reficial use an	d
		cubic feet per secon					
ource of ap	ppropriation, or its e	quivalent in case of rot	ation with	other water use	rs, froma	well	
The	use to which this w	ater is to be applied is	i :	crigation			
If for	r irrication, this app	propriation shall be lim		1/80 th			ıd
		irrigated and shall be					
		re irrigated during the					
			•• · · • · · · • · · · · · · · · · · ·				••
			•••••••	······································			
		<u></u>					
		easonable rotation syst					
the works The	shall include prope	l as necessary in accor or capping and control shall include an air li	valve to p ne and pro	revent the wast essure gauge or	e oj grouna	water.	
The	permittee shall ins	water level elevation i stall and maintain a we camount of ground wa	eir, meter,	or other suitable	e measuring	device, and sh	all
The	priority date of thi	is permit is		śa y 16• 19€0.			••
Act	ual construction wo	ork shall begin on or be	efore	July 7, 1961		and sh	ıall
thereafter	be prosecuted with	th reasonable diligence	e and be	completed on or	before Octo	ober 1, 19	
Cor	nplete application o	of the water to the prop			or before Oc	ctober 1, 19	
WI	TNESS my hand th	isday of	·	July	19.70 14 71.	losés.	
				/.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		STATE ENGINE	DR.
!		the you,			20	5	
N	UND	ed in 1, Oreg M.			159	оде <i>96 С</i>	
14/2	E GROI STATE	Salem	:		် မ	page 9	
7 2		This instrument was first received in the ice of the State Engineer at Salem, Oregon, the left day of May May May M.			on pag	7	y .
Application No. G	PERMIT PRIATE THE SS OF THE OF OREGO	rument was fi State Enginee: A day of	ant:	· ·	Recorded in book No. und Water Permits o		State Printing
Application Permit No.	PE APPROPRI WATERS OF	nstrument w he State Eng feth day of R:30 0'0	zpplic		in bo er Per	je Basin	36
Appli Perm	APP] WAT	instr fihe	ed to c	. pac	orded 1 Wat	Drainage Basin No.	
	2	This instrument was first received in the office of the State Engineer at Salem, Oregon on the law of May of May of May 19.60, at R. 200'clock M.	Returned to applicant:	Approved:	Recorded in book No	Dro	
	Į.	1 2 2 2 1	~	🔻 :	G	: 1	