

RECEIVED
APR 21 1903
STATE ENGINEER
SALEM, OREGON

Permit No. G-1612

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Mrs. C. E. (Lucy) Blakney
(Name of applicant)
of 15085 S.W. 100th Ave, Rigged, county of Washington
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tualatin River
(Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 15125 gallons per minute.

3. The use to which the water is to be applied is to irrigate the well pasture and 1/2 acres fruit, garden, lawn

4. The well or other source is located 120 ft. S and 680 ft. N from the NE corner of Maryuarite Oaks Tracts
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.W. quarter of SW 1/4 of Sec. 11, Twp. T2S, R. 1W W. M., in the county of Washington

5. The Portable Pipe & hose to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. 11, Twp. T2S
(Smallest legal subdivision)

R. 1W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is (home water system)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 Well having a
(Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 375 feet. It is estimated that _____ feet of the well will require _____ casing. Depth to water table is estimated 160
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *3 horsepower "Sumo" submersible.*

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S.	Range E or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T2S.	R1W4M	11	SW 1/4	3 acres

(If more space required, attach separate sheet)

Character of soil *sandy loam.*
 Kind of crops raised *garden, cane fruits, fruit trees, etc.*

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 250.00
- 15. Construction work will begin on or before 1961 (2" aluminum pipe 15' sprinkler)
- 16. Construction work will be completed on or before 1962
- 17. The water will be completely applied to the proposed use on or before 1962
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

Mrs Lucy Blakeney
(Signature of applicant)

Remarks: Legal Description 3A LOT 1 - 5A LOT 2 = 8A
3A Lots in Marguerite Oaks Tracts, situated
in section 11, Township 2 South, Range 1 West,
Willamette Meridian according to the duly
recorded plat thereof containing 8 acres land
more or less. To be irrigated

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 11th, 1960.
September 19 1960

WITNESS my hand this 9th day of July, 1960.

RECEIVED
AUG 1 1960
STATE ENGINEER
ALEX. 33768

LEWIS A. STANLEY
STATE ENGINEER
By Walter W. Perry
Walter W. Perry
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 12, 1960

Actual construction work shall begin on or before August 12, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 12th day of August 1960

Lewis A. Stanley STATE ENGINEER

Application No. G-1734
Permit No. G-1612

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of August 1960, at 2:00 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. 1612 of Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 966